

GENERAL DIRECTIONS

Use the following recommended dosage per acre in sufficient water for good coverage, usually 100 gals. For Aircraft Application, minimum quantity of water, approximately 100 gals per acre, consistent with crop growth and good coverage.

NOTE: Do not apply to Alfalfa or Clover within 7 days of harvest or grazing. Do not apply during full bloom.

ALFALFA RECOMMENDED APPLICATION

ALFALFA WEEVIL LARVAE - Hay Crop (West): Treat in May or June using 2-3 qts. per acre. **Hay Crop (East):** Treat in Spring when most of the tips are beginning to show feeding, using 2-3 qts. per acre. A second application may be necessary. If harvest infestation is severe, treat stubble as soon as crop is removed.

ALFALFA CATERPILLAR: Use 1 1/2 qts. per acre. Treat when actual check shows there are 10 or more caterpillars per sweep of net, usually when alfalfa is approximately 1-2 years old.

CLOVER LEAF WEEVIL: Use 1 1/2 qts. per acre. Treat in Spring when alfalfa is 2-3 months old.

GRASSHOPPER: Use 1 1/2 qts. per acre. Treat after cutting and before alfalfa plants are cut. For heavy seedling infestation may be necessary.

MEADOW SPITTLER: - **Spring Treatment:** Use 1 qt. per acre apply 2-3 weeks after eggs begin to hatch. **Fall Treatment:** Use 1 qt. per acre apply in early September.

PEA APHID on HAY or SEED CROP: Use 2 qts. per acre, treat before cutting in evening or at dusk.

POTATO LEAPHOPPERS: Use 1 1/2 qts. per acre, apply when alfalfa is about 1 year old or earlier if leaf damage is abundant.

SPOTTED ALFALFA APHID: Use 1 1/2 qts. per acre. Treat seedling alfalfa 1-2 weeks after cutting and before cutting and when alfalfa is 1-2 years old.

ACCEPTED

AUG 06 1975

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. *4115-4*

ALFALFA and CLOVER INSECT CONTROL

Control Alfalfa Weevils and 2 lbs. Malathion per gallon.

ACTIVE INGREDIENTS	By Weight
Malathion (50% Diethylmercaptophosphate)	24.0
Malathion (50% Diethylmercaptophosphate)	24.0
Aluminum Phosphate (60% content)	4.0
INERT INGREDIENTS	48.0
Total	100.0

1 lb. contains 2.5 lbs. of active ingredient. 1-1-1
1 lb. contains Malathion (50% Diethylmercaptophosphate) product.

CAUTION: Keep out of Reach of Children

COLORADO INTERNATIONAL CORPORATION
Commerce City, Colorado 80022

ED

de,
Act,
le

34

FA and CLOVER CT CONTROL

atroxyl and 2 lbs. Malathion per

Ingredient	By Weight
Technical Malathion	24.0
Dimethyl diethylenetriamine	24.0
Formaldehyde Solution	4.0
INERTS	48.0
Total	100.0

2,4,5-trichloro-methoxyphenyl 1,1,1-trichloro-2,2,2-trifluoroethane

Keep out of Reach of Children
or animals and children

INTERNATIONAL CORPORATION
ce City, Colorado 80022

CLOVER RECOMMENDED APPLICATIONS

CLOVER LEAF WEEVIL: Use 1½ qts. per acre, treat in Spring when clover is 2-6 inches tall.

GRASSHOPPERS: Use 1½-2 qts. per acre. Treat when grasshoppers are young. A second application may be necessary.

MEADOW SPITTLEBUG. Spring Treatment: Use 1-2 qts. per acre; treat within a week after eggs begin to hatch. **Fall Treatment:** Use 1-2 qts. per acre; treat in early September.

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing fumes or spray mist. Avoid getting in eyes, on skin or on clothing. In case of contact, wash with soap and water; for eyes, get medical attention. Wash thoroughly after using. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ENVIRONMENTAL CAUTION: This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

CONTAINER DISPOSAL: Do not reuse empty container. Destroy containers by breaking or crushing and burying in non-wooded area away from water supplies.

NOTICE: Do not warrant that product contains the ingredients listed on the label. Since conditions of use vary, the user assumes responsibility with other chemicals and methods of application. Do not use other than those stated on this label.

EPA Reg. No. 471-1-1 EPA Reg. No. 471-1-1