> <u>HOUSEHOLD PESTS</u>: For control of Roaches, Ants, Silverfish, Waterbugs, Crickets, Spiders, Centipedes and Boxelder Bugs add 3 to 4 tablespoons in 2 quarts of water. Thoroughly spray infested cracks and crevices, baseboards, "behind shelving and bookcases for Silverfish," storage area and water drains in basements. For Ants spray ant trails. For Ants and Boxelder Bugs treat window frames, door sills, openings around water pipes, electrical outlets and other places where they may enter. For Flies, Mosquitoes and Wasps mix at same rate and spray screens, doors, door sills, window frames and areas frequented by these pests such as porches, and refuse disposal area. Repeat application as needed for control of any insect listed.

> LAWN INSECTS: For following insects add the designated number of tablespoons to 2 gallons for 1,000 square feet. For Ants, Armyworms, Crickets, Grasshoppers and Spiders use 3/4 tablespoon. Spray lawn area and ornamentals as needed. For Ants treat hills and trails. For Chiggers, Earwigs and Ticks use 1-1/2 tablespoons and thoroughly treat turf and <u>ornamentals</u>. For Chinch Bugs and Webworms use 2-1/4 tablespoons and treat as for Chiggers. For White Grubs and Wireworms use 4 tablespoons. Wash into soil immediately after application. Do not use on newly seeded lawns.


> <u>CAUTION:</u> Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Keep children and pets off treated area until spray is washed in and dried. Do not use on newly seeded lawns.

> This product is toxic to fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed by punching holes in them and burying with wastes, or by burning. (Keep out of smoke).

Caraban () Salaria () Ale () Salaria () Ale () <u>NOTICE</u>; Seller warrants that this product conforms to the ingredient statement on the label.⁴ Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

U.S.D.A. Registration No. 4715-98





74% CHLORDANE CRABGRASS CONCENTRATE

WARNING KEEP OUT OF REACH OF CHILDREN See side panel for other required warning statements

TO CONTROL CRABGRASS IN LAWNS

CONTAINS 1 POUND TECHNICAL CHLORDANE PER PINT	•
ACTIVE INGREDIENTS: Chlordane Technical [®] Insecticidally Active Petroleum	74.00%
Hydrocarbons	
Total	100.00%

*Equivalent to 44.4% octachloro-4,7 methanotetrahydroindane and 29.6% of related compounds.

> FOR CONTROLLING SOIL INSECTS GRASSHOPPERS

-

NET CONTENTS ONE GALLON

857-460

A S in b

<u>CRABGRASS SUPPRESSION</u>: Mix 4 oz. in 1 gallon water to cover 160 square feet (1-1/2 pints in 6 gallons water per 1,000 square feet) of lawn or <u>turf</u> to suppress crabgrass seedlings as germination or sprouting occurs. (Around April 15th) Will not injure established lawns. This spray will also control lawn insects listed under "For Lawn." Keep children and pets off treated areas until the spray has been washed into the soil and grass has completely dried. Do not use on newly seeded lawns.

VEGETABLE GARDENS: For the following insects add the designated number of tablespoons to 2 gallons of water and spray to cover 1,000 square feet. BEANS - For Flea Beetles, Green Stink Bugs use 1-1/2 tablespoons. Do not apply to green or snap beans after the pods begin to form. CABBAGE - Cabbage Worms, Flea Beetles, Green Stink Bugs, Harlequin Bugs, Mole Crickets use 1-1/2 tablespoons. Apply when injury is imminent. Do not make application after heads begin to form. POTATOES - Blister Beetles and Flea Beetles use 1 tablespoon. Apply when they appear and as needed. ONIONS - Thrips use 1-1/2 tablespoons. Apply when they appear. Do not use on Green or Spring Onions. CUT WORMS - Use 1-1/2 tablespoons; apply around base of newly set plants such as Lettuce, Peppers, Beets and Okra. Do not apply after edible portions begin to form. GRASSHOPPERS - To protect Gardens spray waste vegetation adjacent to garden; use 1-1/2 tablespoons diluted as above. Spray directly affected flowering plants and ornamentals.

<u>TERMITES:</u> Add 1/2 quart to 12 gallons of water. Apply 2 gallons per 5 linear feet in trenches around the foundation of buildings to the depth of the foundation and not below the top of the footing, or 4 gallons per linear foot when trenches are deeper than 18 inches. Apply 1 gallon per 10 square feet as an overall treatment under the slab and under attached porches. Treat thoroughly any wood coming in contact with soil. Replace damaged wood and treat new wood by painting surfaces with same solution.

ACCEPTED WITH COMMENTS