

Registered for the pesticide
under
EPA Reg. No. 4-115-127

**TO BE APPLIED BY: PEST CONTROL OPERATORS OR TRAINED PERSONNEL ONLY
READ THE ENTIRE LABEL CAREFULLY BEFORE APPLICATION AND FOLLOW DIRECTIONS CAREFULLY.**

GENERAL INFORMATION

DDVP INSECT FOGGING CONTROL is a concentrated material and must be diluted with base oil before fogging. Do not mix with water as this is not an emulsifiable material. Follow the directions of your fogging equipment manual for best results.

Mix the material outdoors or in a well-ventilated room. Wash off the outside of the container in running water before storing away. It is recommended that only the amount of diluted solution be prepared from this material that will be used immediately.

Wear clean rubber gloves, waterproof protective clothing and goggles when handling this material to prepare diluted solutions. During application indoors wear a full face mask of a type passed by the U.S. Bureau of Mines for DDVP protection. Keep all unprotected persons out of operational area.

Store this material in a safe place. Children or animals must not be able to reach or handle this material or the diluted solutions.

DIRECTIONS FOR USE

To each 1-gallon of **DDVP INSECT FOGGING CONTROL** add 30-gallons of No. 2 diesel oil and mix thoroughly (0.5% Solution).

FOR OUTDOOR APPLICATIONS

OUTDOOR LIVING AREAS, PICNIC GROUNDS, BACKYARD AREA, PATIOS, LOADING DOCKS, OUTDOOR LATRINES, PARKING AREA, REFUSE AREAS, AROUND SERVICE STATIONS, OPEN-AIR DRIVE-INS, ICE CREAM STANDS, GARBAGE COLLECTION AND DISPOSAL AREAS, CATTLE FEED LOTS, STOCK YARDS, HOLDING PENS and CORRALS.

Apply as a 1% - 3% fog to control Flies, Mosquitoes, wasps, gnats and other small flying insects.

Apply diluted solution as an over-all application at the rate of 0.2 pounds of Technical DDVP per acre. The spray should be directed over the entire area. Particular attention should be given to areas where flies congregate, such as: fences, spillage areas around feed bunks, and walls or building. Treat around doorways, feed storage rooms, alleyways and window sills.

Animals may be present during treatment. Avoid direct application to exposed feed and water. Do not treat areas where food or feed crops are growing. Do not contaminate milk or milking utensils.


MANURE PILES, GARBAGE DUMPS

For the control of fly maggots in maggot-breeding areas apply at the rate of 1-2 quarts of 0.5% spray per 100 sq. ft. (or 1 Qt. of 1%).

ANIMAL BUILDINGS.

Horse Barns, Dairy Barns, Shelter Sheds, Milk Sheds: Occupants should vacate before indoor treatments and should not reoccupy the premises until it has been ventilated.

Apply as a fog inside buildings at rate of 1-gallon of diluted solution per 32,000 cubic feet. (1% Solution). After applications, open several windows or doors to create air currents to insure reduction of DDVP vapors. Dairy and beef cattle and horses may be present during application. Do not use this solution for fogging purposes in areas where animals have received direct application within 8 hours. Do not contaminate water, feed, milk or milking utensils.



**D
FOG**

FOR USE

ACTIVE INGREDIENT
2,2-dichlorovinyl
Related Compound
Aromatic Petroleum

*Equivalent to 15%



DANGER

See side panels for

NET CO

COLORADO
CO

DANGER: Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe fumes. Avoid exposure to fumes. Wear clean rubber gloves, waterproof protective clothing and goggles when handling this material.

Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for DDVP protection. Keep all unprotected persons out of operational area.

In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

ANTIDOTE AND FIRST AID TREATMENT: **ATROPINE** is the emergency antidote for DDVP poisoning. 2-PAM is also antidotal and may be used in conjunction with atropine. **Call a physician in all cases of suspected poisoning.**

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving 1 tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the DDVP, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, flush immediately with running water for at least 10 minutes.

IF WARNING SYMPTOMS APPEAR: NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See **WARNING SYMPTOMS** below.) Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest hospital.

NOTE TO PHYSICIAN:

WARNING SYMPTOMS: Symptoms include: weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of para-sympathetic stimulation, atropine sulfate should be injected at ten-minute intervals, in doses of 1-2 milligrams, until complete atropinization has occurred. Pralidoxime chloride (2-PAM chloride) may also be used as an effective antidote in addition to and while maintaining full atropinization. In adults, an initial dose of 1 gram of 2-PAM should be injected, preferably as an infusion of 250 cc of saline over a 15-30 minute period. If this is not practical, 2-PAM may be administered by intravenous injection as a 5 percent solution in water over not less than 2 minutes. After about an hour, a second dose of 1 gram of 2-PAM will be indicated if muscle weakness has not been relieved. For infants and children, the dose of 2-PAM is 0.25 grams. Morphine is contra-indicated. Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeat exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ENVIRONMENTAL CAUTION: This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DECONTAMINATE AND DESTROY USED CONTAINERS by washing thoroughly with a dilute solution of caustic (less than 5%) and detergent. **CAUTION:** Avoid skin and eye contact with caustic solutions. Rinse containers with water and dispose of the washings in such a way that do not constitute a hazard to, or contaminate water supplies. Destroy containers by crushing and puncturing; bury in non-cropland away from water supplies.

NOTICE: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA REG. No. 4715-127

EPA Est. 4715-CO-1

By Weight
13.95%*
1.05%*
85.00%
Total 100.00%



CHILDREN

statements.

IONS

ION