

DIRECTIONS

READ AND HEED INSTRUCTIONS ON THIS PACKAGE

WARNING: Whenever Handling or Applying parathion wear clean rubber or rubber dipped gloves and clean waterproof or freshly laundered protective clothing (coveralls, cap, etc.) covering exposed surfaces. Clothing must not get wet through. Destroy and replace gloves frequently. Wear a respirator passed by the U. S. Department of Agriculture for Methyl parathion protection. (Air-plane pilots should wear a full-face canister-type mask). For any handling indoors provide mechanical exhaust ventilation. Burn or destroy containers; never re-use. Bury spillage; clean up area with strong lye solution. Bathe promptly with soap and water after using or handling. Wash clothing with soap and hot water before re-use.


HOW TO HANDLE

After pour Concentrate carefully into partially filled spray tank with agitator running or preferably

1. Pour required amount of concentrate into bucket or other suitable container.
2. Add an equal amount of water.
3. Stir thoroughly with paddle until mixture is creamy white.
4. Pour creamy mixture into nearly filled spray tank. Complete filling of tank. Run agitator for several minutes before spraying.

APR 13-1967

4715-129



METHYL PARATHION CONCENTRATE NO. 2

ACTIVE INGREDIENTS

O,O-dimethyl O-p-nitrophenyl
thiophosphate 25%

Xylene 60%

INERT INGREDIENTS 15%

100%

*Methyl Parathion

CONTAINS 2 LBS. METHYL PARATHION PER GAL.

FOR USE IN WATER AS AN INSECTICIDAL SPRAY. DANGER - Before using study safety directions. Consult your physician about obtaining an adequate supply of 1:1000 gram atropine tablets for emergency use.

Extremely hazardous if inhaled or absorbed through skin; rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to parathion poisoning. If you suspect excessive exposure, see a doctor. Do not breathe dust or vapor, wear a proper respirator. Do not get on skin, in eyes, on clothing. If spilled on skin immediately wash thoroughly with soap and water. Do not store near food or feed products.

SWR

CAUTION: Before applying parathion remove unprotected persons and domestic animals from operational and adjoining areas where insecticide may drift; prohibit re-entry until drift and vapor dissipate.

DIRECTIONS

COTTON: For the control of boll weevil, cotton aphids, red spider mites, and cotton leafworms, use one pint in sufficient water to obtain coverage on one acre. When boll weevils begin to migrate, increase dosage to one quart per acre. For bollworms, add 2-3 quarts of DDT Emulsifiable Concentrate No. 25 to the above dosages. Do not apply to cotton within 15 days of hand picking.

NET CONTENTS _____ GALLONS

COMBUSTIBLE MIXTURE — KEEP AWAY FROM OPEN FLAME

RESPIRATOR
PASSED
S DEPT.
ULTURE
PARATHION
CON
IF READ
MEN SEE
SEE FOR
HAVING
ENTS READ
COTTONS
BY
USING

NOTICE TO USER: Chemical mixture strong enough to be effective against insects include the possibility of injury or damage to other animal or plant life with which they come in contact. Climatic, soil and other conditions beyond the manufacturer's control, moreover, will necessarily affect results in the use of this material. The manufacturer, therefore, makes no claims, representations or warranties, express or implied, as to the results to be obtained from the use of this material and will not be responsible for any damage to persons, crops, soil or other property arising from its use. The manufacturer's only claim, representation or warranty is that the material conforms in content to the description on the label.

DIRECTIONS

READ AND HEED INSTRUCTIONS ON THIS PACKAGE

WARNING: Whenever Handling or Applying parathion wear clean rubber or rubber-dipped gloves and clean waterproof or freshly laundered protective clothing (coveralls, cap, etc.) covering exposed surfaces. Clothing must not get wet through. Destroy and replace gloves frequently. Wear a respirator passed by the U. S. Department of Agriculture for Methyl parathion protection. (Airplane pilots should wear a full-face canister-type mask). For any handling indoors provide mechanical exhaust ventilation. Burn or destroy containers; never re-use. Bury spillage; clean up area with strong lye solution. Bathe promptly with soap and water after using or handling. Wash clothing with soap and hot water before re-use.

HOW TO HANDLE

Either pour Concentrate carefully into partially filled spray tank with agitator running or preferably:

1. Pour required amount of concentrate into bucket or other suitable container.
2. Add an equal amount of water.
3. Stir thoroughly with paddle until mixture is creamy white.
4. Pour creamy mixture into nearly filled spray tank. Complete filling of tank. Run agitator for several minutes before spraying.



ACCEPTED
APR 13-1967
4715-129

METHYL PARATHION CONCENTRATE NO. 2

ACTIVE INGREDIENTS

O,O-dimethyl O-p-nitrophenyl thiophosphate*	25%	
Xylene	60%	70%
INERT INGREDIENTS	15%	5%
	100%	

*Methyl Parathion
CONTAINS 2 LBS. METHYL PARATHION PER GAL.

FOR USE IN WATER AS AN INSECTICIDAL SPRAY. DANGER: Before using study safety directions. Consult your physician about obtaining an adequate supply of 1 100 grain atropine tablets for emergency use. Extremely hazardous, if inhaled or absorbed through skin—rapidly absorbed through skin. Repeated inhalation or skin contact may, without symptoms, progressively increase susceptibility to parathion poisoning. If you suspect excessive exposure see a doctor. Do not breathe dust or vapor; wear a proper respirator. Do not get on skin, in eyes, on clothing. If spilled on skin immediately wash thoroughly with soap and water. Do not store near food or feed products.

SWALLOWED

DANGER - POISON

SYMPTOMS AND FIRST AID: If inhaled, remove to fresh air. If on skin, wash with soap and water. If in eyes, wash with water. If swallowed, do not induce vomiting. If symptoms persist, consult a physician. **TREATMENT:** Give atropine tablets as directed. If symptoms persist, consult a physician. **PREVENTION:** Avoid contact with skin, eyes, and clothing. Do not breathe dust or vapor. Do not get on skin, in eyes, on clothing. If spilled on skin immediately wash thoroughly with soap and water. Do not store near food or feed products.

WASH - R RESPIRATOR
OF A TYPE PASSED
BY THE U.S. DEPT.
OF AGRICULTURE FOR
METHYL PARATHION
PROTECTION
KEEP OUT OF REACH
OF CHILDREN. SEE
SIDE PANEL FOR
OTHER WARNING
STATEMENTS READ
ALL DIRECTIONS
CAREFULLY
BEFORE USING.

CAUTION: Before applying parathion remove unprotected persons and domestic animals from operational and adjoining areas where insecticide may drift; prohibit re-entry until drift and vapor dissipate.

DIRECTIONS

COTTON: For the control of boll weevil, cotton aphids, red spider mites, and cotton leafworms, use one pint in sufficient water to obtain coverage on one acre. When boll weevils begin to migrate, increase dosage to one quart per acre. For bollworms, add 2-3 quarts of DDT Emulsifiable Concentrate No. 25 to the above dosages. Do not apply to cotton within 15 days of hand picking.

NET CONTENTS _____ GALLONS

COMBUSTIBLE MIXTURE — KEEP AWAY FROM OPEN FLAME

NOTICE TO USER: Chemical mixtures strong enough to be effective against insects involve the possibility of injury or damage to other animal or plant life with which they come in contact. Climatic, soil and other conditions beyond the manufacturer's control, moreover, will necessarily affect results in the use of this material. The manufacturer, therefore, makes no claims, representations or warranties, express or implied, as to the results to be obtained from the use of this material and will not be responsible for any damage to persons, crops, soil or other property arising from its use. The manufacturer's only claim, representation or warranty is that the material conforms in content to the description on the label.

4715-