

4715-147
 ACCEPTED
 NOV 10 1972
 TO ALL...



**DAIRY CATTLE
 INSECT CONTROL
 CD**

**Cattle Spray Solution
 (R)**
 1.0% Ciodrin Insecticide
 0.25% DDVP Insecticide

ACCEPTED
 NOV 10 1972

CAUTION:
KEEP OUT OF REACH OF CHILDREN
 See Side Panels for other required caution statements.

ACTIVE INGREDIENTS:

Dimethyl phosphate of alpha-methylbenzyl 3-hydroxy-cis-crotonate*	1.00%
2,2-dichlorovinyl dimethyl phosphate	0.247**
Related Compounds	0.017**
Petroleum Hydrocarbons	98.57%
INERT INGREDIENTS:	0.18%
(R) Total	100.00%

* Ciodrin Insecticide
 **Equivalent to 0.25% DDVP Insecticide

contact with skin. In case of contact with skin or eyes flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. Keep out of reach of children. If swallowed, induce vomiting immediately, and get medical attention. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Do not reuse container. Containers should be disposed by punching holes in them and burying with wastes or by burning. (Keep out of smoke).

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA REG. NO. 4715-147

Net Contents ____ Gal.

GENERAL DIRECTIONS
 Dairy Cattle Insect Control CD Cattle Spray Solution is a specially prepared ready to use insecticide suitable for use in conventional hand, power, or automatic spray equipment. For the control of certain insects attacking cattle, apply in accordance with State and Federal recommendations.

USE AND DIRECTIONS FOR APPLICATION

For control of house flies, horn flies, stable flies and face flies on dairy cattle and beef cattle.

Apply a light application daily as a fine mist. Spray to thoroughly cover all parts of the animal, including the legs, but do not wet skin. Do not apply in excess of 2 fluid ounces per animal per day. Do not apply this product regularly to calves under 6 months of age. Brahman cattle should not be treated as they may show hypersensitivity to organic phosphates.

PRECAUTIONS IN USING

CAUTION: Harmful if swallowed. Avoid prolonged or repeated inhalation of mist and