


CAUTION

Harmful if swallowed. Avoid prolonged breathing of dust. Avoid prolonged or repeated contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs.

NOTE TO PHYSICIAN: Malathion upon repeated or prolonged use may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

EPA Reg. No. 4715-222

Net Contents _____ Lb.



MUSHROOM FLY DUST

CAUTION:

KEEP OUT OF REACH OF CHILDREN

See Left Panel for Other Warnings

ACTIVE INGREDIENTS:

Malathion (O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate)	4.0%
Pyrethrins	0.1%

INERT INGREDIENTS:	<u>95.9%</u>
Total	100.0%

COLORADO INTERNATIONAL CORP., COMMERCE CITY, COLO. 80022

1-4

MUSHROOM FLY DUST

CAUTION:

KEEP OUT OF REACH OF CHILDREN

See Left Panel for Other Warnings

ACTIVE INGREDIENTS:

Malathion (O,O-dimethyl dithiophosphate
of diethyl mercaptosuccinate) 4.0%

Pyrethrins 0.1%

INERT INGREDIENTS: 95.9%

Total 100.0%

DIRECTIONS FOR USE FOR MUSHROOM FLIES: To control Phorid and Scarid Flies use 1 pound Mushroom Fly Dust per 1100 sq. ft. of bed surface. Make thorough application as soon after picking as possible. Repeat applications as needed but not more than twice a week. Do not apply within 24 hours of harvest.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as compatibility with other chemicals and condition of application equipment will vary, Seller makes no claims other than those stated on this label.