

DIRECTIONS FOR USE

This is a concentrate and must be diluted with base oil before fogging. To each gallon of concentrate add 100 gallons of No. 2 diesel oil and mix thoroughly. Follow the directions in the manual of your fogging equipment for best results. Do not mix with water as this is not an emulsifiable concentrate.

OUTDOOR FOGGING Apply diluted solution of fogging concentrate at the rate of 1 gallon plus 1 pint per acre. The fog should be directed over the entire area. Particular attention should be given to areas where flies congregate such as fences, walls, of buildings. Animals may be present during treatment of feedlots. Avoid direct application to exposed feed and water. Do not apply the fog where food or feed crops are growing.


FOR CONTROL OF FLY MAGGOTS In Maggot breeding areas such as garbage dumps and manure piles, apply at the rate of 1-2 gallons of diluted solution per 100 sq ft. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Repeat as necessary. Birds feeding on treated areas may be killed.

FOR ANIMAL BUILDINGS Apply as a fog inside buildings at rate of 1 gallon of diluted solution per 12,000 cubic feet. Dairy and beef cattle and horses may be present during application. Do not use this solution for fogging purposes in areas where animals have received direct application within eight hours. Do not contaminate water, feed, milk or milking utensils.

COMBUSTIBLE MIXTURE DO NOT POUR, SPILL OR STORE NEAR FIRE OR HEAT.


DANGER May be fatal if swallowed, inhaled or absorbed through the skin or eyes. Do not get on skin, in eyes, or on clothing. Do not inhale fumes. Wear rubber gloves, protective clothing and goggles when handling concentrate to prepare solution. In case of contact, remove contaminated clothing and wash skin thoroughly with soap and water. Do not use inside homes or where milk is stored or processed. Not for use on home lawns. Avoid breathing of spray mist. During fogging or misting applications wear a mask or respirator approved by the U.S. Bureau of Mines for use with DDVP. Wash and contaminated clothing with soap and hot water before reuse. Keep all unattended persons out of operational area.

Burn or destroy containers, never reuse. Stay out of smoke or fumes. Bury spillage in non-crop area, away from water supplies. Clean up area with strong lye solution.



50% DDVP OIL SOLUTION

For Fly, Maggot and Mosquito Control



KEEP OUT OF REACH OF CHILDREN

See Side Panels for Antidote and other required warning statements.


ACTIVE INGREDIENTS:

2,2-dichlorovinyl dimethyl phosphate (DDVP)	46.5%*
Related Compounds	3.5%*
Aromatic Petroleum Derivatives	50.0%
Total	100.0%

* Equivalent to 50%w DDVP Insecticide

CONAGRO INTERNATIONAL CORP., COMMERCE CITY, COLORADO 80022

This product is toxic to fish and wildlife. Do not contaminate any body of water by direct application, cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.



ANTIDOTE AND FIRST AID TREATMENT Atropine is the emergency antidote for DDVP poisoning. 2-PAM is also antidotal and may be administered in conjunction with atropine. Consult your physician about obtaining an adequate supply of 1-100 grain atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.**

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Repeat until vomit fluid is clear. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes, get medical attention.

IF WARNING SYMPTOMS APPEAR Administer two 1-100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** (See Warning Symptoms below.) 2-PAM is also antidotal and may be administered in conjunction with atropine. Keep patient warm and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN Warning symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pupils, purple salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

NOTE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA 421-21

Net Contents

9-22-74
1715-124