

Cameraman's Note

Poor Copy

**DIRECTIONS FOR USE**

This is a concentrate and must be diluted with base oil before fogging. To each one-half gallon of concentrate add 77 gallons of No. 2 diesel oil and mix thoroughly. Follow the directions in the manual of your fogging equipment for best results. Do not mix with water as this is not an emulsifiable concentrate.

**OUTDOOR FOGGING:** Apply diluted solution of fogging concentrate at the rate of 4 gallons per acre. The fog should be directed over the entire area. Particular attention should be given to areas where flies congregate such as fences, walls of buildings. Animals may be present during treatment of feedlots. Avoid direct application to exposed feed and water. Do not apply the fog where food or feed crops are growing. Not for use on home lawns.

**FOR CONTROL OF FLY MAGGOTS:** In maggot breeding areas such as garbage dumps and manure piles, apply at the rate of 1/2 gallon of diluted solution per 100 sq. ft. Do not contaminate water, feed or foodstuffs, milk or milking utensils. Repeat as necessary. Birds feeding on treated areas may be killed.

**FOR ANIMAL BUILDINGS:** Apply as a fog inside buildings at rate of 1 gallon of diluted solution per 32,000 cubic feet. Dairy and beef cattle and horses may be present during application. Do not use this solution for fogging purposes in areas where animals have received direct application within eight hours. Do not contaminate water, feed, milk or milking utensils.

**DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.**

**DANGER:** Poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or in eyes. Do not breathe fumes. Avoid exposure to fumes. Wear clean rubber gloves, waterproof protective clothing and goggles when handling this material.

Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for DDVP protection. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

**ANTIDOTE AND FIRST AID TREATMENT: ATROPINE** is antidotal. 2-PAM is also antidotal and may be used in conjunction with atropine. Call a physician in all cases of suspected poisoning. **INTERNAL:** Induce vomiting immediately. This may be done by introducing a finger into the throat or by giving 1 Tbsp. of salt in a glass of warm water. Repeat until vomit fluid is clear. **Never give anything by mouth to an unconscious person!**

**EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from the vicinity of the DDVP, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eyes, flush immediately with running water for at least 10 minutes.

**ACCEPTED**  
**JUL 15 1975**  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4715-231

# DDVP 8 POUND OIL SOLUTION

Contains 8 Lbs. Technical DDVP Insecticide Per Gallon

To Be Used Only by Public Health Officials, Mosquito Abatement Districts and Pest Control Operators

**ACTIVE INGREDIENTS:**

2,2-dichlorovinyl dimethyl phosphate (DDVP) .....	72.02%*
Related Compounds .....	5.42%*
Aromatic Petroleum Derivatives .....	22.56%
<b>Total</b>	<b>100.00%</b>

\*Equivalent to 77.44% Technical DDVP Insecticide.




**DANGER: KEEP OUT OF REACH OF CHILDREN**

See Side Panels for Antidote and Other Required Warning Statements

NET CONTENTS: GALLONS

IF I  
1/16  
MIN  
APP  
peti  
med  
near  
  
NOT  
incl  
visio  
naus  
  
TRE  
goni  
tion.  
supp  
If th  
sulfa  
of  
occu  
admi  
GIVI  
by  
nece  
Repe  
with  
smal  
furth  
attai  
  
ENV  
fish  
water  
not a  
treat  
ment  
spec  
  
This  
treat  
may  
Exte  
  
Deco  
thore  
and  
with  
dispo  
const  
Destr  
non c  
  
NOT  
ing c  
tions  
  
EPA

PTED  
5 1975  
Federal Insecticide,  
Fungicide Act,  
for the pesticide  
4715-231



# DDVP 8 POUND OIL SOLUTION

Contains 8 Lbs. Technical DDVP Insecticide Per Gallon

To Be Used Only by Public Health Officials, Mosquito Abatement  
Districts and Pest Control Operators

**ACTIVE INGREDIENTS:**

2,2-dichlorovinyl dimethyl phosphate (DDVP) .....	72.02%*
Related Compounds .....	5.42%*
Aromatic Petroleum Derivatives .....	22.56%
Total	100.00%

\*Equivalent to 77.44% Technical DDVP Insecticide.



**DANGER: KEEP OUT OF REACH OF CHILDREN**

See Side Panels for Antidote and Other Required Warning Statements

NET CONTENTS:  GALLONS

**IF WARNING SYMPTOMS APPEAR:** Administer two 1/100 grain atropine tablets immediately. **NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.** (See **WARNING SYMPTOMS** below.) Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport to the nearest hospital immediately.

**NOTE TO PHYSICIAN: Warning Symptoms:** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

**TREATMENT:** Atropine is the specific therapeutic antagonist of choice against para-sympathetic nervous stimulation. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use. If there are signs of para-sympathetic stimulation atropine sulfate should be injected at 10-minute intervals, in doses of 1-2 milligrams, until complete atropinization has occurred. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Clear chest by postural drainage. Oxygen administration may be necessary. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

**ENVIRONMENTAL CAUTION:** This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Decontaminate and destroy used containers by washing thoroughly with a dilute solution of caustic (less than 5%) and detergent. **CAUTION:** Avoid skin and eye contact with caustic solutions. Rinse containers with water and dispose of the washings in such a way that you do not constitute a hazard to, or contaminate water supplies. Destroy containers by crushing and puncturing, bury in non-crop and away from water supplies.

**NOTICE:** Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

EPA Reg. No. 4715-231      EPA Est. 4715 CO 1

Camerman's Note  
Poor Copy