

DIRECTIONS FOR USE

SMALL GRAINS (Barley, Oats, Rye, Wheat): To control Armyworm, army cutworm, chinch bug, cutworms, fall armyworms and pale western cutworms, make single application when insects first appear using 1 to 1-1/4 pints per acre in 3-10 gallons water for aerial application or 25-50 gallons of water for ground sprayers. For chinch bugs, apply either as barrier strip around field or broadcast. Do not apply within 45 days of harvest or feeding. Do not graze treated fields. Do not feed threshings to livestock.

COTTON: Use the dosage of Endrin per acre as shown below in 3 to 10 gallons of water for aerial application and 25-50 gallons of water for ground sprayers.

Bollweevil, Bollworm — For early season control use 1 Pt./Acre. For late season control use 1 to 2 Pts./Acre.

Thrips, Fleahoppers — For early season control use 3/8 Pt./Acre. Mid-season control, use 3/4 Pt./Acre. Late season control, use 1 Pt./Acre.


Brown cotton leafworm, cabbage looper, cotton leafworm, cutworms, garden webworm, leaf perforator, lygus bugs, rapid plant bug, salt marsh caterpillar, tarnished plant bug — Use 1 to 2 Pts./Acre. Apply when insects are present. Repeat as necessary.

Grasshoppers — Use 1-1/4 Pts./Acre. Fall armyworm, garden webworm — use 1-1/4 Pts./Acre. Greenhouse leafhopper — use 2 Pts./Acre. Apply when necessary.

Caution: Workers entering treated fields within 5 days after application should be protected. Do not graze dairy animals or animals being finished for slaughter.

SUGAR CANE: To control Sugar cane beetle, apply 2-1/2 pints of Endrin Emulsifiable Concentrate per acre in 3 to 10 gallons of water for aerial application and 25-50 gallons of water for ground equipment. Apply on seed pieces in open planting furrow. Do not feed bagasse or field trimmings to livestock.

DANGER. Poisonous If Swallowed, Inhaled or Absorbed Through Skin. Rapidly Absorbed Through Skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes get medical attention.



**ENDRIN
EMULSIFIABLE CONCENTRATE**
(Contains 1.6 lbs. of Endrin per gallon)
For Control of Certain Insects
On Small Grains and Cotton



KEEP OUT OF REACH OF CHILDREN

See Side Panels for Antidote and additional warnings.

ACTIVE INGREDIENTS:

Endrin (Hexachloroepoxyoctahydro-endo, endo-dimethanonaphthalene) 19.1%
Xylene 75.9%

INERT INGREDIENTS: 5.0%
Total 100.0%

E.P.A. Reg. No. 4715-238

Net Contents _____ Gal.

COLORADO INTERNATIONAL CORP., COMMERCE CITY, COLO. 80022

KEEP AWAY FROM HEAT AND OPEN FLAME.

During commercial or prolonged exposure in spray mixing or loading operations, wear clean, synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against Endrin. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed and foodstuffs.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of waste. Do not apply to any area not specified on the label.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

FIRST AID TREATMENT: Call A Physician Immediately In All Cases of Suspected Poisoning.



ANTIDOTE: Internal: If any of the material is swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Never give anything by mouth to an unconscious person. Keep patient prone and quiet.

External: If any of the material comes in contact with skin, wash immediately with soap and water. For eyes, flush with plenty of water, and get medical attention.

NOTE TO PHYSICIAN: In case of poisoning, administer barbiturates as for anti-convulsant therapy. Observe patient carefully because repeated treatment may be necessary.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

4715-238

DIRECTIONS FOR USE

SMALL GRAINS (Barley, Oats, Rye, Wheat): To control Armyworm, army cutworm, chinch bug, cutworms, fall armyworms and pale western cutworms, make single application when insects first appear using 1 to 1-1/4 pints per acre in 3-10 gallons water for aerial application or 25-50 gallons of water for ground sprayers. For chinch bugs, apply either as barrier strip around field or broadcast. Do not apply within 45 days of harvest or feeding. Do not graze treated fields. Do not feed threshings to livestock.

COTTON: Use the dosage of Endrin per acre as shown below in 3 to 10 gallons of water for aerial application and 25 - 50 gallons of water for ground sprayers.

Bollweevil, Bollworm - For early season control use 1 pt/Acre. For late season control use 1 to 2 Pts/Acre.

Thrips, Fleahoppers - For early season control use 3/8 Pt/Acre. Mid-season control, use 3/4 Pt/Acre. Late season control, use 1 Pt/Acre.

Brown cotton leafworm, cabbage looper, cotton leafworm, cutworms, garden webworm, leaf perforator, lygus bugs, rapid plant bug, salt marsh caterpillar, tarnished plant bug - Use 1 to 2 Pts/Acre. Apply when insects are present. Repeat as necessary.

Grasshoppers - Use 1-1/4 Pts/Acre. Fall armyworm, garden webworm - use 1 - 1-1/4 Pts/Acre. Greenhouse leaf-tier - use 2 Pts/Acre. Apply when necessary.

Caution: Workers entering treated fields within 5 days after application should be protected. Do not graze dairy animals or animals being finished for slaughter.

SUGAR CANE: To control Sugar cane beetle, apply 2-1/2 pints of Endrin Emulsifiable Concentrate per acre in 3 to 10 gallons of water for aerial application and 25 - 50 gallons of water for ground equipment. Apply on seed pieces in open planting furrow. Do not feed bagasse or field trimmings to livestock.

DANGER: Poisonous If Swallowed, Inhaled or Absorbed Through Skin. Rapidly Absorbed Through Skin. Do not get in eyes, on skin or on clothing. Do not breathe spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes get medical attention.



**ENDRIN
EMULSIFIABLE CONCENTRATE**
(Contains 1.6 lbs. of Endrin per gallon)
For Control of Certain Insects
On Small Grains and Cotton

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN

See Side Panels for Antidote and additional warnings.

ACTIVE INGREDIENTS:

Endrin (Hexachloroepoxyoctahydro-endo, endo-dimethanonaphthalene) 19.1%
Xylene..... 75.9%

INERT INGREDIENTS: 5.0%
Total 100.0%

EPA Reg. No. 4715-238

Net Contents Gal

KEEP AWAY FROM HEAT AND OPEN FLAME.

During commercial or prolonged exposure in spray mixing or loading operations, wear clean, synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against Endrin. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed and foodstuffs.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, ponds and streams. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply to any area not specified on the label.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

FIRST AID TREATMENT: Call A Physician Immediately In All Cases of Suspected Poisoning.

DANGER  **POISON**

ANTIDOTE: Internal: If any of the material is swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Never give anything by mouth to an unconscious person. Keep patient prone and quiet.

External: If any of the material comes in contact with skin, wash immediately with soap and water. For eyes, flush with plenty of water, and get medical attention.

NOTE TO PHYSICIAN: In case of poisoning, administer barbiturates as for anti-convulsant therapy. Observe patient carefully because repeated treatment may be necessary.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

12-2-72
4715-238