

Pool-Clear Algaecide is efficient, economical and stable in use dilution.

Pool-Clear is compatible with all chemicals used in pool water and will not damage tile, concrete, metal, or plastics.

Pool-Clear keeps swimming pool water free, and sparkling, clear of visible algae, slime and green brown colors.

Pool-Clear improves filter operation and cuts down need for other chemicals.

Pool-Clear imparts tone and a pleasant "feel" to swimming pool water.

DIRECTIONS

Initial Application: To a cleaned swimming pool add one gallon to 50,000 gallons of water, or ratio thereof.

Maintenance Dose: Use one quart per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

Booster Dose: Immediately after every rain add one quart per 50,000 gallons of water as above.

Important: Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

Pool-side surfaces: After cleaning surfaces, use one oz. to four gallons of water for sanitizing or one oz. to two gallons of water for disinfecting.

**BEST
ACCEPTED**

FOR THE FEDER. INSECTICIDE
CIDE AND RO. OF THE ALA.
ECONOMIC POISON RE. S.
DER NO. 4715-243

POOL-CLEAR ALGAECIDE

OUTSTANDING ALGAE GROWTH DEPRESSANT
FOR SWIMMING POOLS

WARNING:

KEEP OUT OF REACH OF CHILDREN

See Side Panels for Additional Warnings

ACTIVE INGREDIENTS:

Alkyl (C₁₄, 60%; C₁₂, 25%; C₁₆, 15%) Dimethyl

Benzyl Ammonium Chloride 10%

Ethanol 2%

INERT INGREDIENTS: 88%

Total 100%

Contents: ONE GALLON

AMERICAN CHEMICAL CORP., CHICAGO, ILL. 60602

DANGER: Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

CONTAINER DISPOSAL: Rinse empty container thoroughly with water and discard it.

CAUTION: This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public waters.

EPA Registration No. 4715-243

4715-243