

Camerasman's Note

Poor Copy

ACCEPTED

JUN 04 1975

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 471-5285

**DIRECTIONS FOR USE**  
Read entire label before using.

**EVERGREENS**

To control Bagworms and Red Spider Mites on Arborvitae; Upright Junipers (Red Cedar varieties, such as, Canaertis); and Spreading Junipers (such as Pfitzers); Spruces, including Colorado Blue, Norway, and Black Hill; also controls Bagworms that may attack White Pine. Use 3 1/2 Tbsp. per gallon of water; apply when pests appear. Thoroughly spray the branches and needles, covering thoroughly the Bagworms and new growth where Red Spiders congregated. Repeat application, if necessary, for control.

**ORNAMENTAL SHADE TREES and SHRUBS**

To control Tent Caterpillars on Walnuts, Oaks, Willows and Poplars; Walnut Caterpillars on Walnuts, Locust, Hickory, Willow and Oaks; Catalpa Worms on Catalpa trees; Bagworms on Sycamore, Willows, Soft Maple and Tamarix; Red Spider Mites and Thrips on Privet Hedges or plants. Mite damage results in leaf yellowing and browning. Use 3 1/2 Tbsp. per gallon of water; repeat spray if needed. **NOTE:** Do not apply to Chinese Holly (Ilex Cornuta), Lindl and Paxt as leaf spotting may result.

To control Red-Banded Leafroller on small fruited Ornamental Grabs; Cankerworms on American and Chinese Elms, Maples and small fruited Ornamental Grabs; Fall Webworms on Elms, Willows and Poplars, May Beetles on Oaks, Wild Cherries and Nursery Stock; Use 5 1/2 Tbsp. per gallon of water. Repeat spray if needed. **NOTE:** Do not use cherries or crabapples for two days sprayed within 40 days of ripening.

**FLOWERS**

To control Red Spider Mites on Cyclamen, Gladiolus, Chrysanthemums and Geraniums; Grasshoppers that may be present; Cutworms and Armyworms; as well as, Thrips on Gladiolus. Use 3 1/2 Tbsp. per gallon of water, thoroughly spray plants when pests appear. Repeat treatment as needed for control.

**EVERGREEN, FLOWER & LAWN  
SPRAY**

CONTAINS: Kelthane<sup>®</sup> and Toxaphene  
Kills Bagworms and Red Spiders on  
Evergreens and Ornamentals

| ACTIVE INGREDIENTS                                  | By Weight |
|-----------------------------------------------------|-----------|
| 1, 1-bis (p-chlorophenyl)-2, 2, 2-trichloroethanol* | 3.60%     |
| Toxaphene**                                         | 20.00%    |
| Aromatic Petroleum Derivative Solvent               | 3.63%     |
| INERT INGREDIENTS                                   | 7.77%     |
| Total                                               | 100.00%   |

\*Kelthane<sup>®</sup> - E. M. Rohm & Haas Company  
\*\*Technical Chlorinate Camphene containing 7.69% Chlorine

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See side panel for additional warning statements.

NET CONTENTS: ONE PINT

**COLORADO INTERNATIONAL CORPORATION**

Commerce City, Colorado 80022

**LAWNS**

To control Sod Webworms (may seriously injure new or established Turf Grasses): Use 3 1/2 Tbsp. per gallon water per 500 sq. ft. of Turf. Thoroughly treat and wash spray into soil. Repeat treatment in 2-3 weeks. **For Chiggers:** Use the same rate; however, leave spray on the foliage.

Thoroughly spray all lawn and turf around houses, patios and playgrounds. Repeat treatment as needed for control. **NOTE:** Keep children and pets off treated areas until the areas have been well watered and have completely dried.

**CAUTION:** Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of children and domestic animals.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

**ENVIRONMENTAL CAUTION:** This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively visiting the area.

Do not reuse empty container. Wrap smaller containers in newspaper and place in trash can for disposal; destroy larger containers by breaking or crushing and bury non-crop and away from water supplies.

**NOTICE:** Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as: weather, compatibility with other chemicals, and condition of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA Reg. No. 471-5285

EPA Est. 4715-CO-1