

DIRECTIONS FOR USE

CORN: For protection of germinating seeds against resistant seed corn beetles use 4 to 5 ounces per bushel of seed. For resistant seed corn maggots, use 3 to 4 oz. per bushel. One Pound will treat 4 to 5 bushels of seed corn.

* **NOTE:** Diazinon 33 Seed Treat has been mixed with graphite as an aid in safe handling and lubrication of equipment.

WARNING: May Be Fatal If Swallowed. May Be Absorbed Through Skin. Do not breathe dust. Avoid contact with skin, eyes and clothing. Wash thoroughly with soap and water after handling. Avoid contamination of feed and foodstuffs. Do not use treated seed for food, feed or oil purposes.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.



**DIAZINON 33
SEED TREAT**

Planter Box Application with Graphite* Added
FOR SOIL INSECT CONTROL

WARNING:

KEEP OUT OF REACH OF CHILDREN

See Side Panel for Additional Warnings

ACTIVE INGREDIENT:

O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate 33.34%

INERT INGREDIENTS: 66.66%

Total 100.00%

Treated seeds exposed on soil surface will be hazardous to birds and other wildlife. Dispose of treated excess seeds by burial. Apply this product only as specified on this label.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

NOTICE: Seller's guarantee shall be limited to the terms of the label, and subject there-to the buyer assumes all risk to persons or property arising out of use or handling and accepts the product on these conditions.

EPA Reg. No. 4715-286

Net Weight _____ Lb.