

[4715-295]

CAUTION: Harmful if swallowed. Cover or remove fishbowls. DO NOT STORE NEAR HEAT OR OPEN FLAME. Avoid contamination of feed and foodstuffs. Use as a space spray in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

This product is toxic to fish. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

FLY & MOSQUITO SPRAY

For Bakeries, Food Plants, Restaurants, Schools, Hotals, Motels, Office Buildings, Hospitals and Food Handling Plants.

CAUTION: KEEP OUT OF REACH OF CHILDREN

See Left Panel for Other Cautions

*+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3- (2-methyl-propenyl) cyclopropanecarboxylate 0.100%w/w
Related compounds 0.014%
Aromatic petroleum hydrocarbons 0.132%
Petroleum distillate 99.750%
INERT INGREDIENTS: 0.004%
Total 100.000%

- * Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
- + U. S. Patent No. 3,465,007

COLORADO INTERMETONAL CORP., COMMERCE CITY, COLO. 80022

DIRECTIONS FOR USE

FOR FLIES, MOSQUITOES, AND GNATS: Close doors and windows. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

EPA Reg. No. 4715-295

FLAMMABLE

NET CONTENTS____