

[4715-339]

ACCEPTED
NOV 7 1975
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 4715-339



GREENHOUSE FOGGING SPRAY

For Indoor-Outdoor Use
Contains: SBP-1382R – A NEW Synthetic Pyrethroid

ACTIVE INGREDIENTS:	By Weight
(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate*†	3.000%
Related compounds	0.409%
Aromatic Petroleum Hydrocarbons	91.471%
INERT INGREDIENTS:	5.120%
Total	100.000%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.
©Trademark: S. B. Penick & Co., New York

CAUTION: KEEP OUT OF REACH OF CHILDREN
Harmful if swallowed. Avoid contact with skin.
NET CONTENTS: ONE PINT
COLORADO INTERNATIONAL CORPORATION
COMMERCE CITY, COLORADO 80022

DIRECTIONS FOR USE

Apply only as specified

GREENHOUSE PESTS

For infestations of Whiteflies on: Begonia, Fuchsia, Salvia, Poinsettia, Chrysanthemums, Coleus, Geraniums, Ageratum, Petunia, Aster, Calendula, Marigold, Roses, Azalea and Ivy.

CONTACT SPRAY (For Whiteflies): Apply **Greenhouse Fogging Spray** at the rate of 1 pt. in 12 gallons of water or 8 tsp. per gallon. Spray upper and lower surfaces of plant foliage to point of runoff. Spray in late afternoon and at night only, when the temperature ranges from 50-72°F. Repeat application weekly for 4 weeks or longer for control of adults, pupae, and nymphs. Complete spray schedule on poinsettia before blooms form.

Where fewer applications are preferred, spray at the rate of 1 pt. to 6 gallons of water to 16 tsp. per gallon. Repeat as necessary. Apply sprays as mentioned above.

NON-THERMAL APPLICATORS: Close off greenhouse area to be treated for Whitefly infestations. Direct mist first toward upper corners of the greenhouse, then apply evenly throughout the area. Keep nozzle at least 3 ft. from plant foliage. Apply **GREENHOUSE FOGGING SPRAY** at the rate of 12 fl. oz. thoroughly mixed in 24 fl. oz. of methylene chloride per 10,000 cu. ft. This is equivalent of 1 gram of active ingredients per 1,000 cu. ft. Keep treated area closed off for at least two hours. Ventilate before re-entry. Apply at weekly intervals for at least four weeks. Applications should be made during the late afternoon or at night when the temperatures range is 50-72°F.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

NOTE: Do not store below 40°F. If exposed to temperatures below 40°F, warm to 80°F and mix well before using.

ENVIRONMENTAL CAUTION: This product is toxic to fish and birds. Keep out of lakes, streams and ponds. Do not re-use empty container; wrap smaller containers in newspaper and place in trash can for disposal, destroy larger containers by crushing and burying in non-cropland away from water supplies. Apply this product only as specified on this label.

NOTICE: Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use such as weather, compatibility with other chemicals, and conditions of application equipment will vary, Seller makes no claims other than those stated on this label.

EPA Reg. No. 4715-339

EPA Est. 4715-CO-1