

GENERAL DIRECTIONS

This spray solution is a specifically prepared ready to use insecticide for use in conventional hand power or automatic spray equipment, electric fogging or misting equipment.

For the control of certain insects attacking animals, apply in accordance with State and Federal recommendations. Do not apply regularly to calves under 6 months of age. Brahma cattle should not be treated as they may show hypersensitivity to organic phosphates.

Do not treat animals within one day of slaughter.

Do not apply dermally in combination with Trichlorofon.


USE AND DIRECTIONS FOR APPLICATION

Cattle, Dairy and Beef-Flies (Horn Fly, Stable Fly, Face Fly, House Fly) Mosquitoes.

Apply 1 to 2 fluid ounces of 1.0% solution per animal as a mist spray daily with hand or automatic sprayer. Spray to thoroughly cover all parts of the animal including the legs, but do not wet the skin. Do not apply in excess of 2 fluid ounces per day per animal. No feed-off period is necessary when used on beef animals.

ANIMAL BUILDINGS Horse Stables, Dairy Barns, Auction & Show Barns (Flies, Gnats, Mosquitoes)

Apply this insecticide as a fog or mist. 1 pint of a 1% solution will treat 8000 cubic feet (40 x 20 x 10). In dairy barns, before milking the fog or mist can be applied over and around each animal to kill flies. Before applying reduce air movement as much as possible by closing doors, windows and other openings. Do not use this solution for fogging or misting purposes in areas where animals have received a direct application within 8 hours. Do not contaminate water, feed or foodstuffs, milk or milking utensils.



LIVESTOCK AND DAIRY SPRAY

with Vapona[®]*

ready to use solution

For the Control of Horn Flies, Stable Flies, Face Flies, Mosquitoes and House Flies by Direct Application on Dairy and Beef Cattle.

ACTIVE INGREDIENTS	PERCENT BY WEIGHT
2,2-dichlorovinyl dimethyl phosphate	0.93**
Related Compounds	0.07**
Deodorized Kerosene	49.50
Mineral Seal Oil	49.50
	TOTAL 100.00

* Shell Registered Trade Mark

** Equivalent to 1% Livestock and Dairy Spray

**WARNING:
KEEP OUT OF REACH OF CHILDREN.**

See other warnings on side panel.

NET: 1 GALLON

AGRICULTURAL ENTERPRISES, INC.

933 West 6th St.
Fremont, Nebraska 68025 U.S.A.

PRECAUTIONS IN USING

HAZARDOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention. Keep away from open flame. Wash thoroughly with soap and water after handling and before eating or smoking. Do not contaminate feed, water, or foodstuffs. If swallowed, induce vomiting immediately and get medical attention. Atropine is antidotal.

DECONTAMINATE AND DESTROY USED CONTAINERS: Do not re-use for any purpose. Decontaminate containers by rinsing thoroughly with water and detergent. Destroy containers by breaking and burying fragments in isolated area. Dispose of rinsings in a way as not to constitute a hazard, or contaminate potable water supplies.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

NOTICE OF WARRANTY

THE MANUFACTURER MAKES NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PURPOSE, OR OTHERWISE, EXPRESS OR IMPLIED concerning this product or its uses which extend beyond the use of the product under normal conditions in accord with the statements made on this label.

PA 94-116 149517
E-11-4651181

146-11-13

PATIOS
(Paved Area)

BARBECUES
(Paved Area)

TERRACES
(Floors)

GARBAGE
(Around Cans)

KENNELS
(Floors Outside)

DRIVE-INS
(Paved Areas)

POULTRY
(Battery End Floors)

DAIRIES
(Around Barn)

FEED LOTS
(Feeding Aisles)

WARNING

Keep Out of Reach of Children

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR SMOKING. DO NOT CONTAMINATE FEED, WATER OR FOODSTUFFS. IF SWALLOWED INDUCE VOMITING IMMEDIATELY AND GET MEDICAL ATTENTION. KEEP AWAY FROM POULTRY AND DOMESTIC ANIMALS. DO NOT USE INSIDE HOMES OR WHERE MILK IS STORED OR PROCESSED. THIS PRODUCT CONTAINS AN ORGANIC PHOSPHATE WHICH IS A CHOLINESTERASE INHIBITOR AND IF POISONING SHOULD OCCUR CALL A PHYSICIAN IMMEDIATELY. ATROPINE IS ANTIDOTAL.

Do not reuse empty drum. Return to drum conditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

FORMULA

ACTIVE INGREDIENTS:
2,2-dichlorovinyl dimethyl phosphate* .. 0.93%
Related compounds* 0.07%
INERT INGREDIENTS: 99.00%

*Equivalent to 1% Vapona Insecticide.

NOTICE

SANFORD D. BUSTER, INC., and THE SELLER shall not be responsible for the use of this material not in accordance with this label. Neither shall they be responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer assumes all risk and liability therefrom and accepts and uses this material on these conditions.

RIDINSECT BRAND SUGAR FLY BAIT DRY

Kills both resistant and non-resistant strains of houseflies. They are attracted to it, feed on it, die within minutes.

Recommended for use in and around GARBAGE, DAIRIES, TERRACES, and around BARBECUES, POULTRY HOUSES, KENNELS, FEED LOTS, and where fly populations are intense and bothersome.

DIRECTIONS FOR USE

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

This product is toxic to fish, wildlife and birds. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Use 4 ounces per 1,000 square feet scattering lightly so that the bait is barely visible. Apply to floors, walks, alley ways and other horizontal surfaces. Also apply directly to garbage and manure where flies breed and congregate.

Manufactured By
SANFORD D. BUSTER, INC.
Niland, California

EPA Reg. No. 4726-18

GUARDES

Peligroso si se
de la piel. L
despues de m
No contamine
a ingerirse pr
prestese atenc
las aves de c
use dentro de
procese leche
que afecta el
envenenamien
mente. Un an
cuando este v

SANFORD D.
hacen respon
si no se aplica
dadas en esta
sables en for
propiedad, o
tante del ma
producto. El
responsabilidad
las especifica

No se vuelva
se recondicio
chucandolo y
libre de depo