GOLDEN STAR DUS-TROL®

When used as directed, will render dust mops BACTERIOSTATIC to Staphylococcus Aureus.

Not shown to be effective against gram negative microorganisms EPA Registration No. 4749-12

DANGER:

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. HARMFUL OR FATAL IF SWALLOWED. Avoid contamination of food. Use with adequate ventilation. Do not use, pour, spill or store near heat or open flame.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swollowed, do not induce vomiting. Drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available drink large quantities of

Note to Physician: water. Avoid alchohol. CALL A PHYSICIAN IMMEDIATELY. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Active Ingredients

n-Alkyl (50% Col, 40% Col, 10% Col) dimethyl benzyl

ammonium chloride	
Inert Ingredients	75.5%

DIRECTIONS

FOR INDUSTRIAL USE ONLY

Dust mops to be treated are first cleaned and dried. Impregnate clean dry dust mop to 25:33% by weight treatment retention. Using a postal or baby scale weigh a clean dry mop. Dip mop into Dustrol, extract until mop weighs at least 1.4 but not more than 1.3 more than the dry weight of the mop. Mop may also be sprayed until mop attains proper weight.

MIXING INSTRUCTIONS: Add 1 gal. concentrate to 54 gal of any paraffinic pale or white oil with a saybolt second index of 50 at 100 F.

DO NOT REUSE EMPTY CONTAINER. DE-STROY IT BY PERFORATING OR CRUSHING. BURY OR DISCARD IN A SAFE PLACE.

.....

•

