



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

May 14, 2003

PET CHEMICALS

P.O. Box 18993

Memphis, TN 38181-0993

Subject: Revised Labeling per PR Notices 2001-1, 2001-6 and 97-6
Holiday Kennel Dust
EPA Reg. No. 4758-7
Submission date: September 17, 2002

Dear Ms. Butler,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you make the following changes before you release the product for shipment bearing the amended labeling:

1. Revise the Note to Physicians to read as follows: "Carbaryl is a N-methyl carbamate that inhibits cholinesterase. Atropine is antidotal. Do not use 2-PAM (pyridine-2-aldoxime methiodide), opiates or cholinesterase inhibiting drugs. Probable mucosal damage may contraindicate the use of gastric lavage."
2. Delete reference to the sentence "For plants above chest height, consider using a liquid carbaryl product". This sentence implies that you can use the product on tall plants. Since the only registered "plant" use is lawns, the sentence is deemed inappropriate.
3. Likewise, delete reference to the sentence "Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust". Since the only registered "plant" use is lawns, reference to dusting "upper and lower" surfaces is deemed inappropriate.
4. In the directions for use add the statement "Do not apply directly to pets."

Submit two copies of your final printed labeling before you release the product for

shipment. A stamped copy is enclosed for your records. If you have questions, please contact me at (703) 305-6736 or electronically at edwards.joanne@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Joanne S. Edwards". The signature is fluid and cursive, with the first name "Joanne" being more prominent than the last name "Edwards".

Joanne S. Edwards, Entomologist
Insecticide-Rodenticide Branch
Registration Division (7505C)

HOLIDAY KENNEL DUST ZONE CONTROL FOR YARD

KILLS FLEAS & TICKS

Kills fleas and ticks in lawns, kennels, runs, and dog's bedding.

ACTIVE INGREDIENTS:

Carbaryl(1-naphthylN-methylcarbamate)
.....5.00%

INERT

INGREDIENTS:.....95.00%

Total100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

Read additional cautions on back panel.

NET WT. 2 3/4 LBS. (1.247 kg)

**Manufactured by:
PET CHEMICALS
P. O. Box 18993
Memphis, TN 38181-0993**

**EPA Reg. No. 4758-7
EPA Est. No. 11715-TN-1**

Guarantee

If this product fails to perform as claimed, mail this container with proof of purchase to Pet Chemicals. FULL PURCHASE PRICE plus your return postage will be refunded by return mail.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION: Do not breathe dust. Avoid contact with eyes, skin or clothing. May be harmful if swallowed. Do not eat, drink, or use tobacco while working with the product. Wash hands and face before eating, drinking, or using tobacco. Avoid contamination of food and feed.

FIRST AID

IF SWALLOWED

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

May 14, 2003

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.**

4758-7

	anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for further treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for

	treatment advice.
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.	
NOTE TO PHYSICIAN	
Contains an N-methyl carbamate that inhibits cholinesterase. Carbaryl is a cholinesterase inhibitor. Atropine by injection is antidotal.	

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

ZONE CONTROL

To prevent reoccurrence of fleas, a total management program is recommended. You should treat the areas where fleas live with the Holiday 4-Step Program which consists of: Step 1- Shampoo/Dip the pet; Step 2- Treat the home and yard; Step 3- Flea and Tick Collars on the pet; Step 4- Maintenance Sprays and Powders. Ask your pet care professional for specific recommendations on how to best control fleas for the comfort and well being of your pet and family.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

USER SAFETY REQUIREMENTS

- Wear long-sleeved shirt, long pants, shoes plus socks and household latex or rubber gloves when applying this product.
- Change clothing as soon as possible after use.
- Wash the outside of gloves before removing. As with any pesticide product, wash hands thoroughly immediately after handling and before eating, smoking or using the toilet.
- Do not allow children or pets to contact treated area until dust has settled.

Wearing household latex or rubber gloves, use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate duster as available. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust.

Apply when air is calm to avoid drift and contact with eyes and skin.

Start applying at the farthest corner of

the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

For plants above chest height, consider using a liquid carbaryl product.

Do not repeat application more than once per week.

For use on lawns, sprinkle at rate of 4 oz. for each 100 square feet. Remove dog before treating kennels or runs. Dust liberally in and around kennels and on dog's bedding to control infestation of fleas and ticks. **Do not use inside home.**

NTSVR:\WORD\4758-7amend
(09-16-02jb)

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area out of reach of children.

DISPOSAL: **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.