

ONLY FOR SALE TO, USE & STORAGE BY PEST CONTROL OPERATORS.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER POISON**

VAPO insecticide is poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get on skin or in eyes. Do not breathe fumes. Wear natural rubber gloves, protective clothing and goggles when handling. During fogging and to release contents, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11. Keep all uninfected persons out of operation areas. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before smoking or eating. Wash all contaminated clothing with soap and hot water before reuse. ATROPINE is the emergency antidote for VAPO insecticide poisoning. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately.

is EP patient prone and quiet. Transient patient immediately to the nearest physician. NOTE TO PHYSICIAN: WARNING SYMPTOMS: Symptoms include weakness, headache, lightness in chest, blurred vision, non-reactive pinpoint pupils, sweating, increased vomiting, diarrhea and abdominal cramps. TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

PRECAUTIONS IN USE: VAPO is poisonous, therefore, precautions must be observed when handling (see antidote and warnings). Store in a safe place. Children or animals must not be able to reach or handle. Care should be used in handling empty containers. Do not contaminate feed, water, or foodstuffs. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed. Insecticides may soften some asphalt and solarium floors. If used directly over asphalt or solarium the place in large pan. Spread newspaper on floor for several feet around area of release.

PHYSICAL OR CHEMICAL HAZARDS

DANGER POISON: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Wrap container and put in trash collection.

Manufactured by

PET CHEMICALS INC.
P.O. Box 660656, Miami, Springs, FL 33166

Catalog No. 102
EPA Est. No. 4756 FL 1



VAPO

TOTAL RELEASE AEROSOL

FOR USE IN RESTAURANTS, HOTELS, MOTELS, HOMES, HOUSEHOLD STORAGE AREAS, WAREHOUSES, COMMERCIAL AND INDUSTRIAL BUILDINGS.

KILLS ROACHES, TICKS, FLEAS, FLIES AND SEVERE IN HOMES AND BUILDINGS.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Only for sale to, use and storage by Pest Control Operators. Use one 12 oz. can for each unobstructed closed area of 10,000 cubic feet but not less than 7,000 cubic feet, or one 6 oz. can for each 5,000 cubic feet. Use one or more cans in combinations of 6 and 12 ounce sizes to give the best distribution of vapors where free flow of mist is not assured. If free flow of mist is not assured in certain areas, increase airing out time. During fogging and to release contents, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11. All occupants must be removed from the house or building before treatment is started and should not reoccupy building for at least 2 hours. Unwrapped or unboxed foods should be removed or placed in refrigerator during fogging. Food handling equipment, dishes, should be washed after treatment. Do not contaminate water, feed or foodstuffs. Remove all pets, cover fish tanks or remove. Cover house plants within 5 feet of point of release with newspaper to prevent possible burning of tender plants. Open cabinets and doors to areas to be treated. Shut off air conditioners and fans before using. Place can on floor in center of area to be treated, or near point of greatest infestation. Place newspaper under can. Position red activator cap on valve and press. Leave building at once. The entire contents will release automatically. Leave unobstructed for at least 2 hours. Open doors and windows and allow to be ventilated for 1 hour before occupying. Do not allow children to be or sleep in treatment areas until at least 6 hours following treatment.

ACTIVE INGREDIENTS:	
2,2-dichloro-1,1-dimethyl phosphite	6.51%
related compounds	0.49%
2-(1-methylethoxy)phenyl methyl carbamate	1.00%
INERT INGREDIENTS	92.00%
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER POISON**

See antidote statement and other cautions on back panel.

NET WEIGHT 12 oz. (340 gms.)

EPA Reg. No. 4756-45

AC
OCT 29 1982
Under the Federal Fungicide, and R...
as amended, for it.
registered under
EPA Reg. No. 4756-45