

BITTER spray is stainless and harmless and surface not affected by alcohol. BITTER does not repel animals and has a pleasant odor. Most pets are conditioned against chewing or licking medication, scre spots, bandages, furniture, clothing, shoes or other objects after one or two applications.

DIRECTIONS

Hold about 8 inches from animal or object and spray lightly. One spraying works on most pets; two or three sprayings usually condition the most stubborn pet. Repeat daily or as needed.

NOTE: The alcohol in BITTER may cause softening and loosening of tape if thoroughly wet. Spray the adhesive very lightly.

CAUTION: FLAMMABLE. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F, may cause bursting of container. Never throw into fire or incinerator. Do not spray directly into eyes, Avoid wetting animal's testicles to prevent irritation.

SOLD TO VETERINARIANS ONLY

ΛΛ Ela 272

SDA Fla. 273

Northwest for Northwest for Northwest verify of the contract o

ACTIVE INGREDIENTS, 5.00%

Abitol (Technical Hydro Abjetyl Alcohol) Allyl Caproate Aliyl Heptonoate **Amyl Valerianate** Geranyl Butyrate Ethyl Pelargonate Phenyl Ethyl Isovalerate Benzyl iso Valerate Geranyl Acetate **Amyl Formate** Amyl Acetate Vanillin Ally! Phenyl Acetate Oil Carret Citronellyl Butyrate Orange Oil Acetyl Methyl Carbinol Geranyl Formate Cinnamyl iso Valerate

INERT INGREDIENTS, 95.00%: Trichloromonofluoromethane, Dichlorodifluoromethane, Alcohol.

NET WEIGHT 6 OZ.


Pressurized

BITTER

STOPS CHEWING OR LICKING
OF BANDAGES, SPLINTS,
MEDICATION OR SORE SPOTS



CAUTION: Keep out of reach of children
See back panel for additional cautions.



BITTER spray is stainless and harmless to continued any surface not affected by alcoholizable allowed and has a pleasant odor. Most pets are conditioned against chewing or licking medication, sore spots, bandages, furniture, clothing, shoes or other objects after one or two applications.

DIRECTIONS

Hold about 8 inches from animal or object and spray lightly. One spraying works on most pets; two or three sprayings usually condition the most stubborn pet. Repeat daily or as needed.

NOTE: The alcohol in BITTER may cause softening and loosening of tape if thoroughly wet. Spray the adhesive very lightly.

CAUTION: FLAMMABLE. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F, may cause bursting of container. Never throw into fire or incinerator. De not spray directly into eyes. Avoid wetting animal's testicles to prevent irritation.

SOLD TO VETERINARIANS ONLY

SDA Fla. 273

Manufactured for ANIMAL HEALTH PRODUCTS Lakewood, N. 1



ACTIVE INGREDIENTS, 5.00%

Abitol (Technical Hydro Abietyl Alcohol) Allyl Caproate Aliyi Heptonoate Amyl Valerianate Geranyl Butyrate Ethyl Pelargonate Phonyl Ethyl Isovalerate Benzyl iso Valerate Geranyl Acetate **Amyl Formate** Amyl Acetate Vanillin Allyl Phonyl Acetate Oil Carrot Citronellyl Butyrate Orange Oil **Acetyl Methyl Carbinol** Geranyl Formate Cinnamyl iso Valerate

INERT INGREDIENTS, 95.00%:
Trichloromonofluoromethane,
Dichlorodifluoromethane,
Alcohol.

NET WEIGHT 6 OZ.

Pressurized

BITTER

STOPS CHEWING OR LICKING OF BANDAGES, SPLINTS, MEDICATION OR SORE SPOTS



CAUTION: Keep out of reach of children
See back panel for additional cautions.

