

PROFESSIONAL INSECT BOMB

DIRECTIONS FOR USE

For use in any room or area where the flying insects are a problem. Shake well and spray at a distance of 12 to 18 inches. For best results, use in a well-ventilated area. Do not use in a confined space. Do not use in a room where food is prepared or stored.

FOR FLIES, MOSQUITOES, WASPS AND GNATS: Spray in the room where the insects are a problem. Repeat every 2 to 3 days until the problem is under control. For wasps, spray the nest entrance and the surrounding area. For mosquitoes, spray the areas where they breed, such as in and around water.

FOR ROACHES, ANTS, SILVERFISH AND CRICKETS: Spray in the room where the insects are a problem. Repeat every 2 to 3 days until the problem is under control. For roaches, spray the areas where they hide, such as under sinks and in cracks. For ants, spray the trail and the nest. For silverfish and crickets, spray the areas where they are found.

FOR STORED PRODUCTS INSECTS (EXPOSED STAGES): Spray in the room where the insects are a problem. Repeat every 2 to 3 days until the problem is under control. For flour moths and Indian meal moths, spray the areas where they are found, such as in and around stored food.

FOR SUCH INSECTS AS FLOUR MOTHS AND INDIAN MEAL MOTHS: Spray in the room where the insects are a problem. Repeat every 2 to 3 days until the problem is under control. For flour moths and Indian meal moths, spray the areas where they are found, such as in and around stored food.

CAUTION: Keep out of reach of children. Contents under pressure. Do not puncture. Do not expose container to temperature above 120°F. Never throw container into fire or incinerator. Avoid contamination of feed and foodstuff. Read additional cautions on back panel.



2.5 Lbs. Net Weight

INSECT BOMB

CONCENTRATED

NON-FLAMMABLE

ACTIVE INGREDIENTS: Pyrethrin 0.50%, Methoxyfluthrin 4.00%, Esfenvalerate 0.50%, Deltamethrin 0.50%, Cyfluthrin 0.50%, Permethrin 0.50%, and others.



CAUTION

Keep out of reach of children. Contents under pressure. Do not puncture. Do not expose container to temperature above 120°F. Never throw container into fire or incinerator. Avoid contamination of feed and foodstuff. Read additional cautions on back panel.