


VIP



FOR SALE ONLY IN SOUTHEASTERN STATES

NET CONTENTS ONE GALLON

HOOKWORM SPRAY CONCENTRATE

For Yards and Kennels

ACTIVE INGREDIENTS: Dimethyl phosphate of alpha-methylbenzyl 3-hydroxy-cis-crotonate, 3.83%; 2,2-dichlorovinyl dimethyl phosphate, 4.18%; related compounds, 0.318%.
INERT INGREDIENTS: 91.67%.



RED

DANGER — POISON

RED

Keep out of reach of children; see antidote statement and other warnings on side panel.

ACCEPTED
12-2-68
UNDER THE FEDERAL INSECTICIDE ACT
FOR THE
ED. AND R. NO. 4758-90

Comments

ACCEPTED WITH COMMENTS

This product is a cholinesterase inhibitor

NOT FOR USE IN HOUSEHOLD

and worms such as

... including A. caninum
... Rugs or Yards. Use a
... power sprayer or sprinkling
... area thoroughly
... the following dilution and application

POUR CONCENTRATE IN CONTAINER - ADD WATER. MIXES READILY.

- 100 gals. water - use 32 oz. (1 quart) concentrate. Apply to 4,000 sq. ft.
- 50 gals. water - use 16 oz. (1 pint) concentrate. Apply to 2,000 sq. ft.
- 25 gals. water - use 8 oz. (1/2 pint) concentrate. Apply to 1,000 sq. ft.
- 15 gals. water - use 4 oz. concentrate. Apply to 600 sq. ft.

NOTE: The last two dilutions will work well in hose type sprayers. Fill to the marks indicated by the sprayer manufacturer to deliver to required amount of water.

To insure control of any new infestations hatching from the eggs in the area it is suggested that a second application be made in 14 days.

To help prevent re-infestation animals should be wormed at the time of application. It is advisable to use an anthelmintic other than that which may inhibit cholinesterase activity.

It is important that all stool residues on soil or grass be broken up into small particles using a strong stream of water or by using a stick or garden tool.

IMPORTANT: KEEP CHILDREN OUT OF SPRAYED AREA FOR 12 HOURS. REMOVE ANIMALS, FOOD AND WATER CONTAINERS BEFORE SPRAYING. KEEP ANIMALS OUT OF SPRAYED AREA FOR 12 HOURS.

No ill effects on grass, plants or animals have been reported using VIP HOOKWORM SPRAY CONCENTRATE AS DIRECTED. Avoid spraying tender blossoms.

*For use by Licensed Veterinarians
& Licensed Pest Control Operators only.
12-2-68*

ACCEPTED
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 4758-96

Comments

WARNING: Concentrate and the diluted solution are poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

Do not treat any plants used for food or feed.
DO NOT GET IN EYES OR ON SKIN.

INTERNAL: If the material has been swallowed induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Repeat emesis until vomitus is clear. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 10 minutes.

ATROPINE is the emergency antidote for VAPONA insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain Atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

Manufactured by PET CHEMICALS, INC.
Miami Springs, Fla. 33166

U.S.D.A. Reg. No. 4758-91

ACCEPTED
12-2-68
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 4758-96

Comments

ACCEPTED WITH COMMENTS