



51# #15  
96-8514  
187/801

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**For Control of Hookworms:** A minimum of one (1) dog kennel, run or yard, use a hose type sprayer, power sprinkling can, saturate soil or suspected area thoroughly using the following dilution and application table.

**SPRAYER CONCENTRATE IN CONTAINER - ADD WATER MIXES READILY**  
100 gals. water use 32 oz. (1 quart) concentrate. Apply to 4,000 sq. ft.

150 gals. water use 16 oz. (1 pint) concentrate. Apply to 2,000 sq. ft.  
275 gals. water use 8 oz. (1/2 pt.) concentrate. Apply to 1,000 sq. ft.  
500 gals. water use 4 oz. concentrate. Apply to 500 sq. ft.

**NOTE:** The last two dilutions will work well in hose type sprayers. Fill to the marks indicated by the sprayer manufacturer to deliver the required amount of water.

To insure control of any new infestations hatching from the eggs in the area it is suggested that a second application be made in 14 days.

To help prevent re-infestation, animals should be wormed at the time of application. It is advisable to use an anthelmintic other than that which may inhibit cholinesterase activity.

It is important that all stool residue on soil or grass be broken up into small particles using a strong stream of water or by using a stick or garden tool.

For control of fleas, use in same manner of application and dilution as above.

### STORAGE AND DISPOSAL

**STORAGE:** Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) and dispose of in a sanitary landfill or by other approved State and local procedures.

Catalog No. V-12      Copyright 1975      EPA EST No. 4758 FL 1

MANUFACTURED BY

**PET CHEMICALS INC.**  
7781 N.W. 73rd Court, Miami Springs, Florida 33166

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

This product is a cholinesterase inhibitor. **IMPORTANT: KEEP CHILDREN OUT OF SPRAYED AREAS. REMOVE ANIMALS, FOOD AND WATER CONTAMINATED BY SPRAYED AREAS. KEEP ANIMALS OUT OF SPRAYED AREA.** Avoid spraying tender blossoms and ferns. **FOR USE BY LICENSED VETERINARIANS AND OPERATORS ONLY.**

Concentrate and the diluted solutions should not be inhaled or absorbed through the skin or mucous membranes. Avoid exposure to fumes. Wear protective clothing and goggles when handling the concentrate. Keep all unprotected persons out of the area. Contact: wash immediately with soap and water. Wash all contaminated clothing with soap and water. Do not treat any plants used for food or skin.

### ENVIRONMENTAL PRECAUTIONS

This product is toxic to fish, birds and wildlife in treated areas may be killed. Do not apply when weather conditions require. Do not contaminate water bodies. Do not dispose of wastes.

This pesticide is highly toxic to bees and other beneficial insects. Do not apply to actively visiting weeds or other vegetation. Applications should be limited to areas where treatment and the need are indicated.

### PHYSICAL OR CHEMICAL PRECAUTIONS

Do not use, pour, spill or store this product in a way that creates a hazard.

**STATEMENT OF PRACTICE:**  
If swallowed: Call a physician or Poison Control Center for advice. Do not induce vomiting by touching the back of the tongue. Do not induce vomiting by touching the back of the tongue. Do not induce vomiting by touching the back of the tongue.  
If inhaled: Remove victim to fresh air. Do not breathe fumes.  
If on skin: Remove contaminated areas with soap and water.  
If in eyes: Flush eyes with plenty of water immediately.

**NOTE TO PHYSICIAN:** Atropine is an antidote for cholinesterase inhibitor poisoning and may be administered in conjunction with supportive therapy.