



Net Contents 8 Fl. Oz.  
EPA Reg. No. 4758-118-AA

4758-118

Rinse with water and pierce to destroy when empty.  
**CAUTION:** DO NOT USE FULL STRENGTH MIX AS DIRECTED. Keep out of reach of children. Contact with skin may cause toxic symptoms. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors. Harmful if swallowed, inhaled, or absorbed through the skin. Wash thoroughly with soap and water after using. Food utensils such as tablespoons should not be used for food purposes after use with insecticides. This product is a cholinesterase inhibitor. If swallowed, give two tablespoons of salt in a glass of warm water to induce vomiting. Do not treat nursing animals or animals under 1 month of age. DO NOT USE WITHIN TWO WEEKS ON ANIMALS BEING TREATED WITH OTHER INSECTICIDES INCLUDING FLEA COLLARS OR INTERNAL ORGANOPHOSPHATE WORMING DRUGS.  
CALL A PHYSICIAN if poisoning symptoms are present. To physician or veterinarian the antidote is atropine.  
ACTIVE INGREDIENTS 2 (1-Methylethoxy) phenolmethylcarbamate 8.00%  
INERT INGREDIENTS 92% EPA EST NO 4758 FL 1  
Catalog No. H-65 Copyright 1975 Pat. Pend.  
Manufactured by  
**PET CHEMICALS, INC.**  
Miami Springs, Fla. 33166  
1676-100M

#### GUARANTEE


If this product fails to perform as claimed mail this Container to Pet Chemicals Inc. FULL PURCHASE PRICE plus your return postage will be refunded by return mail.

ODORFREE concentrate is almost odorless and makes a clear solution when mixed with water. ODORFREE usually kills fleas in ten minutes or less and ticks in 30 to 60 minutes.

FOR BEST FLEA AND TICK CONTROL and to help prevent re-infestation the premises should be treated. Use HOLIDAY FOGGER for the house or building and HOLIDAY KENNEL DUST or HOLIDAY LAWN & KENNEL SPRAY CONCENTRATE for the outside areas.

TO KILL FLEAS ON CATS, & FLEAS & TICKS ON DOGS & PUPPIES: Mix 1/2 oz. (one tablespoon) to a quart of water or 2 oz. (4 tablespoons) to a gallon of water. USE WARM TAP WATER. MEASURE ACCURATELY. Mix well. Sponge or sprinkle on, or dip animal until coat is thoroughly wet. Rub well into fur, between toes and in ears. For better lasting effects do not rinse but, allow to dry naturally, then comb and brush if desired. Use once a week if needed.

For faster kill of engorged female ticks on dogs, 1 oz. (2 tablespoons) to a quart of water or 4 oz. (8 tablespoons) to a gallon of water may be used.



**DO NOT RE-USE CONTAINER.**  
Rinse with water and pierce to destroy when empty.

**CAUTION:** DO NOT USE FULL STRENGTH MIX AS DIRECTED. Keep out of reach of children. Contact with skin may cause toxic symptoms. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors. Harmful if swallowed, inhaled, or absorbed through the skin. Wash thoroughly with soap and water after using. Food utensils such as tablespoons should not be used for food purposes after use with insecticides. This product is a cholinesterase inhibitor. If swallowed, give two tablespoons of salt in a glass of warm water to induce vomiting. Do not treat nursing animals or animals under 1 month of age. DO NOT USE WITHIN TWO WEEKS ON ANIMALS BEING TREATED WITH OTHER INSECTICIDES INCLUDING FLEA COLLARS OR INTERNAL ORGANOPHOSPHATE WORMING DRUGS.

CALL A PHYSICIAN if poisoning symptoms are present. To physician or veterinarian the antidote is atropine.

ACTIVE INGREDIENTS: 2-(1-Methylethoxy)-phenol

methylcarbamate 8.00%

INERT INGREDIENTS: 92%

Copyright 1975 Pat. Pend.

11775-2M

EPA EST NO 4758 FL 1  
Catalog No. H-66

Manufactured by

**PET CHEMICALS, INC.**

Miami Springs, Fla. 33166

NET CONTENTS 1 Gallon EPA Reg. No. 4758-118-AA

**SOLD TO VETERINARIANS ONLY**

VIP DIP concentrate is almost odorless and makes a clear solution when mixed with water. VIP DIP usually kills fleas in ten minutes or less and ticks in 30 to 60 minutes.

**FOR BEST FLEA AND TICK CONTROL** and to help prevent re-infestation the premises should be treated. Use VIP INSECT FOGGER for the house or building and a spray or powder recommended by the Veterinarian for outside areas.

**TO KILL FLEAS ON CATS & FLEAS & TICKS ON DOGS & PUPPIES:** Mix 1/2 oz. (one tablespoon) to a quart of water or 2 oz. (4 tablespoons) to a gallon of water. USE WARM TAP WATER. MEASURE ACCURATELY. Mix well. Sponge or sprinkle on, or dip animal until coat is thoroughly wet. Rub well into fur, between toes and in ears. For better lasting effects do not rinse but allow to dry naturally, then comb and brush if desired. Use once a week if needed. For faster kill of engorged female ticks on dogs, 1 oz. (2 tablespoons) to a quart of water or 4 oz. (8 tablespoons) to a gallon of water may be used.

**DO NOT RE-USE CONTAINER.**  
Rinse with water and pierce to destroy when empty.

**CAUTION:** DO NOT USE FULL STRENGTH. MIX AS DIRECTED. **Keep out of reach of children.** Contact with skin may cause toxic symptoms. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after using. Food utensils such as tablespoons should not be used for food purposes after use with insecticides. This product is a cholinesterase inhibitor. If swallowed give two tablespoons of salt in a glass of warm water to induce vomiting. Do not treat nursing animals or animals under 1 month of age. **DO NOT USE WITHIN TWO WEEKS ON ANIMALS BEING TREATED WITH OTHER INSECTICIDES INCLUDING FLEA COLLARS OR INTERNAL ORGANOPHOSPHATE WORMING DRUGS.** CALL A PHYSICIAN if poisoning symptoms are present. To physician or veterinarian the antidote is atropine.

**ACTIVE INGREDIENTS** 2-(1-Methylethoxy)-phenol methylcarbamate 8.00%  
**INERT INGREDIENTS** 92% Catalog No. V-33

**MANUFACTURED BY**  
**FLORIDA VETERINARY LABORATORIES**  
DIVISION OF PET CHEMICALS, INC.  
P. O. BOX 660656  
MIAMI SPRINGS, FLORIDA 33166

Copyright 1975 Pat. Pend. 11775-50M EPA EST. NO. 7225-FL-1

# VIP


# DIP

## FLEA AND TICK CONCENTRATE

for  
**Dogs and Cats**

Add 1/2 ounce (1 tbsp.) to a quart of water.

Net Contents 8 Fl. Oz.  
EPA Reg. No. 4758-118-AA



**CAUTION:** Keep out of reach of children.  
See back panel for additional cautions.

4758-118

# VIP

# DIP

## FLEA AND TICK CONCENTRATE

for  
**Dogs and Cats**

**SOLD TO VETERINARIANS ONLY**

VIP DIP concentrate is almost odorless and makes a clear solution when mixed with water. VIP DIP usually kills fleas in ten minutes or less and ticks in 30 to 60 minutes.

**FOR BEST FLEA AND TICK CONTROL** and to help prevent re-infestation the premises should be treated. Use VIP INSECT FOGGER for the house or building and a spray or powder recommended by the Veterinarian for outside areas.

**TO KILL FLEAS ON CATS, & FLEAS & TICKS ON DOGS & PUPPIES:** Mix 1/2 oz. (one tablespoon) to a quart of water or 2 oz. (4 tablespoons) to a gallon of water. USE WARM TAP WATER. MEASURE ACCURATELY. Mix well. Sponge or sprinkle on, or dip animal until coat is thoroughly wet. Rub well into fur, between toes and in ears. For better lasting effects do not rinse but allow to dry naturally, then comb and brush if desired. Use once a week if needed. For faster kill of engorged female ticks on dogs, 1 oz. (2 tablespoons) to a quart of water or 4 oz. (8 tablespoons) to a gallon of water may be used.

# VIP

# DIP

## FLEA AND TICK CONCENTRATE

for  
**Dogs and Cats**

**DO NOT RE-USE CONTAINER.**  
Rinse with water and pierce to destroy when empty.

**CAUTION:** DO NOT USE FULL STRENGTH. MIX AS DIRECTED. **Keep out of reach of children.** Contact with skin may cause toxic symptoms. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after using. Food utensils such as tablespoons should not be used for food purposes after use with insecticides. This product is a cholinesterase inhibitor. If swallowed give two tablespoons of salt in a glass of warm water to induce vomiting. Do not treat nursing animals or animals under 1 month of age. **DO NOT USE WITHIN TWO WEEKS ON ANIMALS BEING TREATED WITH OTHER INSECTICIDES INCLUDING FLEA COLLARS OR INTERNAL ORGANOPHOSPHATE WORMING DRUGS.** CALL A PHYSICIAN if poisoning symptoms are present. To physician or veterinarian the antidote is atropine.

**ACTIVE INGREDIENTS** 2-(1-Methylethoxy)-phenol methylcarbamate 8.00%