

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (IN DOMESTIC ANIMALS)**

CAUTION

USE ONLY WHEN AREA TO BE TREATED IS VACANT BY HUMANS AND PETS. Avoid breathing of mist. Avoid contact with eyes. Harmful if swallowed or absorbed through skin. Avoid contact with skin. Wash thoroughly after use. Avoid contact with food. Do not use on fish tanks and bowls with paper or plastic liners. Do not use on plants and houseplants.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Insecticides may soften some plastics and rubbers. Avoid contact with asphalt or solid on the ground in a large pile. Newspaper should be spread on the ground for several feet around the container.

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Do not induce vomiting. Do not give anything by mouth. Do not induce vomiting. Note to Physician: May cause respiratory irritation.
If inhaled - Remove person to fresh air. Apply artificial respiration if indicated.
If on skin - Wash with plenty of water. Remove contaminated clothing and shoes.
If in eyes - Flush eyes with plenty of water. Get medical attention.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.
CONTAINER DISPOSAL: Do not reuse empty container. Drop container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Cover or remove exposed foods, dishes and food handling equipment. In food processing surfaces should be covered in mist before treatment or thoroughly cleaned after treatment. Close doors and windows. Open cabinets and doors with treatment. Shut off fans and air conditioning. Put out all open fires except pilot light. Place at least 6 feet away from pilot light. Fogger should be placed on floor in the middle of the room. Place newspaper or other barrier to prevent marring surface. Note instructions concerning room size above. Use one canister for each 1,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. To start fogging, position top of canister over nozzle and press down keep at least 1/2 inch length when operating. Point top of canister toward face and eyes. Set up in proper position and leave the building of once. Leave unobstructed for 2 hours. Open doors and windows and allow to air for 40 minutes. Empty canister.

PET CHEMICALS INC.
P.O. Box 660656, Miami Springs, Fla. 33166
Call (407) 425-7475 for Chem. Sales



**INDOOR
FOGGER**

**KILLS FLEAS • ROACHES • ANTS
TICKS • SPIDERS • FLYING MOTHS
FLIES • SILVERFISH**

This formula is recommended for use in homes, hospitals, dairies, restaurants and food processing plants.

ACTIVE INGREDIENTS

Pyrethrins	0.5%
Permethrin	2.5%
Residual insecticide	2.5%
INERT INGREDIENTS	94.5%

TOTAL 100.0%
This is equivalent to 0.20% of total carbonyl compounds per gallon and 0.5% of treated compounds per gallon. Synergist 264.

For all commercial food processing plants, foods should be removed or covered immediately prior to treatment. All food processing surfaces should be covered immediately prior to treatment. Mist should be applied to all surfaces. Do not use in areas where food is being prepared or served.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read additional cautions on back of label.
Net Weight 6 Oz. (170 GRAMS)
EPA Reg. No. 4758-137

4758-137