

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (H. DOMESTIC ANIMALS)**

CAUTION

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS. Avoid breathing of mist. Avoid contact with eyes. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin. Wash hands after handling. Keep out of reach of children. Remove pets. Cover fish tanks and bowls with paper or remove. Avoid contamination of food and feedstuffs.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Insecticides may soften some asphalt and saturate tile floors. If used directly over asphalt or saturate tile, place in a large pan. Newspaper should be spread on the floor for several feet around area of release.

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. Do not induce vomiting. Note to Physician: May present aspiration hazard.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes for a least 15 minutes with water. Call a physician immediately.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Store in a cool, dry place inaccessible to children.
CONTAINER DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Foods should be removed or covered in a way preventing contamination immediately prior to treatment. Exposed food contact surfaces, including dishes and equipment, must be washed with an effective cleaning compound followed by a potable water rinse after treatment. Close doors and windows. Open cabinets and doors within treatment area. Shut off fans and air conditioners. Put out all open flames except pilot light. Place at least 6 feet away from pilot light. Fogger should be placed on floor in the middle of the room. Place newspapers under canister to prevent marking surface. Note instructions concerning saturate floors above. Use one canister for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where flow of mist is not assured. To start fogging, position fog lock activator cap over nozzle and press down. Keep at arm's length when activating. Point top of can away from face and eyes. Set in upright position and leave the building at once. Leave unobstructed for 2 hours. Open doors and windows and allow to air for 30 minutes.

EPA Est. No. 11715-TN-1

MANUFACTURED BY
PET CHEMICALS
Memphis, TN 38101-0993



Total Release Aerosol Pyrethrin

**KILLS FLEAS • ROACHES • ANTS
TICKS • SPIDERS • FLYING MOTHS
FLIES • SILVERFISH**

This formula is recommended for use in homes, hospitals, dairies, restaurants and food processing plants.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
Fluorenyl Butoxide Tech.	2.5%
N-ethyl bicyclohexane dicarbamate*	2.5%
INERT INGREDIENTS	94.5%
TOTAL	100.00%

* Equivalent to 2.0% of (butylcarbamoyl (2-propylbutyryl) ether and 0.5% of related compounds.

** MCK Synergist 204

For all commercial food processing plants, foods should be removed or covered in a way preventing contamination immediately prior to treatment.

Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after treatment. For hospital use, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after spraying.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Read additional cautions on back of label.
Net Weight 8 Oz. (170 GRAMS)
EPA Reg. No. 4758-137

