

4758-137

3/19/2003

1/2

# TOTAL RELEASE AEROSOL PYRETHRIN

**KILLS FLEAS, ROACHES, ANTS, TICKS,  
SPIDERS, FLYING MOTHS, FLIES,  
SILVERFISH**

**This formula is recommended for use in  
homes, hospitals, dairies, restaurants, and  
food processing plants.**

## ACTIVE INGREDIENTS:

Pyrethrins.....0.5%  
Piperonyl Butoxide, Tech\*.....2.5%  
N-Octyl bicycloheptene  
dicarboximide\*\*.....2.5%  
**INERT INGREDIENTS: .....94.5%**  
**100.0%**

\*Equivalent to 2.0% of (butylcarbityl)(6-  
propylpiperonyl)ether and 0.5% related compounds.

\*\*MKG Synergist 264

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

**Read additional cautions on back panel**

**NET CONTENTS: \_\_\_\_\_ oz.**


For all commercial food processing plants,  
foods should be removed or covered in a way  
preventing contamination immediately prior to  
treatment.

Food contact surfaces and equipment must be  
washed with an effective cleaning compound  
followed by a potable water rinse after  
treatment. For hospital use, patients should be  
removed from room prior to treatment. Room  
should be ventilated for 2 hours after  
spraying. Do not return patients to room until  
after spraying.

## PRECAUTIONARY STATEMENTS CAUTION HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**USE ONLY WHEN AREA TO BE TREATED  
IS VACATED BY HUMANS AND PETS.**  
Avoid breathing mist. Avoid contact with  
eyes. Harmful if swallowed, inhaled, or  
absorbed through skin. Avoid contact with  
skin. Wash hands after handling. Keep out of  
reach of children. Remove pets. Cover fish  
tanks and bowls with paper or remove. Avoid  
contamination of food and foodstuffs.

FIRST AID	
IF INHALED:	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Call a poison control center or doctor for further treatment advice</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>



<b>FIRST AID (Cont'd)</b>	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>• Call poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF ON SKIN OR CLOTHING:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>HOT LINE NUMBER</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.	

**PHYSICAL OR CHEMICAL HAZARDS**  
 Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may

cause bursting. Never throw container into fire or incinerator. Insecticides may soften some asphalt and solarian tile floors. If used directly over asphalt or solarian tile, place in a large pan. Newspaper should be spread on the floor for several feet around area of release.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Foods should be removed or covered in a way preventing contamination immediately prior to treatment. Exposed food contact surfaces, including dishes and equipment, must be washed with an effective cleaning compound followed by a potable water rinse after treatment. Close doors and windows. Open cabinets and doors within the treatment area. Shut off fans and air conditioners. Put out all open flames except pilot light. Place at least 6 feet away from pilot light. Fogger should be placed on floor in the middle of the room. Place newspapers under canister to prevent marring surfaces. Note instructions concerning solarian floors above. Use one container for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. To start fogging, position fog-lock activator over nozzle and press down. Keep at arm's length when activating. Point top of can away from face and eyes. Set in upright position and leave the building at once. Leave undisturbed for 2 hours. Open doors and windows and allow to air for 30 minutes.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool, dry place inaccessible to children.

**DISPOSAL:** Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

In case of emergency or for product use information, call (901) 362-1950, Monday-Friday, 7:30am - 4:30 PM CST (distributors may elect to use their own phone numbers).

**MANUFACTURED BY:**  
**PET CHEMICALS**  
**P.O. BOX 18993**  
**MEMPHIS, TN 38181-0993**

Ntservr/SPLabels-4758-137-NOTIF.2001-1&6(1-28-03)