



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment before application. Cover milking utensils and milk to prevent contamination from spray and dead or falling insects. Do not apply while food processing is underway. After space spraying, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. All food processing surfaces and utensils should be covered immediately prior to treatment or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F may cause bursting. Never fill with contents not to be or in container.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

MILKING PARLOR AND MILK ROOM: Close all windows and doors. Spray at the rate of 1 to 2 seconds per 1000 cubic feet. If rooms cannot be closed tight, double the dosage. Stand in middle of room. Direct fog upward and spray in all directions. Seconds may be counted by saying one-thousand, two-thousand, etc. Keep room closed for 15 minutes after treatment. Example: A room 20 feet long, 12 feet wide and 8 feet high requires 2 seconds if closed tight, 4 seconds if not. Do not remain in treated areas. Ventilate the area after treatment is completed.

ANIMAL USE: From approximately 2 feet distance, thoroughly spray animal's entire face as it is being released to pasture. Spot treat withers, shoulders and back where sores accumulate from head tossing.

STANCHION BARN USE: Walk behind animal's and direct AEROSOL DAIRY INSECTICIDE over backs allowing approximately 1 second per animal. For most effective results apply each morning.

KILLS FLIES BEFORE THEY CAN BREED

There is a fly problem wherever flies can breed. If flies are a problem in your milk house, calf shed, or holding lots, the chances are that the majority of flies are breeding within a radius of 50 yards. Manure, rotten hay, etc., removed every four days, disposal of the fly eggs, maggots, and pupa in open fields, other insects, animals, and weather conditions help keep them under control.

BREAK THE FLY REPRODUCTION CYCLE

Today	2 Weeks	4 Weeks
1 FLY	500 FLIES	125,000 FLIES

The above figures illustrate what one female fly could do in 30 days if the reproductive cycle is not broken.

HOW TO BREAK THE CYCLE

STEP 1 - SANITATION: Flies cannot breed in clean, dry locations. Sanitation is the most effective of all fly control measures.

STEP 2 - LARVICIDE: Use LARVICIDE weekly to prevent maggots from developing into egg laying flies.

STEP 3 - ADULTICIDE: Use AEROSOL each day to kill the egg laying adults.

TECHNICAL DATA - FLY CONTROL

Dosage required	1 sec. per 1000 cu ft
Treatment per unit	1135 000 cu ft
Delivery rate at 70 F	1 gram per sec
Cylinder	Aluminum
Propellant Gas	High pressure

MEETS SPECIFICATIONS BELOW

When Used According to Directions

Flash Point: None CSMA flammability test method
Explosive Point: None CSMA explosive test method

EPA Reg. No. 4758-140

Manufactured by

PET CHEMICALS INC.

P.O. Box 660656 Miami Springs, FL 33166



**AEROSOL
DAIRY
INSECTICIDE**

WITH DUAL ACTIVATORS

FOR MILK HOUSE AND ANIMALS

KILLS HOUSEFLIES, HORN FLIES, STABLE FLIES AND GNATS

ACTIVE INGREDIENTS

Pyrethrins	0.50%
Piperonyl Butoxide Tech *	1.00%
N-octyl bicycloheptene dicarboximide	1.00%
Refined Petroleum Oil	8.00%

INERT INGREDIENTS

89.50%

TOTAL 100.00%

*Equivalent to 0.8% (Butylcarbitol) (6-propylpiperonyl) ether and 0.2% of related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION:

See side panel for additional precautions.

NET WEIGHT 2 1/2 lb. (1.13 kg.)

EPA Reg. No. 4758-140

4758-140