

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center. Give one or two glasses of water and induce vomiting by touching back of throat with finger. Never give anything by mouth to an unconscious person.
- If on skin - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Get medical attention.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold pump spray 4-6 inches from animal. Direct spray into hair. To insure penetration to skin, stroke against lay of hair. Be sure to include legs and feet. Spray animal until thoroughly wet but avoid run-off. Do not spray towards eyes or on genital area, to avoid irritation. Use spray only in well-ventilated areas. Do not use more than once every two days on animal.

STORAGE AND DISPOSAL

Do not contaminate food or water by storage. Do not re-use empty container. Wrap empty container and discard with trash.

EPA Est. No. 4758-FL-1

Cat. No. \_\_\_\_\_

Manufactured by  
PET CHEMICALS INC.  
P.O. Box 660656, Miami Springs, FL 33166

---



U.S. ENVIRONMENTAL PROTECTION AGENCY  <b>NOTICE OF PESTICIDE</b>	
NAME AND ADDRESS OF REGISTRANT  <div style="text-align: right;"> <i>161</i>  <i>B</i>      <i>58262</i>  <i>1</i> </div>	
<p><b>NOTE:</b> This notice is issued to advise you that a pesticide registered with this Agency is being registered in another country. If you are a registrant in this country, you should be advised that the pesticide is not registered in that country.</p>	
<p>On the basis of information received from the registrant, the pesticide is being registered in another country. Registered (Registered) under the Federal Insecticide, Fungicide, and Rodenticide Act.</p>	
<p>A copy of the labeling for the pesticide with the original registration is returned to you with this notice. In order to protect health and the environment, it is requested that you do not use the pesticide in any other country. The registration of a pesticide in another country does not constitute a recommendation by the Agency for the registration of a product under this Act. The registration of a pesticide in another country does not constitute a recommendation by the Agency for the registration of a product under this Act. The registration of a pesticide in another country does not constitute a recommendation by the Agency for the registration of a product under this Act.</p>	
<input type="checkbox"/> ATTACHMENT AVAILABLE	
SIGNATURE OF APPROVING OFFICIAL	DATE

CROP	DISEASES/INSECTS	RATE PER ACRE	APPLICATION DIRECTIONS
Peanut	Early leaf spot (Cercospora) Late leaf spot (Cercosporidium)	3 to 4 1/4 pints	Use in sufficient water to obtain adequate coverage. Start applications when disease first appears and repeat at 10 to 14 day intervals or as necessary to maintain control. Under severe disease conditions, use the 4 1/4 pints per acre rate. DO NOT apply within 14 days of harvest. DO NOT allow livestock to graze treated areas. DO NOT feed hay or threshings from treated fields to livestock.
	Rust, Web blotch	4 1/4 pints	
Potato	Early blight, Late blight, Botrytis vine rot (Botrytis spp.)	3 to 4 1/4 pints	Use in sufficient water to obtain adequate coverage. Begin applications when plants are 6 to 8 inches high or when disease threatens, and continue at 7 to 10 day intervals or as needed to maintain disease control. Under severe disease conditions, use 4 1/4 pints per acre on a 7 day schedule. Bravo S may be applied through sprinkler irrigation equipment (solid set, portable wheel move or center pivot systems only). DO NOT exceed a 10 day interval between applications when using this technique. See calibration directions preceding this section.
	Early blight, Late blight (Dryland culture only)	2 1/2 to 4 1/4 pints	
	Powdery mildew	4 1/3 pints	Apply in 8 gallons of water by air. Apply at first sign of infection and repeat at 3 week intervals.