

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

**USE ONLY WHEN AREA TO BE TREATED IS
VACATED BY HUMANS AND PETS.**

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not apply directly to food. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Remove pets and birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Newspapers should be spread on the floor for several feet around area of release.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Remove contaminated clothing and wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Obtain medical attention if irritation persists.

Exclusive product of
PET CHEMICALS
Memphis, TN 38181-0993

EPA Reg. No. 4758-165

EPA Est. No.
11715-TN-1

**PERMALOOL®
PLUS FOGGER**

**A PHOTOSTABLE RESIDUAL PRODUCT FOR
CONTROL OF FLEAS AND TICKS**

EFFECTIVELY BREAKS THE FLEA LIFE CYCLE

Continuous protection for 7 months (210 Days)
ELIMINATES FLEA POPULATIONS

Contains the botanically-derived insecticide
LINALOOL

**KILLS ALL FOUR STAGES OF THE FLEA
(ADULTS, EGGS, LARVAE & PUPAE)**

**ALSO KILLS ROACHES, ANTS, TICKS, SPIDERS,
FLYING MOTHS, FLIES, MOSQUITOS,
SILVERFISH, PALMETTO BUGS, WASPS,
HORNETS, AND CRICKETS.**

Kills the ticks that may carry Lyme Disease

ONE UNIT TREATS 6,000 CUBIC FEET

ACTIVE INGREDIENTS:

Permethrin (3-phenoxyphenyl) Methyl cis/trans-3-
(2,2-dichloroethenyl)-dimethylcyclopropane-
carboxylate.....0.50%
Linalool.....1.00%
Piperonyl butoxide, technical**.....0.50%
Nylar : 2-(1-methyl-2-(4-phenoxyphenoxy) ethoxy)
pyridine.....0.10%
INERT INGREDIENTS.....97.90%

** Equivalent to 0.40% of (butylcarbityl)
(6-propyl-piperonyl) ether and 0.10% related
compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See additional Precautionary Statements on side
panel

Net Weight _____ oz. (____ g.)

PERMALOOL® PLUS FOGGER contains Nylar, an insect growth regulator that inhibits the ability of the flea to reproduce thereby eliminating the flea population. Immature fleas are prevented from developing into adults and the life cycle of the flea is effectively broken. Permalool Plus should be applied every 7 months to provide continuous protection against flea infestation.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product will kill fleas (adults and pre-adult), roaches, houseflies, black carpet beetles, ticks, ants, spiders, flying moths, mosquitos, silverfish, sawtoothed grain beetle, rice beetles, pill bugs, crickets, confused flour beetles, wasps, hornets, and palmetto bugs. Cover or remove exposed foods, dishes and food handling equipment. All food processing surfaces should be covered immediately prior to treatment or thoroughly cleaned after treatment. Close doors and windows. Open cabinets and interior doors within the treatment area. Shut off fans and air conditioners. Shut off electrical equipment. Put out open flames except pilot light. Place can at least 6 feet from pilot lights. Remove pets. Cover or remove fish tanks and bowls

Fogger should be placed on floor in the middle of the room. Place newspaper under the container to prevent marring surfaces. Use one container for each 6,000 cubic feet (approximately 30'x 20'x 10' room). Use only one can per room. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet. To start fogging, press down the actuator tab to locked position. Keep at arm's length when activating. Point top of can away from face and eyes. Set in upright position and leave building at once. Leave undisturbed for 2 hours. Open doors and windows and allow to air for 1 hour.

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or served. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL


STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not re-use empty container.

Wrap container and put in trash collection. Do not puncture or incinerate.

Contains no CFC's or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.

c:\mspub\voc165.pub-(4/23/96)



000000

000000