

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

**USE ONLY WHEN AREA TO BE
TREATED IS VACATED BY HUMANS
AND PETS.**

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not apply directly to food. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Remove pets and birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

PHYSICAL OR CHEMICAL HAZARDS



**Highly Flammable Ingredient
Ingrediente Altamente Inflamable**

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

Extremely Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Newspapers should be spread on the floor for several feet around area of release.

**PERMALOOL®
PLUS FOGGER**

A PHOTOSTABLE RESIDUAL PRODUCT
FOR CONTROL OF FLEAS AND TICKS
EFFECTIVELY BREAKS THE FLEA LIFE
CYCLE

Continuous protection for 7 months (210 Days)

ELIMINATES FLEA POPULATIONS
Contains the botanically-derived insecticide
LINALOOL

KILLS ALL FOUR STAGES OF THE FLEA
(ADULTS, EGGS, LARVAE & PUPAE)
ALSO KILLS ROACHES, ANTS, TICKS,
SPIDERS, FLYING MOTHS, FLIES,
MOSQUITOS, SILVERFISH, PALMETTO
BUGS, WASPS, HORNETS, AND
CRICKETS.

Kills the ticks that may carry Lyme Disease
ONE 6 OZ. UNIT TREATS 6,000 CUBIC
FEET

ACTIVE INGREDIENTS:

Permethrin (3-phenoxyphenyl) Methyl (+or-)
cis/trans-3-(2,2-dichloroethenyl) 2,2-
dimethylcyclopropane-
carboxylate.....0.50%
Linalool.....1.00%
Piperonyl butoxide,
technical**.....0.50%
Nylar : 2-(1-methyl-2-(4-phenoxyphenoxy)
ethoxy).....0.10%
pyridine.....0.10%
INERT
INGREDIENTS.....97.90%
TOTAL 100.00%

** Equivalent to 0.40% of (butylcarbityl)
(6-propyl-piperonyl) ether and 0.10% related
compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
Additional Precautionary Statements on
side panel

FIRST AID

**IF ON SKIN OR
CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.


IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

PERMALOOL® PLUS FOGGER contains Nylar, an insect growth regulator that inhibits the ability of the flea to reproduce thereby eliminating the flea population. Immature fleas are prevented from developing into adults and the life cycle of the flea is effectively broken. Permalool Plus should be applied every 7 months to provide continuous protection against flea infestation.



4758-165
1/7/2003
Page 182

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

This product will kill fleas (adults and pre-adult), roaches, houseflies, black carpet beetles, ticks, ants, spiders, flying moths, mosquitoes, silverfish, saw-toothed grain beetle, rice beetles, pill bugs, crickets, confused flour beetles, wasps, hornets, and palmetto bugs. Cover or remove exposed foods, dishes and food handling equipment. All food processing surfaces should be covered immediately prior to treatment or thoroughly cleaned after treatment. Close doors and windows. Open cabinets and interior doors within the treatment area. Shut off fans and air conditioners. Shut off electrical equipment. Remove pets. Cover or remove fish tanks and bowls. Fogger should be placed on floor in the middle of the room. Place newspaper under the container to prevent marring surfaces. Use ~~one fogger~~ **one fogger for each [6,000] cubic feet (approximately [30'x 20'x 10'] room).**

[NOTE: 1 OUNCE OF PRODUCT WILL COVER 1,000 CUBIC FEET. VARIANCE IN CAN SIZES WILL CHANGE THE COVERAGE AREAS LISTED BASED ON THIS FORMULA.]

To start fogging, press down the actuator tab to locked position. Keep at arm's length when activating. Point top of can away from face and eyes. Set in upright position and leave building at once. Leave undisturbed for 2 hours. Open doors and windows and allow to air for 1 hour.

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or served. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Contains no CFC's or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Manufactured by:
PET CHEMICALS
P.O. Box 18993
Memphis, TN 38181-0993

EPA Reg. No. 4758-165
EPA Est. No. 11715-TN-1

NTSVRA\WORD\4758-165amend(09-20-02jb)

282