PERMETHRIN PLUS FOGGER

A PHOTOSTABLE RESIDUAL PRODUCT FOR CONTROL OF FLEAS AND TICKS EFFECTIVELY BREAKS THE FLEA LIFE **CYCLE**

Continuous protection for 7 months (210 Days) **ELIMINATES FLEA POPULATIONS**

ALSO KILLS ROACHES, ANTS, TICKS, SPIDERS, FLYING MOTHS, FLIES, MOSQUITOES, SILVERFISH, PALMETTO BUGS, WASPS, HORNETS, AND CRICKETS.

Kills the ticks that may carry Lyme Disease ONE UNIT TREATS 6,000 CUBIC FEET

ACTIVE INGREDIENTS:

Permethrin (3-phenoxypheny	I) Methyl cis/trans-
3-(2,2-dichloroethenyl)-dime	thylcyclopropane-
carboxylate	0.50%
Piperonyl butoxide,	
technical**	0.50%
Nylar: 2-(1-methyl-2-(4-pher	noxyphenoxy)
ethoxy)	
pyridine	0.10%
INERT	
INGREDIENTS	98.90%
TOTAL	100.00%
** Equivalent to 0.040%	of (butylcarbityl)
(6-propyl-piperonyl) ether a	ind 0.010% related

KEEP OUT OF REACH OF CHILDREN CAUTION

See additional Precautionary Statements on side panel

compounds

Net Weight oz. (g.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **CAUTION**

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not apply directly to food. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Remove pets and birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient Ingrediente Altamente Inflamable

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

Extremely Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator. Newspapers should be spread on the floor for several feet around afea of release.

		
FIRST AID		
IF ON SKIN OR	Take off	
CLOTHING	contaminated	
	clothing.	
	 Rinse skin 	
	immediately with	
	plenty of water for	
	15-20 minutes.	
	Call a poison	
	control center or	
	doctor for	
	treatment advice.	
IF IN EYES	Hold eye open and	
	rinse slowly and	
	gently with water	
	for 15-20 minutes.	
	Remove contact	
	lenses, if present,	
	after the first 5	
,	minutes, then	
	continue rinsing	
	eye.	
	Call a poison	
	control center or	
	doctor for	
	treatment advice.	
HOT LINE NUMBER		
Have the product cont	ainer or label with you	
when calling a poison control center or doctor, or		
coing for treatment. You may also contact 1-877-		

going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

> PET CHEMICALS P.O. Box 18993

ACCEPTED his, TN 38181-0993

EPA Reg. No. 4758-176 EPA Est. No. 11715-TN-1

Under the Federal Insections Fundicide, and Bodenticide Art as amended, for the posticide redistered ander BPA Reg. No.

* * * * * *

PERMETHRIN PLUS FOGGER contains Nylar, an insect growth regulator that inhibits the ability of the flea to reproduce thereby eliminating the flea population. Immature fleas are prevented from developing into adults and the life cycle of the flea is effectively broken. Permethrin Plus should be applied every 7 months to provide continuous protection against flea infestation.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets, or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

This product will kill fleas (adults and pre-adult), roaches, houseflies, black carpet beetles, ticks, ants, spiders, flying moths, mosquitoes, silverfish, saw-toothed grain beetle, rice beetles, pill bugs, crickets, confused flour beetles, wasps, hornets, and palmetto bugs. Cover or remove exposed foods, dishes and food handling equipment. All food processing surfaces should be covered immediately prior to treatment or thoroughly cleaned after treatment. Ciose doors and windows. Open capinets and interior doors within the treatment area. Shut off fans and air conditioners. Remove pets. Cover or remove fish tanks and bowls.

Fogger should be placed on floor in the middle of the room. Place newspaper under the container to prevent marring surfaces. Use one container for each 6,000 cubic feet (approximately 30'x 20'x

.

10' room). To start fogging, press down the actuator tab to locked position. Keep at arm's length when activating. Point top of can away from face and eyes. Set in upright position and leave building at once. Leave undisturbed for 2 hours. Open doors and windows and allow to air for 1 hour.

Do not use in food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or served. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not puncture or incinerate!

If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Contains no CFC's or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.

NTSVR:\WORD\4758-176amend(10/02-02jb)

1 6 C