PERMETHRIN PLUS PET SPRAY

For Residual Control of Fleas & Ticks On Dogs

CONTAINS NYLAR (INSECT GROWTH REGULATOR) FOR CONTROL OF FLEAS ON PETS FOR UP TO 120 DAYS

CONTROLS FLEAS ON CARPETS AND OTHER HOUSEHOLD SURFACES FOR UP TO ONE YEAR

ACTIVE INGREDIENTS:

N-Octyl Bicycloheptene Dicarboximide +	1.000%
Prallethrin t	
Permethrin*	0.200%
Nylar 2-[1-methyl-2(4-phenoxyphenoxy)	
ethoxy] pyridine	0.125%
INERT INGREDIENTS:	
TOTAL	100.000%

- + MGK 264 Synergist
- *(3 phenbxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2-2-dimethyl cyclopropanecarboxylate. Cis/trans ratio: 35% (+/-) cis and max 65%(+/-)trans ‡(s)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl (1R)-cis, trans-chrysanthemate

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements

EPA Reg. No. 4758-180 EPA Est. No. 11715-1N-1

	i.	O	C	E	P	T	E]
Net Contents	fl. c	Z.	FE	8	1	1	999	

Under the Federal Insecticide, Fundicide, and Rodenticide Act, as amended, for the posticide registered under FPA Rec. No. 4758 -180

READ ENTIRE LABEL BEFORE EACH USE USE ONLY ON DOGS

PERMETHRIN PLUS PET SPRAY contains Nylar, an insect growth regulator that inhibits the ability of the flea to reproduce thereby eliminating the flea population. Immature fleas are prevented from developing into adults and the life cycle of the flea is effectively broken.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes skin irritation and moderate eye irritation. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated exposure may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Sensitivities amy occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

FIRST AID

IF ON SKIN: Remove contaminated clothing and wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF SWALLOWED: Call a Doctor or get medical attention. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

PHYSICAL HAZARDS

Do not use this product in or around electrical equipment due to the possibility of shock hazard. Do not allow product to freeze.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PET TREATMENT: Cover animal's eyes with hand and with a firm, fast stroke, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray the neck, middle and hind quarters, finishing with legs last. For best penetration spray against the natural lay of the

hair. Make sure spray thoroughly wets ticks. Avoid contact with pet's eyes and genitalia. Do not repeat treatment for 30 days. Do not treat dogs under 6 months of age with this product. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication.

KENNELS OR PET SLEEPING QUARTERS: Apply thoroughly to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door sills, and localized areas of floor and floor covering where fleas, ticks, and lice may be present. Old pet bedding should be removed and replaced with fresh bedding after treatment of pet areas. Do not spray surfaces where spotting, staining, or discoloration would be objectionable. Permethrin Plus Pet Spray can be reapplied after 7 days to control adult fleas that may be present.

HOUSEHOLD TREATMENT: Remove birds and cover fish aquariums before spraying. Do not allow children to contact surfaces until spray has dried. Thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture, and in closets. Seal vacuum bag and dispose of in outdoor trash. Mop hard surface floors. Prior to treatment, test a small amount of spray in an inconspicuous area to ensure that spotting or staining will not occur. Using a smooth back and forth motion, thoroughly spray areas to be treated. Avoid soaking area. Dispense sufficient amount to just wet the treated area. If fleas reappear, either repeat treatment or allow the residual effect of Permethrin Plus Pet Spray to kill the newly emerged fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame. Store in a dry area inaccessible to children.

DISPOSAL: Do not reuse empty bottle. Rinse thoroughly before discarding in trash.

In Case of an Emergency or for Product Use Information, call (901) 362-1950, Monday that Friday, 7.30 a.n., - 4:30 p.m. (CST).

[NOTE TO REVIEWER: Distributors may choose to use their own Emergency Telephone Numbers and times of operation.]

Manufactured for: PET CHEMICALS P. O. Box 18993 Memphis, TN 38181-0993

D:\Program Files\Publisher\PET180-(11-18-98)

1 7 C