PERMETHRIN PLUS PET SPRAY

FOR RESIDUAL CONTROL OF FLEAS & TICKS ON DOGS

CONTAINS NYLAR (INSECT GROWTH REGULATOR)
FOR CONTROL OF FLEAS ON PETS FOR UP TO 120 DAYS

CONTROLS FLEAS ON CARPETS AND OTHER HOUSEHOLD SURFACES FOR UP TO ONE YEAR

ACTIVE INGREDIENTS:

N-Octyl Bicycloheptene Dicarboximide +	1.000%
Prallethrin‡	0.075%
Permethrin*	0.200%
Nylar 2-[1-methyl-2(4-phenoxyphenoxy)	
ethoxy] pyridine	0.125%
INERT INGREDIENTS:	<u>98.600%</u>
TOTAL	100.000%

⁺ MGK 264 Synergist

KEEP OUT OF REACH OF CHILDREN


CAUTION

See back panel for additional precautionary statements

NET CONTENTS

_ FL. OZ.

EPA Reg. No. 4758-180 EPA Est. No. 11715-TN-1



READ ENTIRE LABEL BEFORE EACH USE (For on-animal application: USE ONLY ON DOGS)

PERMETHRIN PLUS PET SPRAY contains Nylar, an insect growth regulator that inhibits the ability of the flea to reproduce thereby eliminating the flea population. Immature fleas are prevented from developing into adults and the life cycle of the flea is effectively broken.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes skin irritation and moderate eye irritation. Do not get in eyes, on skin, or on clothing. Prolonged or frequently repeated exposure may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Do not treat dogs under 6 months of age with this product. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

	FIRST AID
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.



^{* (3} phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2-2-dimethyl cyclopropanecarboxylate. Cis/trans ratio: 35% (+/-) cis and max 65%(+/-)trans ± (s)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl (1R)-cis, trans-chrysanthemate

FIRST AID (Cont'd)			
IF SWALLOWED:	 Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. 		
IF INHALED:	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. 		
	HOT LINE NUMBER		

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-877-757-4943 for emergency medical treatment information.

PHYSICAL HAZARDS

Do not use this product in or around electrical equipment due to the possibility of shock hazard. Do not allow product to freeze.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PET TREATMENT: Cover animal's eyes with hand and with a firm, fast stroke, spray head, ears and chest until damp. With fingertips, rub into face around mouth, nose and eyes. Then spray the neck, middle and hind quarters, finishing with legs last. For best penetration spray against the natural lay of the hair. Make sure spray thoroughly wets ticks. Avoid contact with pet's eyes and genitalia. Do not repeat treatment for 30 days. Do not treat dogs under 6 months of age with this product. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medication.

KENNELS OR PET SLEEPING QUARTERS: Apply thoroughly to

infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door sills, and localized areas of floor and floor covering where fleas, ticks, and lice may be present. Old pet bedding should be removed and replaced with fresh bedding after treatment of pet areas. Do not spray surfaces where spotting, staining, or discoloration would be objectionable. Permethrin Plus Pet Spray can be reapplied after 7 days to control adult fleas that may be present.

HOUSEHOLD TREATMENT: Remove birds and cover fish aquariums before spraying. Do not allow children to contact surfaces until spray has dried. Thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture, and in closets. Seal vacuum bag and dispose of in outdoor trash. Mop hard surface floors. Prior to treatment, test a small amount of spray in an inconspicuous area to ensure that spotting or staining will not occur. Using a smooth back and forth motion, thoroughly spray areas to be treated. Avoid soaking area. Dispense sufficient amount to just wet the treated area. If fleas reappear, either repeat treatment or allow the residual effect of Permethrin Plus Pet Spray to kill the newly emerged fleas.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not use or store near heat or open flame. Store in a dry area inaccessible to children.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

In Case of an Emergency or for Product Use Information, call (901) 362-1950, Monday thru Friday, 7:30 a.m. - 4:30 p.m. (CST).

[NOTE TO REVIEWER: Distributors may choose to use their own Emergency Telephone Numbers and times of operation.]

MANUFACTURED FOR:
PET CHEMICALS
P. O. BOX 18993
MEMPHIS, TN 38118-0993

D:\Program files\Publisher\PET180-(02/01/99)4758-180-NOT1F 2001 1&6(2-04-03)