

4787-7

11/28/1984

1/3

STOP! READ THE LABEL

CHEMATHOATE[®] TECHNICAL

FOR FORMULATION OF INSECTICIDE ONLY

ACTIVE INGREDIENT: Dimethoat (O, O-Dimethyl S-[N-methylcarbamoyl(methyl)] phosphorodithioate) 96 %

INERT INGREDIENT: 4 %

TOTAL 100 %

EPA Reg. No: 4787-7

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: In case of poisoning, call a physician immediately. Have patient lie down and keep quiet.

If swallowed and victim is awake (conscious) make him vomit quickly. Have victim drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Have victim lie down and keep quiet. Get medical attention.

If eyes are contaminated, wash immediately with flowing water for at least 15 minutes.

If on skin, remove contaminated clothing and wash skin immediately with soap and warm water.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

ACCEPTED
NOV 28 1984
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4787-7

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT: 125 KILOS

MANUFACTURED BY

A/s CHEMINOVA - LEMVIG - DENMARK

PHONE: (07) 83 41 00 . TELEX: 66514

EPA Est. No. 4787-DN-1

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Dimethoate is stable for a long period when stored under temperatures not exceeding 20/23°C. Dimethoate should not be heated above 35°C. At higher temperatures Dimethoate will decompose rapidly.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often life-saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Dimethoate is a cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and relaps have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

NOTICE

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

®CHEMATHORV is a registered trademark of

A/S CHEMINOVA
LEMVIG, DENMARK

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed, inhaled or absorbed through the skin.

May cause eye irritation.

Do not get in eyes, on skin, or on clothing.

ENVIRONMENTAL HAZARDS

Do not contaminate water by cleaning equipment, or disposal of wastes.

This product is toxic to fish, birds, and other wildlife.

Keep out of ponds, lakes and streams.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR MANUFACTURE OF INSECTICIDES ONLY.

1.
P'

(Continued on other side)