

ACCEPTED

DEC 2 1997

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 4787-7

STOP! READ THE LABEL

**CHEMATHOATE® TECHNICAL
FOR FORMULATION OF INSECTICIDES ONLY**

ACTIVE INGREDIENT: Dimethoate (O,O-Dimethyl S-(N-(methylcarbamoyl)methyl) phosphorodithioate)	98.4%
INERT INGREDIENTS:	1.6%
TOTAL	100%

EPA Reg. No.: 4787-7

KEEP OUT OF REACH OF CHILDREN

**WARNING
AVISO!**

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: In case of poisoning, call a physician or Poison Control center immediately. Have patient lie down and keep quiet.

If **swallowed** and victim is awake (conscious) make him vomit quickly. Have victim drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger or blunt object. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Have victim lie down and keep quiet. Get medical attention.

If **in eyes:** Flush with water for at least 15 minutes and get medical attention.

If **on skin:** Remove contaminated clothing and wash skin immediately with plenty of soap and water. Get medical attention.

If **inhaled:** Remove victim to fresh air. If **breathing has stopped**, start artificial respiration immediately and maintain until doctor sees victim.

SEE SIDE PANEL FOR ADDITIONAL ECAUTIONARY STATEMENTS

Product of Denmark NET WEIGHT: 320 LBS

For Emergency Medical Information, call 1-800-228-5635, Ext. #153.

MANUFACTURED BY

CHEMINOVA - LEMVIG - DENMARK

PHONE + 45 97 83 41 00 . TELEX: 66514 . TELECOPIER: +45 97 83 45 55

EPA Est. No.: 4787-DN-1

PM 04

4787-7


12/02/97

PS 1/4

16 00 11

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS



WARNING

HAZARDS TO HUMANS

May be fatal if swallowed or inhaled. Harmful if absorbed. Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Do not breath dust or vapors. Wear protective clothing, rubber gloves and a mask or pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife and aquatic invertebrates. Do not discharge into lakes, streams, ponds, or public waters except in accordance with a NPDES permit. For further guidance contact the nearest EPA Regional Office.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 or 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often life-saving antidote. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Dimethoate is a cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and relaps have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

NOTICE

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

®CHEMATHOATE is a registered trademark of A/S CHEMINOVA. LEMVIG . DENMARK

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR MANUFACTURE OF INSECTICIDES ONLY FOR

1. THE FOLLOWING USE:

Terrestrial nondomestic food uses on: alfalfa, alfalfa (seed only), apples, beans (dry, lima and snap), broccoli, cauliflower, cabbage, celery, cherries, citrus (grapefruit, lemon, orange and tangerine), collards, endive (escarole), kale, lettuce, mustard greens, spinach, Swiss chard, field corn, cotton, grapes, melons, pears, peas, pecans, peppers, potatoes, safflower, sorghum (mile), soybeans, tomatoes, turnips, and wheat.

Terrestrial domestic food uses on: apples, beans (dry, lima and snap), broccoli, cauliflower, cabbage, celery, cherries, citrus (grapefruit, lemon, orange and tangerine), collards, endive (escarole), kale lettuce, mustard greens, spinach, Swiss chard, grapes, melons, pears, peas, peppers, pecans, potatoes, tomatoes, and turnips.

Terrestrial nondomestic nonfood uses on: nonbearing citrus (trees that will not bear fruit for one year and nursery stock); around homes, recreation areas, animal quarters, food procession plants (including federally inspected meat-packing plants (except where meat and food products are processed or handled)), warehouses, loading docks, refuse areas, manure piles, garbage dumps; ornamentals (American holly, English holly, arborvitae, azalea, birch, boxwood, camellia, carnation, cedar, cyperus, daylilies, Elaeagnus, elm, Euonymus, Ficus nitida, gardenia, gerberas (Transvaal daisy), gladiolus, hemlock, iris, juniper, oak, pine, poinsettia, pyracantha, virburnum, rose, taxus (yew), roadsides (24(c) registration), grass grown for seed (24(c) registration), cacti and succulents (24(c) registration), and ferns and foliated potted plants (24(c) registration).

Terrestrial domestic nonfood uses on: ornamentals (as listed above under nondomestic outdoor ornamental uses), and around homes.

Indoor use in: dairy barns, poultry houses (including poultry droppings in cagedlayer houses), hog pens, calf barns and other farm buildings, in federally inspected meat-packing plants (except where meat food products are processed or handled).

2. USES FOR WHICH USEPA HAS ACCEPTED THE REQUIRED DATA AND/OR CITATIONS OF DATA THAT THE FORMULATOR HAS SUBMITTED IN SUPPORT OF REGISTRATION.

3. USES FOR EXPERIMENTAL PURPOSES THAT ARE IN COMPLIANCE WITH USEPA REQUIREMENTS.

4/4

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a secure, cool, dry place and keep container tightly closed. Dimethoate is stable for a long period when stored under temperatures not exceeding 20/23°C (68/74°F). Dimethoate should not be heated above 35°C (95°F). At higher temperatures dimethoate will decompose rapidly.

Pesticide disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PROPER SHIPPING NAME: UN 2783, ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC (Dimethoate), CLASS 6.1, PG iii, MARINE POLLUTANT, R.Q.