NOTICE

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Livida (pa Lagard Inspectiones, and Danamara, ha Carrier has Federal Insecticides Acts

Franchistate and Rodenticide Acts

Franchistate and Rodenticides

Franchistate and Rodenticides

Franchistate and Rodenticides ranguage, and Roughnusiae Ac

STOP! READ THE LABEL

POISON

EMENTS

**SWALLOWED** 

IN CONTACT

oes through clothes).

REATHED

st are inhaled.

LOTHING

hands or spilled or spiash-

inhaled, or if allowed to

t instructions for protective

tective clothing and equip-

nots or subber overshoes

UCH AS ARE CONTAINED

ONGED SUSCEPTIBILITY

ists of their cholinesterase

urther exposure should be

at the cholinesterase level tate Agricultural Extension

parding such blood tests.

STOP work and get help

ely. Explain that the victim st aid is given (see State-

ctim to clinic or hospital

and water. Always wash

ing soap and water. Wear

clothing. Wash protective

ch use. Respirator should with respirator.

continued on other side)

g or drinking.

STIC ANIMALS

See side panels for antidote and precautions



DANGER

Keep out of reach of children

CAN KILL YOU

## AVISO!

AL USUARIO: Si usted no lee inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: if you cannot read English, do not use this product until the label has been fully explained to you.)

**ACTIVE INGREDIENTS:** 

Ethion (O,O,O',O-tetraethyl S, S'-methylene bisphosphorodithioate) .....

**INERT INGREDIENTS:** 

**NET CONTENT: 53 US GALLONS 6 PINTS** (Net Weight: 250 kilograms or 550 pounds)

For Emergency Medical Information, call 1-800-228-5635, Ext. #153.

PRODUCT OF DENMARK **MANUFACTURED BY** 

# CHEMINOVA - LEMVIG - DENMARK

PHONE: (+45) 96 90 96 90 . TELEX: 66514 . TELEFAX: (+45) 96 90 96 91

EPA Est. No.: 4787-DN-1

TOTAL 100.0%

POISON SIGNS (Symptoms)

Ethion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headaches, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

# + STATEMENT OF PRACTICAL TREATMENT +

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to Ethion and describe his condition.

Move patient immediately from the area where Ethion is present.

# breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim

If swallowed and victim is awake (conscious) make him vomit quickly. Have victim drink 1 or 2 classes of water and induce vomiting by touching back of throat with finger. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person. Have victim lie down and keep quiet. Get medical attention

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Wash skin with plenty of soap and water while removing contaminated clothing and shoes.

## **NOTE TO PHYSICIAN**

Antidote: Administer atropine sulfate in large doses, TWO to FOUR mg, intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is a pharmacologic antidote and may be administered as an adjunct to, but not a substitute for, atropine which is a symptomatic and often lifesaving antidote, DO NOT GIVE MORPHINE OR TRANQUILIZERS. Ethion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement: VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

## **ENVIRONMENTAL HAZARDS**

his product into lakes, streams, ponds, estuaries, opeans or public waters unless this prouct is specifically identified and addressed in a NPDES permit. Do not distinarge effluer dontaining this product to sewer systems without previously notifying the sewage trea

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a secure, cool, dry place and keep container tightly closed. Ethion is stable for a long period when stored under temperatures not exceeding 25°C (77°F). It should never be heated above 55°C (131°F) and also local heating above this temperature should be avoided.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state

Get medical attention.

WITH US EPA REQUIREMENTS.

**DIRECTIONS FOR USE** 

It is a violation of Federal law to use

this product in a manner inconsistent

FOR MANUFACTURING

OF INSECTICIDES ONLY

TERRESTRIAL NON-DOMESTIC.

FOOD USES ON: Citrus in Florida

with its labeling.

and Texas.

PROPER SHIPPING NAME:

**UN 3017. ORGANOPHOSPHORUS** PESTICIDE, LIQUID, TOXIC, FLAMMABLE (Ethion). CLASS 6.1, P.G. II, MARINE POLLUTANT, RQ.