



PM 19 4787-11 10/16
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MAY 06 1994

P. Leanne Pruett
CHEMINOVA
1700 ROUTE 23, SUITE 210
WAYNE, NEW JERSEY 07034

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 03/31/94 in Response to PR Notice 93-7
EPA Reg. No. 4787-11
METHYL PARATHION 4EC

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola ink on paper that
contains at least 50% recycled fiber

20716


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

CHEMINOVA
4787-11 03/31/94
METHYL PARATHION 4EC
Original Submission

Delete the crossed-out statements on your proposed label. They are redundant statements or phrases.

Correct the typographical errors circled on your proposed label.

70x16

ACCEPTED
with COMMENTS
by EPA Letter Dated

MAY 06 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4787-11

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale to and use only by certified applicator or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Direct supervision for this product is defined as the certified applicator being physically present during application, mixing, loading, repair and cleaning of application equipment. Commercial certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

METHYL PARATHION 4 EC

Emulsifiable Concentrate - An Agricultural Insecticide

ACTIVE INGREDIENTS:

*O,O-Dimethyl O-p-nitrophenyl thiophosphate	45.64%
Inert Ingredients	54.36%
TOTAL	100.00%

*Methyl Parathion

Contains 4 pounds of Methyl Parathion per gallon

KEEP OUT OF REACH OF CHILDREN

**DANGER
PELIGRO**



POISON

PRECAUCION AL USUARIO: Si usted no lee ingles no use este producto hasta que la etiqueta le haya sido explicada ampliamente

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

BEST AVAILABLE COPY

50716

DANGER - POISON - PRECAUTIONS

CAN KILL YOU IF SWALLOWED - This product can kill you if swallowed even in small amounts; spray mist may be fatal if swallowed

CAN KILL YOU BY SKIN CONTACT - This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes)

CAN KILL YOU IF BREATHED - This product can kill you if vapor, spray mist are breathed.

EPA Reg. No. 4787-11

EPA Est. No. _____

Net Contents: 5 Gallons

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER
WORKER SAFETY RULES

The National Pesticide Telecommunication Network is available for recommendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of methyl parathion. The toll free number for the National Pesticide telecommunication Network is 1-800-858-7378

If handled indoors, provide mechanical exhaust ventilation. ~~Keep all unprotected persons, children, livestock, and pets away from treated area or where there is danger of drift.~~ Do not rub eyes or mouth with hands. If you feel sick in any way. STOP work and get help right away. See First Aid (Statement of Practical Treatment) Section.

Personal Protective Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves, such as Barrier Laminate or Viton \geq 14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

BEST AVAILABLE COPY

- Chemical resistant apron when cleaning equipment, mixing, or loading
- For exposures in enclosed areas, a respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA / NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA / NIOSH approval number prefix (TC-14G)
- For exposures outdoors, dust / mist filtering respirator (MSHA / NIOSH approval number prefix TC-21C)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturers instructions for cleaning / maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENTS:

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

~~HANDLE THE CONCENTRATE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT.~~

~~Wear a protective suit of one or two pieces that covers all parts of the body except the head, hands, and feet. Wear chemical resistant gloves, chemical resistant apron, and chemical resistant shoes, shoe coverings or boots. Wear goggles or a face shield. Wear a pesticide respirator approved by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.~~

~~USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING~~

BEST AVAILABLE COPY

OF APPLICATION EQUIPMENT, DISPOSAL OF PESTICIDE AND EARLY REENTRY INTO TREATED AREAS. Protective suit of one or two pieces covering all parts of the body except the head, hands, and feet; chemical resistant gloves, chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots); goggles or face shield; hood or wide brimmed hat; NIOSH approved respirator.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeved shirt; long-legged pants; chemical resistant gloves; chemical resistant apron, shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeved shirt and long-legged pants; shoes and socks. Chemical resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as plastic bag. **REMEMBER - THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.**

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. **Always wash hands, face and arms with soap and water before smoking, eating, drinking or toileting.**

AFTER WORK: **Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water.** Wear only clean clothes when leaving job - do not wear contaminated clothing. Personal clothing worn during work must be stored and laundered separately from protective clothing and household articles. Store protective clothing after each use.

Respirators must be cleaned and filters replaced according to instructions included with the respirator. Protective clothing and protective equipment heavily contaminated or drenched with methyl parathion must be destroyed according to state and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.** **DURING AERIAL APPLICATION, HUMAN FLAGGERS ARE PROHIBITED.**

BEST AVAILABLE COPY

8046

POISON SIGNS (Symptoms)

Methyl Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. ~~Clothing wet with this material must be removed immediately.~~ Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

STATEMENT OF PRACTICAL TREATMENT

This product contains organophosphate and is a cholinesterase inhibitor.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given and if a doctor cannot come, take victim to clinic or hospital.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed - Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

In case of contact, immediately flush eyes or skin with plenty of water ~~while removing contaminated clothing and shoes.~~ See doctor immediately.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

BEST AVAILABLE COPY

90116

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to aquatic invertebrates and wildlife. Birds in treated areas may be killed. Shrimp and other aquatic organisms may be killed at recommended application rates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark, unless otherwise permitted in Directions for Use. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

COMBUSTIBLE

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME
NOT FOR USE OR STORAGE IN OR AROUND THE HOME.**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

REENTRY
Reentry into treated fields is prohibited for 48 hours after application unless all protective clothing and equipment required for early reentry as described elsewhere on the label are worn.
Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.
Written or oral warnings must be given to workers who are expected to be in a

treated area or in an area about to be treated with this product. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written or oral warnings must include the following information:

DANGER
 (Insert area or field description) treated with methyl parathion on (insert date of application.) Reentry into treated fields is prohibited for 48 hours after application, unless all protective clothing and equipment required for early reentry are worn.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over long-sleeved shirt and long pants
- Chemical resistant gloves, such as Barrier Laminate or Viton \geq 14 mils
- Chemical Resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Do not store under conditions which might adversely affect the container or its ability to function properly.

STORAGE: Do not store below temperatures of 0°F. Store in safe manner. Store in original container only. Keep container tightly closed when not in use. Reduce stacking height where local conditions can affect package strength. Personnel should use clothing and equipment listed under "PRECAUTIONARY STATEMENT" when handling open containers.

SPILLED MATERIAL: Block or dike to prevent spreading of spill. Cover with absorbent material such as lime, clay or sawdust. Scoop and sweep into a disposable container. Wash area with strong lye solution, absorb and place into a disposable container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticides spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal: Triple rinse (or equivalent) . Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS

Be sure to read the precautionary statements before using!

This product is designed for application after dilution with water and for use by trained operators using airplane or power ground equipment. The hazards and precautions for handling the product in this container are equally applicable to it after dilution with water for spray application. Add the concentrate to the spray tank while filling with water, and mix thoroughly either by means of a tank agitator or pump by-pass. For best results, thoroughly cover all surfaces to be treated with spray. Rates of application given below should not be exceeded. Never

BEST AVAILABLE COPY

apply later than indicated to assure residue levels at harvest are below tolerance established by the Environmental Protection Agency.

Consult the State Agricultural Extension Service or Experiment Station for specific recommendations regarding application, dosage and timing of sprays. For application by ground equipment, add the desired amount of concentrate to sufficient water to apply at least 3 gallons of water per acre. For application by aircraft, add the amount of concentrate desired per acre to 1 to 3 gallons of water consistent with crop growth and good coverage.

Do not use in undiluted form.

Do not apply this product through any type of irrigation system.

CEREAL INSECTS

BARLEY, OATS, RYE AND WHEAT - For barley thrips, use 1/2 to 3/4 pints per acre. For aphids, black grass bugs, stink bugs and winter grain mites, use 1/2 to 1 1/2 pints per acre. For climbing cutworms and grasshoppers use 3/4 to 1 pint per acre. For armyworms and leafhoppers use 2 1/2 pints per acre. For chinch bugs, false chinch bugs and Say's plant bugs, use 1 1/2 pints per acre. For western or brown wheat mites and grasshoppers, use 1 pint per acre. Do not use more than 1/2 pint per acre within 15 days of harvest.

CORN - For control of armyworms, climbing cutworms, corn leaf aphids, corn rootworm adults, fall armyworms and stink bugs, use 1/2 pint per acre. for grasshoppers, use 1 pint per acre. Do not apply within 12 days of harvest. Do not apply during the pollen shed period.

RICE - For rice stink bugs, use 1 to 1 1/2 pints per acre. For grasshoppers, use 1 pint per acre. Do not apply within 15 days of harvest, or within 14 days before or after a propanyl application. Shrimp, crabs and crayfish may be killed. Do not apply where these are important resources.

FIELD AND FORAGE CROPS

ALFALFA AND CLOVER - For control of alfalfa weevil larvae, aphids, (including spotted alfalfa aphids) and climbing cutworms and grasshoppers, use 1/2 to 1 pint per acre. For alfalfa caterpillars, alfalfa adult weevils, armyworms, clover leaf weevils and webworms, use 1 pint per acre. For Egyptian alfalfa weevils, leafhoppers, Lygus bugs and spider mites, use 1 to 2 pints per acre. Do not treat closer than 15 days before harvest, cutting or grazing. In California and Nevada do not use more than 3/4 pint per acre. Do not apply to alfalfa if the crop or weeds in the treatment area are in bloom.

COTTON - For control of thrips, use 1/4 to 1/2 pint per acre. For cotton leaf

130416

worms, use 1/2 to 6 pints per acre. For grasshoppers and fall armyworms, use 1/2 to 6 pints per acre. For false chinch bugs, use 2 pints per acre. For cutworms, use 1 to 2 pints per acre.

For bollworms, saltmarsh caterpillars, armyworms, cotton leaf perforators and stink bugs, use 2 1/2 to 6 pints per acre. Applications should be made at 4 to 5 day intervals until control is obtained. At above dosages, application may be made up to the day before harvest, if harvest will be with mechanical pickers.

DANGER - When necessary to enter treated cotton fields within 48 hours after application, protective clothing and equipment must be worn. Do not apply within 7 days of handpicking cotton.

GRASS (Forage) - For range caterpillar, use 1 pint per acre. For control of armyworms, crested wheat bugs, false chinch bugs, grasshoppers and leafhoppers, use 1 1/2 pints per acre. do not apply within 15 days of harvest or grazing.

SOYBEANS - For control of climbing cutworms, three-cornered alfalfa hoppers, garden webworms, aphids, blister beetles, Mexican bean beetles, stink bugs, two-spotted mites and velvet bean caterpillars, use 3/4 to 2 pints per acre. For bollworms, fall armyworms, and green cloverworms, use 1 quart per acre. Do not apply closer than 20 days before harvest or grazing.

SUGAR BEETS - For armyworms, cutworms, fall armyworms, flea beetles, grasshoppers, leafhoppers, mites, sugar beet webworms, use 1/2 to 3/4 pint per acre. Do not apply within 20 days of harvest; 60 days if tops are to be fed to animals.

VETCH - Alfalfa weevil (larvae) - apply 1/2 to 1 pint per acre. Apply when 75% of terminals show feeding, when buds and shoots appear ragged or when the larvae counts reach 25 per sweep. Aphids, leafhoppers - Apply 1/2 to 1 pint per acre. Climbing cutworms, Lygus bugs, Vetch bruchid - 1 pint per acre. Armyworm - 1/2 to 2 1/2 pints per acre. **DO NOT** apply within 15 days of harvest through 2 pints. **DO NOT** apply within 20 days of harvest from 2 pints through 2 1/2 pints.

OIL SEED CROPS

SUNFLOWERS (30) - For sunflower moths, sunflower maggot and sunflower weed weevil, use 2 pints per acre. Do not apply more than 3 times at 5-day intervals per season. Do not feed seeds to birds. Do not apply within 30 days of harvest.

VEGETABLES

APPLY AT THE RATES INDICATED FOR THE FOLLOWING CROPS. MAKE NO APPLICATIONS CLOSER THAN 7 DAYS BEFORE HARVEST

POTATOES - For control of aphids, armyworms, false chinch bugs, flea beetles, leafhoppers, mites and shield bugs, use 1 1/2 quarts per acre.

APPLY AT THE RATES INDICATED FOR THE FOLLOWING CROPS. MAKE NO APPLICATIONS CLOSER THAN 7 DAYS BEFORE HARVEST.

BROCCOLI - For control of aphids, armyworms, flea beetles, leafhoppers and mites, use 1 to 3 pints per acre. For stink bugs, use 2 to 3 pints per acre. Rates above 1 pint should not be applied closer than 21 days before harvest.

BRUSSELS SPROUTS - For control of aphids, armyworms, flea beetles, leafhoppers and ticks, use 1 to 3 pints per acre. For stink bugs, use 2 to 3 pints per acre. Rates above 1 pint should not be applied closer than 21 days before harvest.

CAULIFLOWER - For control of aphids, armyworms, flea beetles, leafhoppers and mites, use 1 to 3 pints per acre. For stink bugs, use 2 to 3 pints per acre. Rates above 1 pint should not be applied closer than 21 days before harvest.

APPLY AT THE RATES INDICATED FOR THE FOLLOWING CROPS. MAKE NO APPLICATION CLOSER THAN 10 DAYS BEFORE HARVEST

CABBAGE - For control of aphids, armyworms, flea beetles, leafhoppers and mites, use 1 to 3 pints per acre. For stink bugs, use 2 to 3 pints per acre. Rates above 1 pint should not be applied closer than 21 days before harvest.

COLLARDS, KALE AND MUSTARD - For control of aphids, armyworms, flea beetles, leafhoppers and mites, use 1 to 3 pints per acre. For stink bugs, use 2 to 3 pints per acre. Rates above 1 pint should not be applied closer than 21 days before harvest.

PEAS - For control of aphids, armyworms, flea beetles, leafhoppers, Lygus bugs and mites, use 1 to 2 pints per acre. For cowpea curculio, surface feeding and climbing cutworms and stink bugs, use 2 pints per acre. Rates above 1 pint should not be applied closer than 15 days before harvest. Do not apply if the crop or weeds in the treatment area are in bloom.

BEANS (Dry and Green) - For control of aphids, armyworms, flea beetles, leafhoppers, Lygus bugs and mites, use 1 to 3 pints per acre. For cowpea

curculio, surface feeding and climbing cutworms and stink bugs, use 2 to 3 pints per acre. Rates above 1 pint should not be applied closer than 21 days before harvest. Rates up to 1 pint should not be applied closer than 15 days before harvest. Do not apply if the crop or weeds in the treatment area are in bloom.

CARROTS - For control of aphids, armyworms, surface feeding and climbing cutworms, flea beetles, leafhoppers and mites, use 1 quart per acre. Do not feed tops.

CELERY - For control of aphids, armyworms, flea beetles, leafhoppers, Lygus bugs, mites and stink bugs, use 1 quart per acre.

ONIONS - For control of thrips, use 1 pint per acre.

SPINACH - For control of aphids, armyworms, flea beetles, leafhoppers, mites, seed corn maggots in crown and crown mites, use 1 to 2 pints per acre. Rates above 1 pint should not be applied closer than 21 days before harvest.

TURNIPS - For control of aphids, armyworms, flea beetles, leafhoppers leafminers and mites, use 1 to 1 1/2 pints per acre. If tops are to be used for food of feed, do not apply closer than 21 days before harvest.

APPLY AT THE RATES INDICATED FOR THE FOLLOWING CROPS. MAKE NO APPLICATIONS CLOSER THAN 21 DAYS BEFORE HARVEST.

LETTUCE - For control of aphids, armyworms, flea beetles, leafhoppers and mites, use 1 quart per acre.

160716

NOTICE

Because Cheminova Agro A/S has no control over storage, handling and conditions of use, which are of critical importance, Cheminova Agro A/S makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Cheminova Agro A/S assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material

ATTENTION

Do not use in any manner other than recommended on this label. To avoid excessive residues of methyl parathion on food or forage crops, always observe the statements found under "DIRECTIONS FOR USE" limiting the time before harvest when methyl parathion may be applied.

PRODUCT OF DENMARK

Manufactured by
CHEMINOVA AGRO A/S
P. O. Box 9
DK-7620
Lemvig, Denmark
Phone (+45) 97 83 4100
Telex: 66514
CHEMV DK FAX: (+45) 97 83 4555

EPA Reg. No. 4787-11

EPA Est. No. _____