

JUL - 7 1993

Ms. Christine A. Dively
Cheminova Agro A/S
% Jellinek, Schwartz & Connolly, Inc.
1015 15th Street, NW
Suite 500
Washington, D.C. 20005

Dear Ms. Dively:

Subject: Revised Labeling for Canola/Rape
Parathion 8EC
EPA Registration No. 4787-16
Your Submission Dated June 30, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, subject to the comment listed below:

Please refer to our letter of November 5, 1991, and revise the Restricted Use Statement as shown in the letter. The term "Aerial" should be deleted from the description of the certified applicator in the last two sentences of the statement. The certified commercial aerial applicator need not be present during mixing, loading, repair and cleaning of the application equipment.

A stamped copy of the supplemental labeling is enclosed for your records.

This acceptance of your label does not relieve you of any obligation to comply with the Worker Protection Standard (WPS). Under the WPS labeling regulations at 40 CFR part 156, subpart K, § 156.200(c)(3), you are prohibited from distributing or selling

any product within the scope of the WPS requirements after April 21, 1984, without amended labeling accepted by the Agency. If you have any questions regarding the WPS, you may call 1-800-777-2185.

Sincerely,

DHE

Dennis H. Edwards, Jr.
Product Manager 19
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

RESTRICTED USE PESTICIDE

Due to very high acute toxicity to Humans and Birds

For retail sale only to certified commercial aerial applicators or persons under their direct supervision. For use only by certified aerial commercial applicators. Direct supervision for this product is defined as the certified commercial aerial applicator being physically present during mixing, loading, repair and cleaning of application equipment. Certified commercial aerial applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

SUPPLEMENTAL LABELING TO

PARATHION 8EC

EPA REG. NO. 4787-16

FOR USE ON CANOLA/RAPE (OILSEED VARIETIES ONLY)

ALL APPLICABLE DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS
ON THE EPA REGISTERED LABEL ARE TO BE FOLLOWED.

THIS LABEL MUST BE IN POSSESSION
OF USER AT THE TIME OF APPLICATION.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CANOLA/RAPE (OILSEED VARIETIES ONLY): For control of Cabbage Seed Pod Weevils, Aphids, Diamondback Moth Larvae, and Flea Beetles, apply 0.5 pint of PARATHION 8-E per acre per application, in sufficient water for good coverage (3 to 10 gallons of water per acre).

Apply when damaging populations are present.

- For control of Cabbage Seed Pod Weevil (*Ceutorhynchus assimilis*), treat when two or more Cabbage Seedpod Weevil may be found per plant on young pods.
- For control of Aphids, treat about mid-growing season when insects populations reach economic thresholds.
- For control of Flea Beetles, treat in early season when significant evidence of shot-holing by the adults becomes evident on rape seedlings.
- For control of Diamondback Moth Larvae, treat about mid-growing season when populations reach economic thresholds and there is evidence of appreciable feeding beginning on rape flowers and/or pods.

A second application may be made if necessary. To protect pollinators apply only in the evening or early morning (this includes a period from 3 hours before sunset until 3 hours after sunrise of the following day). Preharvest interval is 28 days; do not treat within 28 days of harvest). DO NOT graze treated fields or feed treated forage or threshing waste to livestock.

Chemnova Agro A/S, Post Office Box 9, DK-7620 Lemvig, DENMARK

EPA Est No. 4787-DN-1

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUL - 7 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

4787-16