

CODE 756.50

PYRENONE® Coating Powder (H) Insecticide

EPA REG. NO. 4816-27

ACCOUNTED
JAN 20 1978
U.S. Dept. of Agriculture
Registration Division
Pesticides
4816-27

ACTIVE INGREDIENTS

Pyrethrins	1.67%
*Piperonyl Butoxide, Technical	18.95%
**INERT INGREDIENTS	79.38%
	100.00%

*Equivalent to 15.16% (butylcarbityl)(6-propylpiperonyl) ether and 3.79% related compounds

**Contains Petroleum Oil

PYRENONE - Registered trademark of Fairfield American Corporation

CAUTION

KEEP OUT OF REACH OF CHILDREN.


Harmful if swallowed.

ENVIRONMENTAL & DISPOSAL CAUTIONS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not reuse empty container. Destroy by burning with wastes away from water supplies or by burning.

NET CONTENTS: 60 POUNDS
NET CONTENTS: 27.22 KILOS

DUPLICATE



DIRECTIONS FOR USE:

For use on the outer surfaces of multi-wall paper bags by bag manufacturers.

The users of this product may be required to submit data necessary to support registration of this product.

Directions: Pyrenone Coating Powder (H) is to be applied to paper during manufacture or in a coating operation so that 50 milligrams of piperonyl butoxide and 5 milligrams of pyrethrins are applied per square foot of paper. In no case should the treatment exceed 60 mgs. of piperonyl butoxide and 6 mgs. of pyrethrins. A typical formulation would be:

Pyrenone Coating Powder (H)	2.00 lbs.
Stayco M or Methocel	1.25 lbs.
Water	9.25 lbs.
	<u>12.50 lbs.</u>

This amount of solution (12.50 lbs.) is applied evenly to one ream of paper (3000 sq. ft.)

This treatment is to be used on bags of 50# capacity or more.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BATCH



FAIRFIELD AMERICAN CORPORATION
100 NIAGARA ST.
BUFFALO, N.Y.

FUNGICIDAL* (Against pathogenic fungi)
VIRUCIDAL* (Against most lipophilic viruses including Influenza
A₂, Herpes simplex, Adenovirus Type 2 and Vaccinia)

* On Hard, Non-porous Surfaces.

ACTIVE INGREDIENTS:	O-Phenylphenol	11.75%
	O-Benzyl-p-chlorophenol	7.82%
INERT INGREDIENTS:		<u>80.43%</u>
	Total	100.00%

EPA REGISTRATION No. 675.27


DANGER: Keep Out of Reach of Children.

See left panel for additional precautions.

NET CONTENTS ONE HALF GALLON

NATIONAL LABORATORIES
Lehn & Fink Products Group
Montvale, NJ 07645 . Plant: Toledo, Ohio 43612

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Product Guidance for Phase 2
Reference, Page 2.12, Active to Inactive Change in Status.



**FOR USE BY PROFESSIONAL MAINTENANCE PERSONNEL
ONLY IN INSTITUTIONAL AND INDUSTRIAL FACILITIES.**

**HOW TO USE Con-O-Syl HOSPITAL TYPE
DISINFECTANT-DETERGENT**

Con-O-Syl is economical, effective in 400 ppm hard water, noncombustible, and contains no phosphorous compounds. Con-O-Syl is in concentrated form. Dilute according to directions.

Purpose	Correct Solution Strength	To prepare proper dilutions in required quantities, add full strength Con-O-Syl to water as below:	
		Con-O-Syl	Water
FOR GENERAL CLEANING AND DISINFECTING	0.39% (1:256)	4 cc. 1/2 oz. 1 1/2 oz. 2 1/2 oz.	1 quart 1 gallon 3 gallons 5 gallons

DIRECTIONS:

No need to add soap or other detergents. Con-O-Syl does a complete job--cleans, disinfects, deodorizes. Avoid waste, dilute as directed.

High Dilution SAVES Time and Labor
See Brochure for detailed instructions.
One tablespoon equals about 1/2 fluid ounce or 15 cc.

