Not Reviewed. Registrant claims to be in accordance with Energistration of Posticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inent Crange in Status.


REDETVED

DEC1 5 1977

CODE 756.50

## PYRENONE Coating Powder (H)

EPA REG. NO. 4816-27



Un to U.o. Perlando Innorthelds, and al 12m, and the second second sec.

والأحجر واعتاره المطابق

4816-27 / 12-31-89 PM17

DIRECTIONS FOR USE:

**ACTIVE INGREDIENTS** 

100.00%

\*Equivalent to 15.16% (butylcarbityl)(6-propylplperonyl) ether and 3.79% related compounds \*\*Contains Petroleum Oil

PYRENONE ~ Registered trademark of Fairfield American Corporation

CAUTION KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed.

## ENVIRONMENTAL & DISPOSAL CAUTIONS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not reuse empty container. Destroy by arying with wastes away from water supplies or by bu: ing the

> NET CONTENTS: 60 POUNDS NET CONTENTS: 27.22 K1LOS

DUPLICATE

For use on the outer surfaces of multi-wall paper bags by bag manufacturers.

The users of this product may be required to submit data necessary to support registration of this product.

Directions: Pyrenone Coating Powder (H) is to be applied to paper during manufacture or in a coating operation so that 50 milligrams of piperonyl butoxide and 5 milligrams of pyrethrins are appiled per square foot of paper. In no case should the treatment exceed 60 mgs. of piperonyl butoxide and 6 mgs. of pyrethrins. A typical formulation would be:

Pyrenone Coating Powder	(н)	2.00 lbs.
Stayco M or Methocel		1.25 lbs.
Water		<u>9.25 lbs.</u> 12.50 lbs.
		12.50 lbs.

This amount of solution (12.50 lbs.) is applied evenly to one ream of paper (3000 sq. ft.)

This treatment is to be used on bags of 50# capacity or more.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BATCH

