

DRI-DIE® Insecticide

EPA Reg. No. 4816-240

EPA Est No. 279-NY-1

* For Commercial/Industrial Use Only

ACTIVE INGREDIENTS

Amorphous Silica Gel 95.0%

INERT INGREDIENTS 5.0%

100.0%

DRI-DIE - Registered Trademark of W. R. Grace Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautions

Net Contents _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dri-Die kills insects after contact through a physiochemical action. It is odorless, non-staining and may be used in dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stairs, refrigerators and cabinets; around plumbing and other utility installations without damaging materials of any kind. It kills Cockroaches, after contact and prevents new infestations of Drywood Termites in buildings.

To aid in the Prevention of Drywood Termites and Rat Mites: Use an electric or hand operated rotary duster to distribute Dri-Die through an entry crawl hole into attics, crawl spaces and other infested areas of buildings. Rate of application is recommended at 1 pound per 1000 square feet of floor area. All wood surfaces must be covered. All vents and louvers on the windward side should be closed.

To kill infestations of Cockroaches (German, Brown-banded, Oriental): Distribute Dri-Die at the rate of 2 ounces per 100 square feet of floor area in visible concentration beneath and behind appliances, refrigerators and stoves. Apply a continuous visible film on and behind all moldings, shelving edges, around pipe openings and in cracks and crevices, where insects may hide. On severe infestations, apply Dri-Die in crawl spaces, attics, behind walls and cabinets at the rate of 16 ounces per 1000 square feet of floor area. Repeat as necessary.

New Constructions - To Aid in the Prevention of Drywood Termites and Cockroaches: Apply between studding in lower part of all outer walls. Make sure all spaces between studs are treated. In plaster walls, holes may be made with a drill. After treatments, holes are closed by plasterers when taping.

In Combination with Boric Acid: Dri-Die® may be mixed with Boric Acid at the rate of from 1 part by volume Boric Acid: 4 parts by volume Dri-Die to 4 parts by volume Boric acid: 1 part by volume Dri-Die. The applicator must add the proper amounts of each product together in either a power or hand duster and thoroughly agitate. Applications must be made in accordance with the more restrictive of label limitations and precautions. No label dosage may be exceeded. This product cannot be mixed with any product containing a label prohibition against such mixing.

Dogs and Cats - To Kill Infestations of Fleas: Liberally apply powder to the animal, rubbing thoroughly into the skin. Begin with the neck and include the underbody, legs, feet and base of the tail. Repeat as necessary.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas at a rate of 3 ounces per 100 square feet. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Also force dust into infested wood through existing openings or newly drilled small holes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Pesticide Storage And Spill Procedures: Store upright at room temperature. Keep away from moisture. Sweep

up and dispose of with chemical waste. Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility. Container Disposal: Completely empty container by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of container in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in same manner. Containers One Pound And Smaller: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink a glass of water and induce vomiting by touching back of throat with finger. Contact a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES OR ON SKIN: Flush with plenty of water. Contact a physician if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid inhalation of dust.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held.

In the home cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Exposed food should be covered or removed.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with the directions given herewith.

ACCEPTED
JUL 14 1993
Under the Federal Insecticide, Fungicide, and Rodenticide Act
EPA Reg. No. 4816-240

Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

72590 032493TK

4816-240