

PYRENONE MALATHION
MOSQUITO FOGGING INSECTICIDE

EPA Reg. No. 4816-330

CODE 723.90

EPA Est. No. 279-NY-1

FOR OUTDOOR FOGGING APPLICATION AROUND RESIDENCES, PARKS, PLAYGROUNDS,
GOLF COURSES, MUNICIPALITIES, DRIVE-IN THEATERS AND RESTAURANTS

KILLS MOSQUITOES, GNATS, FLIES AND MOTHS

AS A CONTACT SPRAY INDOORS OR OUTDOORS KILLS ANTS, COCKROACHES,
SPIDERS, CRICKETS AND BOXELDER BUGS. USE AS A SPOT SURFACE
APPLICATION AVOIDING ANY CONTACT WITH FOOD OR FOOD PRODUCTS.

ACTIVES INGREDIENTS:

Pyrethrins.....	0.050%
*Piperonyl Butoxide, Technical.....	0.125%
**Malathion.....	2.000%

***INERT INGREDIENTS:..... 97.825%

TOTAL 100.000%

*Equivalent to 0.100% (butylcarbityl) (6-propylpiperonyl) ether and
0.025% related compounds.

**0,0 Dimethyl dithiophosphate of diethyl mercaptosuccinate

***Contains petroleum distillate

PYRENONE - Registered Trademark of Fairfield American Corporation

ACCEPTED
SEP 23 1986
Under Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. *4816-330*

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

NET CONTENTS: _____

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This ready-to-use insecticide may be dispersed through conventional thermal, mechanical or compressed air fogging or spraying equipment.

To control ADULT MOSQUITOES and GNATS: Apply as a fog of fine mist at a rate of 1 to 3 gallons per acre (1.1 to 2.2 fluid ounces per 1000 square feet), filling the entire area with vapor. For best results, treat when the wind velocity does not exceed 5 miles per hour. Application in the evening or early morning is recommended. Treat area thoroughly with particular attention to low or marshy locations, shore lines, stagnant pools or ponds and vegetation where mosquitoes may rest. Repeat treatment as necessary, usually once or twice a week.

Using mobile or truck-mounted equipment, the above application rate will result when traveling at a speed of 5 m.p.h. if a 300 ft. wide swath is treated with insecticide dispersed at a rate from 69 to 138 gallons per hour.

FLIES AND MOTHS, OUTDOORS: Fill area with fog or mist to kill flies and small flying moths (millers). Repeat treatment as necessary, usually once or twice a week.

TEMPORARY REDUCTION OF ANNOYANCE: The aforementioned applications for mosquitoes, gnats, flies and moths will afford temporary reduction of annoyance from these pests in public gathering places such as parks and open sports stadia. Application should be made prior to attendance.

ANTS, SPIDERS, CRICKETS, COCKROACHES AND BOXELDER BUGS: To control crawling insects, direct a coarse spray at the insects and infested areas applying enough to wet the surface without any run-off of the spray. Repeat after 2 to 4 weeks, or as needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed. Avoid breathing of fog or mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center immediately. Do not induce vomiting. Contains petroleum distillate, aspiration pneumonia is a potential hazard.

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Flush affected areas with plenty of water. Contact a physician if irritation persists.

OR IN EYES:

physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply when weather conditions favor drift from areas treated. Do not apply directly to any body of water. Do not contaminate lakes, streams or ponds by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.