052

(REAR PANEL)

D'RECTIONS FOR USE

Hold container upright, nozzle away from you. Press valve down and spray as directed.

FOR THE CONTROL OF HOUSEHOLD INSECTS

To control houseflies, mosquitoes, flying moths, gnats, or wasps; shut doors and windows and spray room at the rate of 5 to 6 seconds per 1000 cubic feet. Remove pets, birds, and cover fish aquariums before spraying. Keep room closed for at least 10 minutes after spraying. Do not remain in treated areas and ventilate the areas after treatment is completed.

To kill roaches & silverfish: Spray directly into cracks, crevices and other secluded places. Direct spray at insects when they appear. An average size kitchen requires 65 to 75 seconds of spraying. To kill ants: Spray directly on insects and ant trails and other places where ants congregate.

FOR THE CONTROL OF GARDEN INSECTS

For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hit by spray, as well as aphids, exposed thrips, and spider mites.

May be used on plants, as a multi-purpose spray in small gardens and for spot treatment of incipient insect infestations to prevent spreading in large garden areas.

May also be used on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonyms, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigelds, mododendrons, roses, rubber plants, snapdragons, stocks, wandering Jew and zinnias.

Effective when used as directed against aphids, spider mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites and army worms, when occurring on the above listed plants.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Do not wet foliage or blossoms.

PYRENONE® HOUSE AND GARDEN INSECT SPRAY

EPA Reg. No. 4816-332

This Froduct Contains A Pleasant Room Freshener Too!

An effective combination of pyrethrins and piperonyl butoxide. May be used in the home and garden for the control of insects.

ACTIVE INGREDIENTS:

Pyrethrins				•		•						•	0.2%
Piperonyl Butoxide, T	'ecl	hni	Ca	1*			•	•		•		•	1.0%
Petroleum Distillate			•		•	 		•	•		•	, .	0.8%
ERT INGREDIENTS: .													98.0%

*Equivalent to 0.8% of (butylcarbityl) (6-propylpiperonyl) ether and 0.2% of related compounds.

CAUTION: Harmful if swallowed. Do not spray near or toward an open flame. Avoid contamination of feed and food-stuffs.

If used in food processing plants or commercial food prepara**tion areas, foods should be removed or covered during treat*ment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply only while facility is not in operation.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Apply this product only as specified on this label.

WARNING: Contents under pressure. Do not puncture. Do not expose container to temperatures above 120° F. Never throw container into fire or incinerator.

CAUTION KEEP OUT OF REACH OF CHILDREN.

See rear panel for additional precautions

Reg. U.S. Pat Office - FMC Corporation

NET WT.

ime

Niagare Chemical Division
Middleport N.Y. 14105

Printed in U. S. A.

WITE THE LETTER WEEKER UP TO THE STATE OF TH