

CODE 820.00

Pyrenone® HOUSE AND GARDEN INSECT SPRAY

An effective combination of pyrethrins and piperonyl butoxide. May be used in the home and garden for the control of insects.

ACTIVE INGREDIENTS

Pyrethrins.....	0.2%
Piperonyl Butoxide, Technical.....	1.0%
**INERT INGREDIENTS.....	98.8%
	100.0%

Equivalent to 0.8% (butylcarbityl)(6-propyl-piperonyl) ether and 0.2% related compounds.
*Contains Petroleum Distillate
This product contains the toxic inert ingredient Methylene Chloride

PYRENONE - Registered trademark of Fairfield American Corp.

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Harmful if swallowed.
Avoid inhalation of spray mist. Avoid contact with skin and eyes.
See rear panel for additional precautions.

ACCEPTED
16 FEB 1988
Under the Federal Insecticide, Fungicide, and Rodenticide Act, or otherwise, in the pesticide registered under EPA Reg No. 4816-33

EPA Reg. No. 4816-332
EPA Est. No. 279-NY-1

NET WEIGHT

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin and eyes. Do not spray near or toward an open flame. Avoid contamination of feet and foodstuffs.

If used in food processing plants or commercial food preparation areas, foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply only when facility is not in operation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds.

PHYSICAL OR CHEMICAL HAZARDS

Flammable contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISPOSAL

Wrap container and dispose of in trash. Do not incinerate.

Hold container upright, nozzle away from you. Press valve down and spray as directed.

FOR THE CONTROL OF HOUSEHOLD INSECTS

To control house flies, mosquitoes, small flying moths, gnats or wasps: shift doors and windows and spray room at the rate of 5 to 6 seconds per 1000 cubic feet. Remove pets, birds and cover fish aquariums before spraying. Keep room closed for at least 10 minutes after spraying. Do not remain in treated areas and ventilate the areas after treatment is completed. Sweep up and destroy fallen insects.

To kill roaches and silverfish: Spray directly into cracks, crevices and other secluded places. Direct spray at insects when they appear. An average size kitchen requires 65 to 75 seconds of spraying. To kill ants: Spray directly on insects and ant trails and other places where ants congregate. Repeat treatment as necessary.

FOR THE CONTROL OF GARDEN INSECTS

For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles, hit by spray, as well as aphids, exposed thrips and spider mites.

May be used on plants, as a multi-purpose spray in small gardens and for spot treatment of incipient insect infestations to prevent spreading in large garden areas.

May also be used on African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vines, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, flocks, wandering Jew and zinnias.

Effective when used as directed against aphids, spider mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites and armyworms when occurring on the above listed plants.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Do not wet foliage or blossoms.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BEST AVAILABLE COPY

FAIRFIELD AMERICAN CORPORATION
3932 SALT ROAD
MEDINA, N. Y. 141