

[4816-335]

PYRENONE[®] INDUSTRIAL SPRAY EMULSIFIABLE CONCENTRATE

Pyrenone Industrial Spray Emulsifiable Concentrate contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted with water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions, and in other situations where an effective fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

DIRECTIONS

AS A CONTACT SPRAY

For best application for an initial clean-up with Pyrenone Industrial Spray Emulsifiable Concentrate, dilute 1 gallon of concentrate with four gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon of diluted material to each 750 square feet of surface. This dilution should not be applied in the edible products areas of federally inspected meat, poultry and egg packing plants. Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found, including walls, baseboards, moldings, floors, cabinets, shelves, sinks and pipes, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, runs and nest. Repeat treatment at a dilution of 1 to 9 at the same rate of application after an interval of a month or repeat as needed.

SPACE SPRAY

For rapid control of flying insects, including flies, moths, wasps, hornets, skipper flies, mosquitoes and gnats, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 39 gallons of water and apply in a good sprayer adjusted to deliver a fine mist. Direct the diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approximately 2 ounces of diluted material for each 1,000 cubic feet of space. Whenever practicable, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is completed.

A FOOD INDUSTRY INSECT SPRAY

EPA Reg. No. 4816-335

Properly diluted with water and applied, Pyrenone Industrial Spray Emulsifiable Concentrate kills on contact the exposed stages of:

Roaches	Spiders	Gnats	Skipper Flies
Silverfish	Flies	Mosquitoes	Cheese Mites
Crickets	Hornets	Wasps	Scorpions
Ants	Flying Moths	Boxelder Bugs	Clover Mites

Pyrenone Industrial Spray Emulsifiable Concentrate can be used around food, food products, utensils and food handling equipment, but should not be applied directly to uncovered food or food products.

CAUTION
KEEP OUT OF REACH OF CHILDREN.

See rear panel for additional precautions

Net Contents 1 Gallon



Manufactured by
INDUSTRIAL DEPARTMENT
Niagara Chemical Division
Middleport, N.Y. 14105

VAPOR SPRAY

Rapid control of all of the insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in special electric, steam or compressed air applicators, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 9 gallons of water or oil and use in accordance with manufacturers' directions for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8,000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for 4 to 6 hours for best control of cockroaches. Do not remain in treated areas and ventilate the area after treatment is completed.

ACTIVE INGREDIENTS: 100%
Pyrethrins 1.0%
Piperonyl Butoxide, Technical* 10.0%
Polyoxyethylene sorbitol mixed
ether ester 12.5%
Petroleum Distillate 76.5%

*Equivalent to 8.0% of (butylcarbityl) (6-propylpiperonyl) ether and to 2.0% of related compounds.

Reg. U. S. Pat. Office - FMC Corporation

CAUTION

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

10-20-99 4816-335 1/2 PM 17

Not Reviewed. Registrant claims to be in accordance with
Registration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

CODE 050-20

PYRENONE[®] INDUSTRIAL SPRAY EMULSIFIABLE CONCENTRATE

EPA Reg. No. 4816-335

A FOOD INDUSTRY INSECT SPRAY

Properly diluted with water and applied
Pyrenone Industrial Spray Emulsifiable
Concentrate kills on contact the exposed
stages of:

Roaches	Hornets	Gnats
Silverfish	Flying Moths	Wasps
Crickets	Mosquitoes	Clover Mites
Ants	Boxelder Bugs	Scorpions
Spiders	Skipper Flies	
Flies	Cheese Mites	

Pyrenone Industrial Spray Emulsifiable
Concentrate can be used around food,
food products, utensils and food hand-
ling equipment, but should not be ap-
plied directly to uncovered food or
food products.

ACTIVE INGREDIENTS

Pyrethrins	1.0%
Piperonyl Butoxide, Technical	10.0%
INERT INGREDIENTS	89.0%
	100.0%

*Equivalent to 8% (butylcarbityl)(6-
propylpiperonyl) ether and 2% related
compounds

PYRENONE - Fairfield American trademark

CAUTION

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

NET CONTENTS	GALLONS
NET CONTENTS	LITERS
NET CONTENTS	POUNDS
NET CONTENTS	KILOS

BATCH

AS TRANSFERRED TO FAC

Pyrenone Industrial Spray Emulsifiable
Concentrate contains piperonyl butoxide,
a chemical that increases the activity
of pyrethrins. Diluted with water, it
is specifically recommended for use in
bottling plants, breweries, food pro-
cessing houses, bakeries, markets,
restaurants, stores, hotels, theaters,
hospitals, institutions and in other
situations where an effective fast-
acting insecticide is required. As a
space spray, it gives rapid kill of fly-
ing and crawling insects contacted by
the mist.

DIRECTIONS

AS A CONTACT SPRAY

For best application for an initial
clean-up with Pyrenone Industrial Spray
Emulsifiable Concentrate, dilute 1 gal-
lon of concentrate with four gallons
of water and apply in a good machine
adjusted to deliver a coarse droplet
spray using approximately 1 gallon of
diluted material to each 750 square
feet of surface. This dilution should
not be applied in the edible product
areas of federally inspected meat,
poultry and egg packing plants. Against
roaches, silverfish, crickets, scorpions,
spiders, box elder bugs, clover mites
and cheese mites with this water dilu-
ted concentrate, spray thoroughly all
surfaces and areas where these insects
are usually found including walls, base-
boards, moldings, floors, cabinets, cre-
vices, sinks and pipes, with special
attention to cracks, crevices, niches,
dark corners, drains and similar hiding
places. Treat ant trails, runs and nest.
Repeat treatment at a dilution of 1 to
9 at the same rate of application after
an interval of a month or repeat as
needed.

SPACE SPRAY

For rapid control of flying insects,
including flies, moths, wasps, hornets,
skipper flies, mosquitoes and gnats, di-
lute 1 gallon of Pyrenone Industrial
Spray Emulsifiable Concentrate with 39
gallons of water and apply in a good

per portions of the enclosure, filling
the room with the mist and using approx-
imately 2 ounces of diluted material
for each 1000 cubic feet of space. When-
ever practical, keep doors and windows
closed for 10 minutes after application.
Do not remain in treated areas and ven-
tilate the area after treatment is com-
pleted.

VAPOR SPRAY




Rapid control of all of the insect spe-
cies named on this label may be obtained
through dispensing this concentrate as
a vapor. For use as a vapor spray in
special electric, steam or compressed
air applicators, dilute 1 gallon of
Pyrenone Industrial Spray Emulsifiable
Concentrate with 9 gallons of water or
oil and use in accordance with manufac-
turers' directions for the type of
equipment selected. Dosages vary with
different types of applicators, but many
special generators are designed to give
most effective results when the material
is used at the rate of 1 pint to each
8,000 - 15,000 cubic feet of space. In
all cases, the dosage should be suffi-
cient to fill thoroughly the enclosure
with fog or vapor. Keep the room closed
for 4 to 6 hours for best control of
cockroaches. Do not remain in treated
areas and ventilate the area after treat-
ment is completed.

CAUTION

Harmful if swallowed. Foods should be
removed or covered during treatment.
All food processing surfaces should be
covered during treatment or thoroughly
cleaned before using. When using the
product as a space spray, apply only
when the plant is not in operation.

This product is toxic to fish. Keep
out of lakes, streams or ponds. Do not
contaminate water by cleaning of equip-
ment or disposal of wastes. Apply this
product only as specified on this label.

Do not reuse empty container. Destroy



FAIRFIELD
AMEF
CORPORATION

PYRENONE[®] INDUSTRIAL SPRAY EMULSIFIABLE CONCENTRATE

Pyrenone Industrial Spray Emulsifiable Concentrate contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted with water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions, and in other situations where an effective fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

DIRECTIONS

AS A CONTACT SPRAY

For best application for an initial clean-up with Pyrenone Industrial Spray Emulsifiable Concentrate, dilute 1 gallon of concentrate with four gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon of diluted material to each 750 square feet of surface. This dilution should not be applied in the edible products areas of federally inspected meat, poultry and egg packing plants. Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found, including walls, baseboards, moldings, floors, cabinets, shelves, sinks and pipes, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, runs and nest. Repeat treatment at a dilution of 1 to 9 at the same rate of application after an interval of a month or repeat as needed.

SPACE SPRAY

For rapid control of flying insects, including flies, moths, wasps, hornets, skipper flies, mosquitoes and gnats, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 39 gallons of water and apply in a good sprayer adjusted to deliver a fine mist. Direct the diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approximately 2 ounces of diluted material for each 1,000 cubic feet of space. Whenever possible, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is completed.

A FOOD INDUSTRY INSECT SPRAY

EPA Reg. No. 4816-335

Properly diluted with water and applied, Pyrenone Industrial Spray Emulsifiable Concentrate kills on contact the exposed stages of:

Roaches	Spiders	Gnats	Skipper Flies
Silverfish	Flies	Mosquitoes	Cheese Mites
Crickets	Hornets	Wasps	Scorpions
Ants	Flying Moths	Boxelder Bugs	Clover Mites

Pyrenone Industrial Spray Emulsifiable Concentrate can be used around food, food products, utensils and food handling equipment, but should not be applied directly to uncovered food or food products.

CAUTION
KEEP OUT OF REACH OF CHILDREN.

See next panel for additional precautions

Net Contents 1 Gallon



Manufactured by
INDUSTRIAL DEPARTMENT
Niagara Chemical Division
Middleport, N. Y. 14105

VAPOR SPRAY

Rapid control of all of the insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in special electric, steam or compressed air applicators, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 9 gallons of water or oil and use in accordance with manufacturers' directions for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8,000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for 4 to 6 hours for best control of cockroaches. Do not remain in treated areas and ventilate the area after treatment is completed.

ACTIVE INGREDIENTS: 100%
Pyrethrins 1.0%
Piperonyl Butoxide, Technical* 10.0%
Polyoxyethylene sorbitol mixed
ether ester 12.5%
Petroleum Distillate 76.5%

*Equivalent to 8.0% of (nonylcarbityl) (6-propylpiperonyl) ether and to 2.0% of related compounds.

Reg. U. S. Pat. Office - FMC Corporation

CAUTION

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

FEB 23 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
UNDER NO. 4816-335 SUBJECT
TO ATTACHED COMMENTS.

CODE 050-20

PYRENONE® INDUSTRIAL SPRAY EMULSIFIABLE CONCENTRATE

EPA Reg. No. 4816-335

A FOOD INDUSTRY INSECT SPRAY

Properly diluted with water and applied Pyrenone Industrial Spray Emulsifiable Concentrate kills on contact the exposed stages of:

Roaches	Hornets	Gnats
Silverfish	Flying Moths	Wasps
Crickets	Mosquitoes	Clover Mites
Ants	Boxelder Bugs	Scorpions
Spiders	Skipper Flies	
Flies	Cheese Mites	

Pyrenone Industrial Spray Emulsifiable Concentrate can be used around food, food products, utensils and food handling equipment, but should not be applied directly to uncovered food or food products.

ACTIVE INGREDIENTS

Pyrethrins	1.0%
*Piperonyl Butoxide, Technical	10.0%
*INERT INGREDIENTS	89.0%
	100.0%

equivalent to 8% (butylcarbityl) (6-propylpiperonyl) ether and 2% related compounds.

Contains Petroleum Distillate and polyoxyethylene sorbitol and ether ester

RENONE - Registered Trademark of Fairfield American Corporation.

CAUTION

KEEP OUT OF REACH OF CHILDREN.

SEE SIDE PANEL FOR ADDITIONAL CAUTIONS

NET CONTENTS	GALLONS
NET CONTENTS	LITERS
NET CONTENTS	POUNDS
NET CONTENTS	KILOS

BATCH

AS TRANSFERRED TO FAR

7.2.11.1077

EPA REG. 270-BY-1
Pyrenone Industrial Spray Emulsifiable Concentrate contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted with water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions and in other situations where an effective fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

DIRECTIONS

AS A CONTACT SPRAY

For best application for an initial clean-up with Pyrenone Industrial Spray Emulsifiable Concentrate, dilute 1 gallon of concentrate with four gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray using approximately 1 gallon of diluted material to each 750 square feet of surface. This dilution should not be applied in the edible product areas of federally inspected meat, poultry and egg packing plants. Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found including walls, baseboards, moldings, floors, cabinets, crevices, sinks and pipes, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding places. Treat ant trails, runs and nest. Repeat treatment at a dilution of 1 to 9 at the same rate of application after an interval of a month or repeat as needed.

SPACE SPRAY

For rapid control of flying insects, including flies, moths, wasps, hornets, skipper flies, mosquitoes and gnats, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 39 gallons of water and apply in a good

per portions of the enclosure, filling the room with the mist and using approximately 2 ounces of diluted material for each 1000 cubic feet of space. Whenever practical, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is completed.

VAPOR SPRAY





Rapid control of all of the insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in special electric, steam or compressed air applicators, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 9 gallons of water or oil and use in accordance with manufacturers' directions for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8,000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for 4 to 6 hours for best control of cockroaches. Do not remain in treated areas and ventilate the area after treatment is completed.

CAUTION

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray, apply only when the plant is not in operation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy



**FAIRFIELD
AMEF
CORPORATION**

PYRENONE[®] INDUSTRIAL SPRAY EMULSIFIABLE CONCENTRATE

Pyrenone Industrial Spray Emulsifiable Concentrate contains piperonyl butoxide, a chemical that increases the activity of pyrethrins. Diluted with water, it is specifically recommended for use in bottling plants, breweries, food processing houses, bakeries, markets, restaurants, stores, hotels, theaters, hospitals, institutions, and in other situations where an effective fast-acting insecticide is required. As a space spray, it gives rapid kill of flying and crawling insects contacted by the mist.

DIRECTIONS

AS A CONTACT SPRAY

For best application for an initial clean-up with Pyrenone Industrial Spray Emulsifiable Concentrate, dilute 1 gallon of concentrate with four gallons of water and apply in a good machine adjusted to deliver a coarse droplet spray, using approximately 1 gallon of diluted material to each 750 square feet of surface. This dilution should not be applied in the edible products areas of federally inspected meat, poultry and egg packing plants. Against roaches, silverfish, crickets, scorpions, spiders, box elder bugs, clover mites and cheese mites with this water diluted concentrate, spray thoroughly all surfaces and areas where these insects are usually found, including walls, baseboards, moldings, floors, cabinets, shelves, sinks and pipes, with special attention to cracks, crevices, niches, dark corners, drains and similar hiding place. Treat ant trails, runs and nest. Repeat treatment at a dilution of 1 to 9 at the same rate of application after an interval of a month or repeat as needed.

SPACE SPRAY

For rapid control of flying insects, including flies, moths, wasps, hornets, skipper flies, mosquitoes and gnats, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 39 gallons of water and apply in a good sprayer adjusted to deliver a fine mist. Direct the diluted spray toward the upper portions of the enclosure, filling the room with the mist, and using approximately 2 ounces of diluted material for each 1,000 cubic feet of space. Whenever practicable, keep doors and windows closed for 10 minutes after application. Do not remain in treated areas and ventilate the area after treatment is completed.

A FOOD INDUSTRY INSECT SPRAY

EPA Reg. No. 4816-335

Properly diluted with water and applied, Pyrenone Industrial Spray Emulsifiable Concentrate kills on contact the exposed stages of:

Roaches	Spiders	Gnats	Skipper Flies
Silverfish	Flies	Mosquitoes	Cheese Mites
Crickets	Hornets	Wasps	Scorpions
Ants	Flying Moths	Boxelder Bugs	Clover Mites

Pyrenone Industrial Spray Emulsifiable Concentrate can be used around food, food products, utensils and food handling equipment, but should not be applied directly to uncovered food or food products.

CAUTION
KEEP OUT OF REACH OF CHILDREN.

See label for additional precautions

Net Contents 1 Gallon



Manufactured by
INDUSTRIAL DEPARTMENT
Niagara Chemical Division
Middleport, N. Y. 14105

VAPOR SPRAY

Rapid control of all of the insect species named on this label may be obtained through dispensing this concentrate as a vapor. For use as a vapor spray in special electric, steam or compressed air applicators, dilute 1 gallon of Pyrenone Industrial Spray Emulsifiable Concentrate with 9 gallons of water or oil and use in accordance with manufacturers' directions for the type of equipment selected. Dosages vary with different types of applicators, but many special generators are designed to give most effective results when the material is used at the rate of 1 pint to each 8,000 - 15,000 cubic feet of space. In all cases, the dosage should be sufficient to fill thoroughly the enclosure with fog or vapor. Keep the room closed for 4 to 6 hours for best control of cockroaches. Do not remain in treated areas and ventilate the area after treatment is completed.

ACTIVE INGREDIENTS: 100%
Pyrethrins 1.0%
Piperonyl Butoxide, Technical* 10.0%
Polyoxyethylene sorbitol mixed
ether ester 12.5%
Petroleum Distillate 76.5%

*Equivalent to 8.0% of (butylcarbityl) (6-propylpiperonyl) ether; and to 2.0% of related compounds.

Reg. U. S. Pat. Office - FMC Corporation

CAUTION

Harmful if swallowed. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

FEB 23 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENT CIDE ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 1616-33 SUBJECT
TO ATTACHED COMMENTS.

BEST AVAILABLE COPY