

CODE 823.75

WASP & HORNET KILLER NO. 1

Fast Acting!

Kills Wasps, Hornets and Yellow Jackets

ACTIVE INGREDIENTS:

Pyrethrins	0.075%
Piperonyl Butoxide, Technical	0.188%
Carbaryl (1-Naphthyl N-methylcarbamate)	0.500%
Petroleum Distillate	24.237%
INERT INGREDIENTS:	75.000%
	100.000%

*Equivalent to 0.150% (butylcarbityl)(6-propyl-piperonyl) ether and 0.038% related compounds

KEEP OUT OF REACH OF CHILDREN.

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin.

See rear panel for additional precautions.

EPA Reg. No. 4816-337

EPA Est. No. 279-NY-1

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing spray mist or contact with skin. Wash thoroughly after using. Avoid storage near food or feed. Do not spray on pets, humans or other animals.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

NET WEIGHT

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

DISPOSAL: Wrap container and put in trash collection.

To operate, remove protective cap and depress button, being sure to aim spray opening at the location to be sprayed. Direct spray at insects wherever possible and under eaves, into nests, cracks, holes or crevices wherever insects are noticed. Spray for about 10 seconds or until surface is moist from insecticide. To prevent entrance of insects into the house, spray around points where outside plumbing, faucets, enter the house and into any cracks or crevices in foundation as well as along sills and ledges.

Kills Wasps, Hornets and Yellow Jackets: This spray is fast acting when insects are hit directly. Allow about 24 hours for those insects which were not directly hit by spray to leave the area. If insects should return to the treated area, spray again. This container delivers a stream type spray, making it possible for the operator to stay back from the places sprayed.

This formulation utilizes pyrethrins, piperonyl butoxide and a carbamate type insecticide, a combination particularly effective on this class of insects.

ACCEPTED
JAN 3 1979
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under 4816-337

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**FAI
AM
CORP**
3932 So
Medina