Purenone® MILL SPRAY

For Control of a stife Food Products

d Grain and

BEST AVAILABLE COPY

ACTIVE INGREDIENTS

Pyrethrins	6.0%
*Piperonyl Butoxide, Technical	
"INERT INGREDIENTS	
	100 0%

*Equivalent 48% (butylcarbityl) (6-propylpiperonv1) ether and 12 related compounds

**Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed. See side panel for additional precautionary statements.

EPA Req. No. 4816-338 EPA Est. No. 279-NY-1

PYRENONE - Registered trademark of Fairfield American Corporation

BEST AVAILABLE COPY

Paremone Mill Spray Emulsifiable Concentrate is a rapidly effective insecticide especially combounded for control of common insect pests of stored #aint stomed food products. It may be was assurface treatment for residential projection of as a contact spray in standard or special Pequipments **



NET	CONTENTS			GALLONS
	CONTENTS			
NET	CONTENAS	* * *		PO UNDS
NET	CONTÉNTS		• •	····KILOS

4:0V 4 1981

SEE REVERSE

EMULSIFIABLE CONCENTRATE

The insecticide components of this piperonyl butoxide and pyrethring spray are covered by requlations issued under the Food Additives Amendment, as recorded in Chapter 1, Subchapter B, Part 121, Paragraphs 121,1074 and 121,1075.

Diluted Pyrenone dill Spray Emulsifiable Concentrate kills on contact the accessible or exposed stages of:

Angoumois Grain Moths Granary Weevils Confused Flour Beetles Mediterranean Flour Moths Rice Weevils Cadelles Cheese Skippers

Cheese Mites **Grain Hites**

Rust-red Flour Beetles Sawtoothed Grain Beetles

Spider Beetles

Pyrenone Hill Spray Emulsifiable Concentrate contains pyrethrins and piperonyl butoxide. When diluted with water, it is highly useful for use in mills, elevators, granaries, warehouses, food storages and other situations where an effective fast acting insecticide is required; as a space spray, it gives rapid kill of flying and crawling insects.

Pyrenone Mill Spray Emulsifiable Concentrate can be used around grain, food, food products, utensils, containers, food handling, food processing equipment, but should not be applied directly to uncovered food stuffs and food products.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR TREATMENT OF FLOORS AND BINS

To kill accessible stages of:

Confused Flour Beetle Rice Weevils Cadelles Cheese Hites

Rust-red Flour Beetles Sawtoothed Grain Reetles Spider Beetles

Granary Weevils Grain Mites

following the cleanup of waste grain, dirt, dust and cebris, which should be removed and destroyed, apply in a good machine adjusted to deliver a coarse droplet spray using the following dilution and application rate.







CORPORATION

3932 Salt Fload Medina, New York 14103

· — 	DILUTION		
CONCENTRAL		WATER	
I Pint	<u>-</u>	14 374 jallons	
•		14 3/4 jailons 29 1/2 gallons	
# Quart # Gallon	·	55 gallons	

• • •	•••
O AFPROX	MARE USE RISTE
BILLYES SPRAY	ARTA TO BY COVERED
1 Pint	33 3/4 Square Feet
i Quarg_	187 1/2 Square Feet
1 da Mone	/50 Square Feet
	•

in mills, elevators and granaries, with diluted emulsifiable concentrate, thoroughly spray floors and walls and other surfaces or bins, storage and handling areas with particular attention to cracks, crevices and similar protected locations. Treat unloading, handling and processing areas and apply the insecticide to conveying, processing and handling equipment such as the inside of reel conveyors, purified conveyors, sifters, roll housings and hoppers, pick up conveyors. Spray thoroughly around the base of heavy machinery and equipment.

Thoroughly treat walls, floors and shelves and other exposed surfaces and lightly spray each layer of cartons and containers as stacked.

Sack surfaces of bagged grain can be sprayed lightly until slightly moist.

for protection in transit, treat truck beds, box cars and ships' holds before loading. For adequate protection in in-transit conditions, use the following dilution rate:

	DILUTION	
CONCENTRATE		WATER
1 Pint		5 Gallons
1 Quart		9 3/4 Gallons
1 Gallon		39 Gallons

SPACE SPRAY

For Rapid Kill of Exposed Surfaces of:

Angoumois Grain Moths
Confused Flour Beetles
Cadelles
Cheese Skippers
Cheese Mites
Cranary Weevils
Cranary Grain Moths
Cranary Weevils
Cranary Weevils
Cranary Grain Moths
Cranary Weevils
Cranary Weevils
Cranary Grain Moths
Cranary Meevils
Cranary Grain Moths
Crain Mites
Mediterranean Flour Moths
Rice Weevils
Cranary Grain Moths
Rice Weevils

Use above 1 to 5, 1 to 9 3/4 or 1 to 39 dilution and apply in a good machine adjusted to deliver a fine mist. Whenever possible, keep doors and windows closed for 10 minutes after application. Direct spray toward the upper portions of the enclosure, filling the room with mist and using 2 ounces of diluted material for each 1000 cubic feet of space. Do not remain in treated areas and ventilate the area after treatment is completed.

Rapid control of all of the above named insects may be obtained through dispensing this concentrate as a space spray. For use as a fogging spray in special electric, steam or compressed air applicators, apply at the following dilution rate:

DILUTIO	ON
CONCENTRATE	WATER
1 Pint	2 1/2 Gallons
1 Quart	4 3/4 Gallons
1 Gallon	19 Gallons

Use in accordance with manufacturer's directions for the individual type of applicator selected. Dosages vary with different applicators, but many such generators are designated to give more effective results when the diluted material is used 1 pint to each 8,000 to 15,000 cubic feet of space. In all cases, dosage should be sufficient to fill thoroughly the enclosure with fog.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when the plant is not in operation.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or pends. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

______ BATCH..___

2 12