

## **PLEASE NOTE**

**This image contains more than one label  
approved for this product on this date.**

CODE 725.75

NET CONTENTS 4 x 1 QUART

NET CONTENTS 8.28 POUNDS

# **PYRENONE<sup>®</sup> GRAIN PROTECTANT EMULSIFIABLE CONCENTRATE**

**ACTIVE INGREDIENTS:**

Pyrethrins.....	6.0%
*Piperonyl Butoxide, Technical.....	60.0%
Petroleum Distillate.....	12.0%
INERT INGREDIENTS:.....	22.0%
	<u>100.0%</u>

\*Equivalent to 48% (butylcarbityl) (6-propyl-piperonyl) ether and 12% related compounds

PYRENONE - Registered trademark of Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Harmful if swallowed.

**ACCEPTED**

AUG 1 1979

EPA Reg. No. 4816-340

EPA Est. No. 279-NY-1

See Inside Package for Additional Precautionary Statements,  
Directions for Use and Disposal Cautions.

72575 F 4x1 779

**FAIRFIELD  
AMERICAN  
CORPORATION**  
3932 Salt Road  
Medina, New York 14103

CODE 725.75

# **PYRENONE® GRAIN PROTECTANT EMULSIFIABLE CONCENTRATE**

ACTIVE INGREDIENTS:	
Pyrethrins	6.0%
*Piperonyl Butoxide, Technical	60.0%
Petroleum Distillate	12.0%
INERT INGREDIENTS:	22.0%
	100.0%

\*Equivalent to 48% (butylcarbitol)(6-propyl-piperonyl) ether and 12% related compounds

**KEEP OUT OF REACH OF CHILDREN**

## **CAUTION**

Harmful if swallowed.

See side panel for additional precautionary statements.

EPA Reg. No. 4816-340  
EPA Est. No. 279-NY-1

PYRENONE - Registered trademark of Fairfield American Corporation

For the preparation of Pyrenone Grain Protectant E.C. spray to be used on Corn, Barley, Buckwheat, Wheat, Oats, Rye, Rice, Popcorn and Grain Sorghum held in storage.

Diluted with water according to directions, will control the exposed stages of rice weevils, granary weevils, confused flour beetles, lesser grain borers, sawtoothed grain beetles and flat grain beetles.

When properly applied, the Pyrenone Grain Protectant Spray should be effective for at least a full storage season or approximately eight months.

When used as directed, the residues of Pyrenone Grain Protectant Spray do not effect the grade or germination of the grain to which it is applied.

### **PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS**

#### **CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove pets, birds and cover fish aquaria before spraying.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **STORAGE AND DISPOSAL**

Do not reuse empty container.  
Wrap container and put in trash collection.

At a convenient time before the grain is to be stored, thoroughly sweep and clean the winnow other storage places of grain, being careful to remove all lots of waste from inside and around the bin. Then apply Pyrenone Grain Protectant Emulsifiable Concentrate diluted and agitated with 59 parts water and thoroughly wet the walls, ceilings, partition boards, etc. to kill insects in cracks and crevices. One gallon of the dilute spray covers about 750 square feet of surface.

When the grain is ready for storage, dilute Pyrenone Grain Protectant Emulsifiable Concentrate at the rate of 1 part of the concentrate with 29 parts of water. Agitate and mix well.


Application, at the rate of 5 gallons of diluted Pyrenone Grain Protectant Emulsifiable Concentrate for every 1000 bushels of grain, should be made to the stream of grain going into storage. The diluted spray is applied at an even rate onto the grain at such a point that the grain will be tumbled and mixed before it enters the storage bin. For large installations, such as terminal and mill elevators, application should be made on the conveyor or at any convenient point prior to the grain entering the bin. Under farm storage conditions, the spray should be applied into the hopper of the auger, hiker or conveyor. Small lots of grain may be sprayed and then mixed by hand.

Monthly inspections of the stored grain, whether fumigated or treated with Pyrenone Grain Protectant Emulsifiable Concentrate should be made. If the top 2 to 3 inches of grain are found to be infested, spray the surface evenly with diluted Pyrenone Grain Protectant Emulsifiable Concentrate. For this application, dilute 1 part of the concentrate with 19 parts of water and apply the diluted spray at the rate of 1 to 2 gallons per square feet of grain surface.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

**BATCH**

**NET CONTENTS 1 QUART  
NET CONTENTS 2.07 POUNDS**



**FAIRFIELD  
AMERICAN  
CORPORATION**

3932 Salt Road  
Medina, New York 14103

**NEXT**

**LABEL**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove pets, birds and cover fish aquaria before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

For the preparation of Pyrenone Grain Protectant E.C. spray to be used on Corn, Barley, Buckwheat, Wheat, Oats, Rye, Rice, Popcorn and Grain Sorghum held in storage.

Diluted with water according to directions, will control the exposed stages of rice weevils, granary weevils, confused flour beetles, lesser grain borers, sawtoothed grain beetles and flat grain beetles.

When properly applied, the Pyrenone Grain Protectant Spray should be effective for at least a full storage season or approximately eight months.

When used as directed, the residues of Pyrenone Grain Protectant Spray do not effect the grade or germination of the grain to which it is applied.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Reseal container and offer for reconditioning or triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal state or local disposal authorities for approved alternative procedures.

CODE 725.75

**PYRENONE® GRAIN  
PROTECTANT EMULSIFIABLE  
CONCENTRATE**

**ACTIVE INGREDIENTS:**

Pyrethrins . . . . .	6.0%
*Piperonyl Butoxide, Technical . . . . .	60.0%
Petroleum Distillate . . . . .	12.0%
INERT INGREDIENTS: . . . . .	22.0%
	100.0%

\*Equivalent to 48% (butylcarbityl)(6-propyl-piperonyl) ether and 12% related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

Harmful if swallowed.

See side panel for additional precautionary statements.

EPA Reg. No. 4816-340

EPA Est. No. 279-NY-1

PYRENONE - Registered trademark of Fairfield American Corporation

**ACCEPTED**

**AUG 1 1979**

Under Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 4816-340

NET CONTENTS 55 GALLONS  
NET CONTENTS 453 POUNDS  
NET CONTENTS 208.18 LITERS  
NET CONTENTS 205.44 KILOS



**FAIRFIELD  
AMERICAN  
CORPORATION**

3932 Salt Road  
Medina, New York 14103

4816-340

08/01/1979

1/2

At a convenient time before the grain is to be stored, thoroughly sweep and clean the bin or other storage places of grain, being careful to remove all lots of waste from inside and around the bin. Then apply Pyrenone Grain Protectant Emulsifiable Concentrate diluted and agitated with 59 parts water and thoroughly wet the walls, ceilings, partition boards, etc. to kill insects in cracks and crevices. One gallon of the dilute spray covers about 750 square feet of surface.

When the grain is ready for storage, dilute Pyrenone Grain Protectant Emulsifiable Concentrate at the rate of 1 part of the concentrate with 29 parts of water. Agitate and mix well.

Application, at the rate of 5 gallons of diluted Pyrenone Grain Protectant Emulsifiable Concentrate for every 1000 bushels of grain, should be made to the stream of grain going into storage. The diluted spray is applied at an even rate onto the grain at such a point that the grain will be tumbled and mixed before it enters the storage bin. For large installations, such as terminal and mill elevators, application should be made on the conveyor or at any convenient point prior to the grain entering the bin. Under farm storage conditions, the spray should be applied into the hopper of the auger, hiker or conveyor. Small lots of grain may be sprayed and then mixed by hand.

Monthly inspections of the stored grain, whether fumigated or treated with Pyrenone Grain Protectant Emulsifiable Concentrate should be made. If the top 2 to 3 inches of grain are found to be infested, spray the surface evenly with diluted Pyrenone Grain Protectant Emulsifiable Concentrate. For this application, dilute 1 part of the concentrate with 19 parts of water and apply the diluted spray at the rate of 1 to 2 gallons per square feet of grain surface.

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

BATCH

--

**NEXT**

**LABEL**

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid contamination of feed and foodstuffs. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove pets, birds and cover fish aquaria before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

For the preparation of Pyrenone Grain Protectant E.C. spray to be used on Corn, Barley, Buckwheat, Wheat, Oats, Rye, Rice, Popcorn and Grain Sorghum held in storage.

Diluted with water according to directions, will control the exposed stages of rice weevils, granary weevils, confused flour beetles, lesser grain borers, sawtoothed grain beetles and flat grain beetles.

When properly applied, the Pyrenone Grain Protectant Spray should be effective for at least a full storage season or approximately eight months.

When used as directed, the residues of Pyrenone Grain Protectant Spray do not effect the grade or germination of the grain to which it is applied.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food and feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal, state or local disposal authorities for approved alternative procedures.

CODE 725.75

# PYRENONE<sup>®</sup> GRAIN PROTECTANT EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENTS:

Pyrethrins . . . . .	6.0%
*Piperonyl Butoxide, Technical . . . . .	60.0%
Petroleum Distillate . . . . .	12.0%
INERT INGREDIENTS: . . . . .	22.0%
	100.0%

\*Equivalent to 48% (butylcarbityl)(6-propyl-piperonyl) ether and 12% related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

Harmful if swallowed.

See side panel for additional precautionary statements.

EPA Reg. No. 4816-340  
EPA Est. No. 279-NY-1

PYRENONE - Registered trademark of Fairfield American Corporation

ACCEPTED

AUG 1 1979

Under Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 4816-340

NET CONTENTS	1	GALLONS
NET CONTENTS	3.79	LITERS
NET CONTENTS	8.3	POUNDS
NET CONTENTS	3.76	KILOS

**FAIRFIELD  
AMERICAN**  
CORPORATION

3932 Salt Road  
Medina, New York 14103

4816-340

08/01/1979

1/2



At a convenient time before the grain is to be stored, thoroughly sweep and clean the bin or other storage places of grain, being careful to remove all lots of waste from inside and around the bin. Then apply Pyrenone Grain Protectant Emulsifiable Concentrate diluted and agitated with 59 parts water and thoroughly wet the walls, ceilings, partition boards, etc. to kill insects in cracks and crevices. One gallon of the dilute spray covers about 750 square feet of surface.

When the grain is ready for storage, dilute Pyrenone Grain Protectant Emulsifiable Concentrate at the rate of 1 part of the concentrate with 29 parts of water. Agitate and mix well.

Application, at the rate of 5 gallons of diluted Pyrenone Grain Protectant Emulsifiable Concentrate for every 1000 bushels of grain, should be made to the stream of grain going into storage. The diluted spray is applied at an even rate onto the grain at such a point that the grain will be tumbled and mixed before it enters the storage bin. For large installations, such as terminal and mill elevators, application should be made on the conveyor or at any convenient point prior to the grain entering the bin. Under farm storage conditions, the spray should be applied into the hopper of the auger, hiker or conveyor. Small lots of grain may be sprayed and then mixed by hand.

Monthly inspections of the stored grain, whether fumigated or treated with Pyrenone Grain Protectant Emulsifiable Concentrate should be made. If the top 2 to 3 inches of grain are found to be infested, spray the surface evenly with diluted Pyrenone Grain Protectant Emulsifiable Concentrate. For this application, dilute 1 part of the concentrate with 19 parts of water and apply the diluted spray at the rate of 1 to 2 gallons per square feet of grain surface.

Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.

BATCH

--

**NEXT**

**LABEL**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed. Avoid contamination of feed and foodstuffs. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Remove pets, birds and cover fish aquaria before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

For the preparation of Pyrenone Grain Protectant E.C. spray to be used on Corn, Barley, Buckwheat, Wheat, Oats, Rye, Rice, Popcorn and Grain Sorghum held in storage.

Diluted with water according to directions, will control the exposed stages of rice weevils, grain weevils, confused flour beetles, lesser grain borers, sawtoothed grain beetles and flat grain beetles.

When properly applied, the Pyrenone Grain Protectant Spray should be effective for at least a full storage season or approximately eight months.

When used as directed, the residues of Pyrenone Grain Protectant Spray do not effect the grade or germination of the grain to which it is applied.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food and feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal, state or local disposal authorities for approved alternative procedures.

CODE 725.75

# **PYRENONE® GRAIN PROTECTANT EMULSIFIABLE CONCENTRATE**

**ACTIVE INGREDIENTS:**

Pyrethrins	6.0%
*Piperonyl Butoxide, Technical	60.0%
Petroleum Distillate	12.0%
INERT INGREDIENTS:	22.0%
	100.0%

\*Equivalent to 48% (butylcarbityl) (6-propyl-piperonyl) ether and 12% related compounds

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**


Harmful if swallowed.

See side panel for additional precautionary statements.

EPA Reg. No. 4816-340

EPA Est. No. 279-NY-1

PYRENONE - Registered trademark of Fairfield American Corporation



NET CONTENTS: 5 GALLONS

NET CONTENTS: 18.93 LITERS

NET CONTENTS: 41.4 POUNDS

NET CONTENTS: 18.78 KILOS

**FAIRFIELD  
AMERICAN  
CORPORATION**

3932 Salt Road  
Medina, New York 14103