

Reg. No. 4816-340
Pyrenone

P11-17
BEST AVAILABLE COPY

CODE 725.75 131

GRAIN PROTECTANT

EPA Reg. No. 4816-340 EPA Est. No. 279-NY-1

Protects Grain For At Least A Full Season
(8 Months) When Properly Applied.

Controls Exposed Stages Of Rice Weevil,
Granary Weevil, Sawtoothed Grain Beetle,
Flat Grain Beetle And Lesser Grain Borer;
Diluted In Water As Directed.

For Use On Stored Corn, Barley, Buckwheat,
Wheat, Oats, Rye, Rice, Popcorn And Grain
Sorghum.

No Effect On Grade Or Germination of Grain
When Used As Directed.

ACTIVE INGREDIENTS

Pyrethrins	6.0%
*Piperonyl Butoxide, Technical	60.0%
**INERT INGREDIENTS	34.0%
	100.0%

*Equivalent to min. 44% (butylcarbityl)
(6-propylpiperonyl) ether and 12% related
compounds.

**Contains Petroleum Distillate
PYRENONE - Registered trademark of
Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautions.

NET CONTENTS: _____

BATCH _____

DIRECTIONS FOR USE

It is a violation of Federal law to use
this product in a manner inconsistent with
its labeling.

BIN PREPARATION

Before the grain is to be stored, thoroughly
sweep or clean the bin or other storage
place being careful to remove all waste
grain from the inside and around the bin.
Then using a dilution of 1 part concentrate
to 59 parts water thoroughly mixed, spray
or treat the walls, ceiling, partition
boards and floors to the point of runoff.
One gallon covers about 750 square feet of
surface.

GRAIN TREATMENT

For application to grain, dilute 1 part
concentrate in 29 parts water and agitate
well. Application should be made to the
stream of grain going into storage, cali-
brated to a rate of 5 gallons of diluted
spray per 1000 bushels. It should be
applied at an even rate at such a point
that it will be tumbled and mixed as the
grain pours into the bin.

For large installations, such as terminal
and mill elevators, application should be
made on the conveyor or at any convenient
point prior to the grain entering the bin.
Under farm storage conditions, the spray
should be applied into the hopper of the
auger, hiker or conveyor. Small lots of
grain may be sprayed and then mixed by hand.

Monthly inspections of the stored grain,
whether fumigated or treated with concen-
trate should be made. If the top 2 to 3
inches of grain are found to be infested,
spray the surface evenly with diluted
concentrate. For this application, dilute
1 part of the concentrate with 19 parts of
water, and apply the diluted spray at the
rate of 1 to 2 gallons per 1000 square
feet of grain surface.

DISPOSAL

Do not reuse empty container. Destroy when
empty.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or
Poison Control Center immediately. Induce
vomiting by drinking a glass of water and
then touching finger to back of throat.
Do not give anything by mouth or induce
vomiting to an unconscious person.


If Inhaled: Remove affected person to
fresh air. Apply artificial respiration if
indicated.

If On Skin Or In Eyes: Flush with plenty
of water. Contact a physician if irritation
persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply
directly to lakes, streams or ponds. Do not
contaminate water by cleaning of equipment
or disposal of wastes. Apply this product
only as specified on this label.

Buyer assumes all risks of use, storage or
handling of this material not in strict
accordance with directions given herewith.



**FAIRFIE
AMERIC
CORPORAT**
3032 San Road
111-111-111

MADE IN U.S.A.

1 GALLON

4816-340

Granary Weevil, Sawtoothed Grain Beetle,
1121 Grain Beetle And Lesser Grain Borers.
Diluted In Water As Directed.

For Use On Stored Corn, Barley, Buckwheat,
Wheat, Oats, Rye, Rice, Popcorn And Grain
Sorghum.

No Effect On Grade Or Germination of Grain
When Used As Directed.

ACTIVE INGREDIENTS

Pyrethrins.....	6.0%
*Piperonyl Butoxide, Technical.....	60.0%
Petroleum Distillate.....	24.0%
INERT INGREDIENTS.....	10.0%
	100.0%

*Equivalent to min. 48% (butylcarbityl)
(6-propylpiperonyl) ether and 12% related
compounds.

PYRENONE - Registered trademark of
Fairfield American Corporation

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional precautions

NET CONTENTS _____

BATCH _____

Printed in U.S.A.

place being careful to remove all waste
grain from the inside and around the bin.
Then using a dilution of 1 part concentrate
to 50 parts water thoroughly mixed, spray
or treat the walls, ceiling, partition
boards and floors to the point of runoff.
One gallon covers about 750 square feet of
surface.

GRAIN TREATMENT

For application to grain, dilute 1 part
concentrate in 20 parts water and agitate
well. Application should be made to the
stream of grain going into storage, cali-
brated to a rate of 5 gallons of diluted
spray per 1000 bushels. It should be
applied at an even rate at such a point
that it will be tumbled and mixed as the
grain pours into the bin.

For large installations, such as terminal
and mill elevators, application should be
made on the conveyor or at any convenient
point prior to the grain entering the bin.
Under farm storage conditions, the spray
should be applied into the hopper of the
auger, loader or conveyor. Small lots of
grain may be sprayed and then mixed by hand.

Monthly inspections of the stored grain,
whether fumigated or treated with concen-
trate should be made. If the top 2 to 3
inches of grain are found to be infested,
spray the surface evenly with diluted
concentrate. For this application, dilute
1 part of the concentrate with 10 parts of
water and apply the diluted spray at the
rate of 1 to 2 gallons per 1000 square
feet of grain surface.

HAZARD TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Contact a physician or
Poison Control Center immediately. Induce
vomiting by drinking a glass of water and
then touching finger to back of throat.
Do not give anything by mouth or induce
vomiting to an unconscious person.

If Inhaled: Remove affected person to
fresh air. Apply artificial respiration if
indicated.

If On Skin Or In Eyes: Flush with plenty
of water. Contact a physician if irritation
persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply
directly to lakes, streams or ponds. Do not
contaminate water by cleaning of equipment
or disposal of wastes. Apply this product
only as specified on this label.

Buyer assumes all risks of use, storage or
handling of this material not in strict
accordance with directions given herewith.



**FAIRFIELD
AMERICAN
CORPORATION**

3932 San Road
Medina N.Y. 14103

4816-340