

Reg # 4816-342

PM-17

171

CODE 821.25

PYRENONE® Food Plant Aerosol Insecticide

Contains PYRENONE

Industrial Strength - Low Dosage Required

For Use in Non-Residential Food Handling Areas

Provides Rapid Control of Flies, Mosquitoes,
Gnats, Wasps and Small Flying Moths**ACTIVE INGREDIENTS**

| | |
|--------------------------------------|--------|
| Pyrethrins | 0.5% |
| *Piperonyl Butoxide, Technical | 4.0% |
| **INERT INGREDIENTS | 95.5% |
| | 100.0% |

Equivalent to 3.2% (butylcarbityl)(6-propyl-
piperonyl) ether and 0.8% related compoundsPYRENONE - Registered trademark of Fairfield
American Corporation

**Contains Petroleum Distillate

THIS PRODUCT CONTAINS CHLOROFLUOROCARBON-11 AND
CHLOROFLUOROCARBON-12EPA Reg. No. 4816-342
EPA Est. No. 279-NY-1**KEEP OUT OF REACH OF CHILDREN
CAUTION**CAUTION: Harmful if swallowed. Avoid contamina-
tion of feed and foodstuffs. Vacate premises af-
ter treatment and ventilate before reoccupying.

See side panel for additional precautions.

ACCEPTED

05 JUL 1979

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, the pesticide
registered under
EPA Reg. No. 4816-342

NET WEIGHT

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**Avoid inhalation of spray mist. Avoid contact
with eyes and skin. When using this product in
food processing plants, foods should be removed
or covered during treatment. All food processing
surfaces should be covered during treatment or
thoroughly cleaned before using. When using this
product in these areas, apply only when the fa-
cility is not in operation.**PHYSICAL OR CHEMICAL HAZARDS****FLAMMABLE!** Contents under pressure. Keep away
from heat, sparks and flame. Do not puncture or
incinerate. Exposure to temperatures above 130°F
may cause bursting.**DIRECTIONS FOR USE**It is a violation of Federal law to use this pro-
duct in a manner inconsistent with its labeling.**DISPOSAL:** Do not reuse empty container. Wrap
container and put in trash collection.Due to the chlorofluorocarbon propellant system,
this product can only be used in edible product
areas of food processing plants.Hold container upright with nozzle away from you.
Press valve down and spray as directed.**Flies, Mosquitoes, Gnats, Wasps and Small Flying
Moths:** Close all doors and fill the room with
mist. Direct spray to all parts of the room es-
pecially windows and other light sources which
attract these insects. Keep nozzle in constant
motion. Keep room closed for 10 to 15 minutes
after treatment. Repeat treatment as necessary.**Indian Meal Moths, Angoumois Grain Moths:** Close
doors and windows, direct spray into all parts
of room especially around stored food product
containers, pallets and darkened areas. Spray 7
to 10 seconds for each 1000 cubic feet of space.
Keep area closed for 15 minutes following treat-
ment. Repeat application weekly or as needed.Buyer assumes all risks of use, storage or hand-
ling of this material not in strict accordance
with directions given herewith.**FAIRFIELD
AMERICAN**